PUBLIC HEALTH REPORTS

VOL. 40 OCTOBER 30, 1925 No. 44

THE NOTIFIABLE DISEASES

PREVALENCE DURING 1924 IN CITIES OF 10,000 TO 100,000 POPULATION

The tables shown on the following pages were compiled from data furnished by the health officers of cities. Requests for information were sent to all cities of the United States having 10,000 population or more. The data for cities having more than 100,000 population were published in the PUBLIC HEALTH REPORTS, volume 40, No. 36, September 4, 1925.

The following is a list of the diseases included:

Anthrax
Cerebrospinal meningitis
Chicken pox
Dengue
Diphtheria
Influenza
Lethargic encephalitis
Malaria
Measles
Mumps
Pellagra
Pneumonia (all forms)
Poliomyelitis (infantile paralysis)
Rabies in animals
Rabies in man
Rocky Mountain spotted fever
Scarlet fever
Septic sore throat
Smallpox
Tuberculosis (all forms and pulmonary)
Typhoid fever
Typhus fever
Whooping cough

The present article contains reports from cities having between 10,000 and 100,000 population. It is believed that practically all of these cities are included which have records of morbidity from communicable diseases which are of value for statistical purposes.

The estimated expectancy, given in the tables for some of the diseases, is the result of an attempt to ascertain from the experience of recent years how many cases of the disease under consideration might be expected in 1924. In most instances the estimated expectancy is the median number of cases reported by the city for the years 1917 to 1923, inclusive. When several epidemics have occurred during these years, or when for other reasons the median is not satisfactory, epidemic years are excluded, and the estimated expectancy is the mean of the number of cases reported for the nonepidemic years. The aim has been to ascertain how many cases of each disease may reasonably be expected in the absence of epidemics.

The column headed "Number of years" shows the number of years for which data are available for each city.

For all diseases except anthrax, lethargic encephalitis, rabies, Rocky Mountain spotted fever, and typhus fever there is given either the fatality rate per 100 cases or the number of cases reported for each death registered.

In comparing the figures for 1924 with the estimated expectancy or with averages for preceding years, it should be borne in mind that there has been a gradual improvement in the reporting of communicable diseases during the last few years. An increase in the number of cases reported may be due to better reporting of the particular disease rather than to an increase in the number of cases existing.

In studying these tables it should be kept in mind that a relatively large number of reported cases of a communicable disease as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate) usually means that the health department of that city is active and that the cases of the disease are being well reported by the practicing physicians. It does not usually mean that the disease is more prevalent in that city than in other cities. A high fatality rate may mean that the disease was unusually virulent in a city, that the physicians did not treat the disease in that city with the success usual elsewhere, or that the practicing physicians did not report all of their cases to the health department. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the city was unusually mild, that the physicians treated it with unusual success, that the practicing physicians reported their cases satisfactorily, or that the registration of deaths was incomplete or the assignment of the causes of death inaccurate.

Cities which did not report either cases or deaths of a certain disease in 1924 are not included in the table for that disease.

Reported Prevalence for the Year 1924

ANTHRAX

City	Cases reported, 1924	Deaths registered, 1924	City	Cases reported, 1924	Deaths registered, 1924
Arkansas:			Massachusetts—Continued.		
Little Rock	2	0	Malden	1	0
Indiana:			Peabody	3	0
Jeffersonville	2		Woburn	2	0
Michigan City	2	1	New Jersey:		
Iowa:			Passaic	1	0
Fort Madison	2	1	New York:		
Louisiana:			Amsterdam	1	0
Lake Charles	1	1	Endicott	2	0
Massachusetts:			Glens Falls	1	0
Framingham		1	Gloversville	6	0
Haverhill	1	0			

Reported prevalence for the year 1924—Continued

CEREBROSPINAL MENINGITIS

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston	20,000	5	1			3	0.15	
Arizona:								
Phoenix	35,300	1	1			3	.08	
Arkansas:								
Little Rock	72,600	6	2			1	.01	
California:								
Alameda	31,300	7	1	2	0.06	1	.03	50.0
Bakersfield	22,900	7	2	3	.13	2	.09	66.7
Fresno	56,700	4	2			1	.02	
Glendale	20,000					1	.05	
Long Beach	83,100	5	2			4	.05	
Modesto	11,700	1	6	6	.51	4	.34	66.7
Sacramento	71,100	7	2	1	.01	0		
San Diego	96,400	7	5			5	.05	
Santa Ana	18,800					3	.16	
Stockton	46,100	4	1	3	.07	1	.02	33.3
Venice	13,800	3	0			2	.15	
Colorado:								
Colorado Springs	[1] 30,100	6	0			1	.03	
Trinidad	11,000	4	1			2	.18	
Connecticut:								
Bristol	23,900	7	1			1	.04	
Meriden	36,000	5	2	3	.08			
New Britain	66,500	5	8	9	.14	6	.09	66.7
New London	28,500	6	2			1	.04	
Stonington	10,700			3	.28	1	09	33.3
Florida:								
Miami	40,700	3	2			4	.10	
Tampa	67,600					8	.12	
West Palm Beach	12,900	1	0	2	.16	1	.08	50.0
Georgia:								
Athens	18,600	2	1			1	.05	
Lagrange	22,300					4	.18	
Rome	13,800	5	1			1	.07	
Illinois:								
Blue Island	12,900	3	1			1	.08	
Canton	11,000			2	.18			
Centralia	13,800	5	1	1	.07	0		
Cicero	59,100	5	1			2	.03	
East St. Louis	70,600	5	3	4	.06	3	.04	75.0
Galesburg	24,600	6	1	2	.08	1	.04	50.0
Herrin	12,900			2	.16	0		
Joliet	40,200	4	2			1	.02	
Kewanee	19,400	3	1			1	.05	
La Salle	13,800	5	1			1	.07	
Maywood	13,900	7	0			10	.72	
Moline	33,300	5	1	3	.09	1	.03	33.3
Murphysboro	12,200	2	0			2	.16	
Peoria	80,600	6	2			3	.04	
Rock Island	39,200	5	1			1	.03	
Rockford	74,400	7	2			1	.01	
Springfield	62,700	6	1	5	.08	4	.06	80.0
Streator	15,000	3	1			1	.07	
Urbana	11,100	3	1	2	.18			
Waukegan	20,700					1	.05	
Indiana:								
Anderson	33,100	4	2			3	.09	
East Chicago	43,800					4	.09	
Elwood	[1] 10,800	5	1			1	.09	
Hammond	48,500	3	1			2	.04	
Kokomo	35,700	7	0	2	.06	1	.03	50.0
Laporte	17,100	2	0			1	.06	
Michigan City	19,700	4	1			3	.15	
New Albany	[1] 23,000	5	1			1	.04	
Newcastle	16,500					2	.12	
Richmond	29,000	4	1			1	.03	
Iowa:								
Boone	13,400	2	2			1	.07	
Cedar Rapids	51,500	7	1	2	.04	0		
Fort Dodge	19,700	3	0			1	.05	
Fort Madison	13,500					2	.15	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

CEREBROSPINAL MENINGITIS—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Kansas:								
Hutchinson	26,500	3	1	1	0.04	0		
Pittsburg	19,500					1	0.05	
Topeka	53,200	5	2			2	.04	
Wichita	81,200	6	3	5	.06	2	.02	40.0
Kentucky:								
Henderson	12,500					3	.24	
Lexington	44,300	7	1			1	.02	
Owensboro	21,800					4	.18	
Louisiana:								
Alexandria	20,100	2	1			1	.05	
Shreveport	56,200			1	.02	0		
Maine:								
Auburn	17,900	3	2			1	.06	
Bangor	26,500	2	4	5	.19	3	.11	60.0
Bath	17,200	2	1	2	.12	0		
Biddeford	18,400	4	0			1	.05	
Lewiston	34,400	3	2	4	.12			
Massachusetts:								
Adams	[1] 13,000	7	1			2	.15	
Amesbury	10,100	4	0			1	.10	
Attleboro	21,400	7	1	2	.09	0		
Beverly	24,400	5	1			1	.04	
Brockton	70,600	6	2			1	.01	
Chelsea	48,200	4	2	1	.02	0		
Clinton	[1] 13,000	5	0	1	.08	0		
Everett	43,200	7	1	3	.07	1	.02	33.3
Framingham	18,900	7	1			2	.11	
Greenfield	17,800	5	1	1	.06	0		
Haverhill	58,400	7	2			1	.02	
Holyoke	61,300	5	2	1	.02	0		
Lawrence	98,200	7	5	9	.09	6	.06	66.7
Leominster	20,700	6	2			1	.05	
Malden	51,300	7	2	3	.06	2	.04	66.7
Medford	46,400	5	1			2	.04	
Milton	10,000			1	.10	0		
North Adams	22,400	7	1			1	.04	
Northampton	23,100	6	1	2	.09	0		
Peabody	21,300	7	2			1	.05	
Plymouth	13,500	2	0	1	.07	0		
Quincy	54,900	7	1	1	.02	0		
Taunton	38,500	5	0	1	.03	0		
Watertown	25,400	7	1	2	.08	0		
Westfield	19,800	7	1			1	.05	
Woburn	17,200	7	0	1	.06	0		
Michigan:								
Battle Creek	41,200	7	1			2	.05	
Hamtramck	75,700	2	3			4	.05	
Highland Park	67,600	7	5	11	.16	7	.10	63.6
Holland	13,000	5	1			1	.08	
Jackson	56,200	6	1			1	.02	
Lansing	68,300					3	.04	
Marquette	13,300	6	0			1	.08	
Muskegon	41,900	4	2			2	.05	
Port Huron	29,200	3	1			2	.07	
Saginaw	70,900			6	.08	2	.03	33.3
Sault Ste. Marie	[1] 12,100	7	1	1	.08	0		
Minnesota:								
Virginia	15,700					3	.19	
Mississippi:								
Biloxi	12,300	3	0			2	.16	
Missouri:								
Moberly	13,700			3	.22	1	.07	33.3
Montana:								
Anaconda	12,400	3	3			1	.08	
Butte	42,600					4	.09	
Helena	12,000					7	.58	
Nebraska:								
Lincoln	59,900	7	1			2	.03	
North Platte	13,100	2	1			1	.08	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

CEREBROSPINAL MENINGITIS—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New Hampshire:								
Concord	22,500					4	0.18	
Keene	11,700	3	0			1	.09	
Manchester	82,200	5	3			7	.09	
Nashua	29,500					2	.07	
New Jersey:								
Bayonne	86,600	5	4	6	0.07	0		
Belleville	18,300	5	1	3	.16			
Bridgeton	14,400	6	1			1	0.07	
Englewood	12,400	6	1			1	.08	
Garfield	23,600	2	5			4	.17	
Hackensack	19,300	4	1	3	.16	0		
Irvington	31,800	5	1			1	.03	
Kearny	30,500	5	1	1	.03	0		
Lodi	10,000					2	.20	
Long Branch	13,600	4	0			1	.07	
Montclair	32,200	5	2	5	.16	4	.12	80.0
Morristown	12,600	6	0			2	.16	
New Brunswick	37,000	6	2	1	.03	0		
Orange	35,000	6	2			2	.06	
Passaic	68,000					1	.01	
Perth Amboy	46,100					1	.02	
Rahway	11,800	6	1	1	.08	0		
Red Bank	10,100			1	.10			
Rutherford	10,600	1	1			1	.09	
Summit	11,400	4	1	1	.09	0		
Union	[1] 20,700	4	1	1	.05			
West Hoboken	42,200	6	1			2	.05	
New York:								
Amsterdam	34,600	3	3	2	.06			
Beacon	11,100	3	3			1	.09	
Binghamton	75,300	7	1			1	.01	
Cohoes	[1] 23,000	5	1			1	.04	
Corning	16,800	5	0	1	.06	0		
Elmira	49,200	4	2			4	.08	
Endicott	16,900	1	0	4	.24	0		
Geneva	15,700	4	1			6	.38	
Gloversville	22,700	7	1	3	.13	1	.04	33.3
Hornell	15,700	4	0			1	.06	
Ithaca	18,000	7	0			1	.06	
Johnson City	10,800			1	.09	0		
Little Falls	13,400	3	2			1	.07	
Mount Vernon	48,200	7	1	3	.06	2	.04	66.7
New Rochelle	39,600	4	1	2	.05	0		
Niagara Falls	60,200	6	5	1	.02	0		
Ogdensburg	[1] 14,600			1	.07	0		
Peekskill	16,100	7	0	2	.12	0		
Rensselaer	10,900	2	1	1	.09	0		
Rome	29,000	6	1			1	.03	
Saratoga Springs	[1] 13,200	6	1	1	.08	0		
Troy	[1] 72,000	7	3			2	.03	
Watertown	33,400	6	1			1	.03	
North Carolina:								
Asheville	30,900	4	0	1	.03	0		
High Point	22,300			1	.04			
New Bern	12,200					11	.90	
Raleigh	29,800	6	2			9	.30	
Winston-Salem	65,800	5	3			1	.02	
Ohio:								
Barberton	22,500	5	1			2	.09	
Cambridge	13,900	5	1			1	.07	
Cuyahoga Falls	13,100	3	0			1	.08	
East Liverpool	21,900					8	.37	
East Youngstown	15,300	2	0			5	.33	
Elyria	23,300	3	2			1	.04	
Findlay	18,000	2	0			1	.06	
Hamilton	41,900					10	.24	
Kenmore	18,200	3	1			1	.05	
Lancaster	15,900	3	1	3	.19			
Lorain	41,400	4	1			1	.02	
Marietta	15,200					4	.26	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

CEREBROSPINAL MENINGITIS—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio—Continued.								
Piqua	15,800	7	0			1	0.06	
Salem	10,900	3	2			1	.09	
Zanesville	30,300	4	2			2	.07	
Oklahoma:								
Muskogee	31,800	2	5	3	0.09	1	.03	33.3
Oregon:								
Eugene	11,100					2	.18	
Pennsylvania:								
Altoona	65,300	6	1			2	.03	
Ambridge	16,200	2	0			1	.06	
Canonsburg	13,000					1	.08	
Chester	66,600	4	1			1	.02	
Duquesne	20,500	2	1			1	.05	
Farrell	18,100	5	1			1	.06	
Harrisburg	82,300	7	2	1	.01			
Lancaster	55,900	6	1			1	.02	
Nanticoke	24,300	6	0			1	.04	
New Castle	49,000	5	2	1	.02	0		
Pittston	19,500	4	1			2	.10	
Pottstown	18,300	1	0			1	.05	
Sharon	24,400					4	.16	
Swissvale	12,500	3	0			3	.24	
Wilkes-Barre	77,000			2	.03	1	.01	50.0
York	48,800	6	1	3	.06	1	.02	33.3
Rhode Island:								
Newport	31,700	7	0			2	.06	
Pawtucket	70,100	4	2			2	.03	
Westerly	10,500	1	0	1	.09			
South Carolina:								
Columbia	40,300	5	3	1	.02			
Greenville	26,600	5	1			1	.04	
South Dakota:								
Sioux Falls	30,400					4	.13	
Tennessee:								
Knoxville	92,200					7	.08	
Texas:								
Cleburne	13,900	3	0			2	.14	
Denison	18,700	3	0			1	.05	
Galveston	47,600			1	.02			
Waco	43,000					4	.09	
Utah:								
Ogden	36,100	6	1			12	.33	
Provo	11,000					2	.18	
Virginia:								
Danville	22,700					1	.04	
Washington:								
Bellingham	26,100					2	.08	
Bremerton	11,700	1	2	2	.17	0		
Everett	29,000					2	.07	
Vancouver	14,200					3	.21	
West Virginia:								
Charleston	47,300					9	.19	
Fairmont	20,400	6	1	1	.05			
Martinsburg	13,400	4	0			1	.07	
Wheeling	[1] 56,200	6	2			1	.02	
Wisconsin:								
Sheboygan	33,100	5	1			3	.09	
Superior	[1] 39,700	4	3			1	.03	
Wausau	19,900	5	1			4	.20	
West Allis	17,000					1	.06	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

CHICKEN POX

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:							
Anniston	20,000	22	18	0.90	0		
Dothan	14,000		2	.14	0		
Florence	12,300		3	.24	0		
Mobile	65,100		57	.88	0		
Arizona:							
Douglas	11,500		3	.26	0		
Phoenix	35,300		21	.60	0		
Tucson	26,000	14	10	.38	0		
Arkansas:							
Fort Smith	31,100	60	110	3.53	0		
Little Rock	72,600	65	46	.63	0		
California:							
Alameda	31,300	159	179	5.72	0		
Alhambra	11,000		76	6.92	0		
Bakersfield	22,900	13	21	.92	0		
Berkeley	64,600	268	783	12.12	0		
Chico	11,900		15	1.26			
Eureka	13,400	90	22	1.64	0		
Fresno	56,700		64	1.13	0		
Glendale	20,000	108	306	15.33	0		
Long Beach	83,100	88	552	6.64	0		
Modesto	11,700		40	3.43	0		
Pasadena	55,100	425	518	9.40	0		
Pomona	15,000	103	42	2.79	0		
Riverside	21,300	83	326	15.34	0		
Sacramento	71,100	108	171	2.40	1	0.01	171.0
San Bernardino	22,100	16	189	8.57	1	.05	189.0
San Diego	96,400	288	550	5.70	0		
San Jose	42,900	86	150	3.50	0		
Santa Ana	18,800	12	72	3.84	1	.05	72.0
Santa Barbara	23,200		122	5.25	0		
Santa Cruz	[1] 10,900		1	.09	0		
Stockton	46,100	58	131	2.84	0		
Venice	13,800	12	30	2.18	0		
Colorado:							
Boulder	11,700	20	206	17.63	0		
Colorado Springs	[1] 30,100	78	303	10.06	0		
Greeley	12,200		19	1.55	0		
Pueblo	43,700	124	172	3.94	0		
Trinidad	11,000	50	42	3.82	0		
Connecticut:							
Bristol	23,900	23	28	1.17	0		
Fairfield	14,000	48	22	1.58	0		
Greenwich	24,700	80	62	2.51	0		
Manchester	20,600	12	14	.68	0		
Meriden	36,000	36	87	2.42			
Milford	12,900	22	44	3.41	0		
New Britain	66,500	92	131	1.97	0		
New London	28,500	68	31	1.09	0		
Norwich	23,000	11	26	1.13	0		
Stonington	10,700		53	4.95	0		
West Hartford	10,700		110	10.25	0		
Florida:							
Miami	40,700	10	47	1.15	0		
Orlando	14,800		4	.27	0		
St. Petersburg	26,500		132	4.99	0		
Tampa	67,600	15	19	.28	0		
West Palm Beach	12,900		6	.47	0		
Georgia:							
Albany	13,000		20	1.53	0		
Athens	18,600	20	44	2.37	0		
Brunswick	16,400		55	3.36	0		
Lagrange	22,300		154	6.89	0		
Macon	57,300	51	621	10.84	0		
Rome	13,800	27	22	1.60	0		
Savannah	91,200	27	39	.43	0		
Valdosta	12,200		1	.08	0		
Idaho:							
Boise	22,900	41	83	3.62			
Pocatello	17,700	60	39	2.20	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

CHICKEN POX—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Illinois:							
Alton	26,400	89	137	5.19			
Berwyn	18,000	62	135	7.50			
Bloomington	30,100	259	374	12.41	0		
Blue Island	12,900	39	77	5.98	0		
Canton	11,000		104	9.45			
Champaign	17,900	63	114	6.38	0		
Chicago Heights	21,700		5	.23	0		
Cicero	59,100	209	168	2.84	0		
Danville	36,400		69	1.89	0		
Decatur	49,400		176	3.56	0		
East Moline	11,200		48	4.28	0		
East St. Louis	70,600	39	18	.26	0		
Elgin	28,100	192	366	13.01	0		
Evanston	42,700	279	330	7.73	0		
Freeport	20,500		159	7.76	0		
Galesburg	24,600	248	85	3.45	0		
Herrin	12,900				3	0.23	
Jacksonville	15,900	150	55	3.46	0		
Joliet	40,200		26	.65	0		
Kewanee	19,400		266	13.70	0		
La Salle	13,800	46	48	3.49	0		
Mattoon	14,500	59	62	4.27	0		
Maywood	13,900	71	9	.65	0		
Moline	33,300	185	359	10.77	0		
Murphysboro	12,200		1	.08	0		
Oak Park	49,300	496	379	7.68	0		
Pekin	13,100	15	143	10.92	0		
Peoria	80,600	143	320	3.97	0		
Quincy	37,500	122	146	3.90	0		
Rock Island	39,200	142	300	7.66	0		
Rockford	74,400	289	325	4.37	0		
Springfield	62,700	121	292	4.66	0		
Streator	15,000	22	40	2.66	0		
Urbana	11,100	95	104	9.33			
Waukegan	20,700		204	9.86	0		
West Frankfort	11,400		4	.35	0		
Indiana:							
Anderson	33,100	67	325	9.82	0		
Connersville	12,200		60	4.91	0		
Crawfordsville	10,500	5	47	4.49	0		
East Chicago	43,800	44	51	1.16	0		
Elkhart	26,600		5	.19	0		
Elwood	[1] 10,800	69	29	2.69	0		
Fort Wayne	95,700	211	379	3.96	0		
Frankfort	12,800	34	12	.94	0		
Hammond	48,500		41	.85	0		
Huntington	15,600	3	4	.26	0		
Jeffersonville	[1] 10,100	2	6	.59			
Kokomo	35,700	28	9	.25	0		
La Fayette	23,600	13	28	1.19	0		
Laporte	17,100	6	5	.29	0		
Logansport	22,900	15	29	1.27	0		
Marion	25,800	27	27	1.05	0		
Michigan City	19,700	11	24	1.22	0		
Mishawaka	16,400	23	16	.98	0		
Muncie	41,400	311	141	3.41	0		
New Albany	[1] 23,000		1	.04	0		
Newcastle	16,500	5	7	.42	0		
Richmond	29,000	15	9	.31	0		
South Bend	78,500	122	180	2.29	0		
Terre Haute	70,300	46	185	2.63	0		
Wabash	10,400		5	.48	0		
Whiting	11,800	4	5	.42	0		
Iowa:							
Boone	13,400		15	1.12	0		
Burlington	[1] 24,100	35	93	3.87	0		
Cedar Rapids	51,500		32	.62	0		
Clinton	24,200	10	19	.79			
Council Bluffs	39,300	12	68	1.73	0		
Davenport	62,600	43	59	.94			
Dubuque	39,400	141	99	2.51	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

CHICKEN POX—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Iowa—Continued.							
Fort Dodge	19,700		10	0.51			
Fort Madison	13,500		25	1.85	0		
Iowa City	11,800	10	52	4.40	0		
Keokuk	14,600		178	12.18			
Marshalltown	16,800		51	3.03			
Mason City	24,000		19	.79	0		
Muscatine	16,100	70	35	2.18	0		
Sioux City	82,100	84	82	1.00			
Waterloo	40,600		106	2.61	0		
Kansas:							
Coffeyville	13,800	11	34	2.46	0		
Eldorado	14,600	61	204	13.93	0		
Emporia	12,300		34	2.76	0		
Fort Scott	10,800	14	12	1.11	0		
Hutchinson	26,500		112	4.22	0		
Lawrence	12,500	71	28	2.24	0		
Leavenworth	[1] 16,900	47	14	.83			
Parsons	17,700	15	42	2.38	0		
Pittsburg	19,500	19	8	.41	0		
Topeka	53,200	393	568	10.68	0		
Wichita	81,200	345	833	10.26	0		
Kentucky:							
Covington	58,100	44	34	.59	0		
Henderson	12,500		23	1.84	0		
Lexington	44,300	135	66	1.49	0		
Newport	[1] 29,300		8	.27	0		
Owensboro	21,800		8	.37	0		
Paducah	20,300	17	56	2.76			
Louisiana:							
Alexandria	20,100		12	.60	0		
Baton Rouge	27,000		6	.22	0		
Lake Charles	13,800		17	1.23	0		
Shreveport	56,200		23	.41	0		
Maine:							
Auburn	17,900	35	115	6.43	0		
Bangor	26,500	17	67	2.53	0		
Bath	17,200	19	11	.64	0		
Biddeford	18,400		17	.92	0		
Lewiston	34,400	57	87	2.53	0		
Portland	74,200	179	515	6.94	0		
Sanford	11,500	5	4	.35	0		
South Portland	10,100		86	8.53			
Waterville	14,200	57	95	6.68	0		
Maryland:							
Cumberland	33,100	56	71	2.15	0		
Frederick	12,000		5	.42	0		
Massachusetts:							
Adams	[1] 13,000	11	17	1.31	0		
Amesbury	10,100		25	2.48	0		
Arlington	22,100	29	51	2.30	0		
Athol	10,400		12	1.16	0		
Attleboro	21,400	31	81	3.79	0		
Belmont	13,200	48	116	8.81	0		
Beverly	24,400	37	35	1.44	0		
Braintree	11,700	22	44	3.75	0		
Brockton	70,600	103	184	2.61	0		
Brookline	42,400	205	110	2.60	0		
Chelsea	48,200	54	60	1.25	0		
Chicopee	41,200		22	.53	0		
Clinton	[1] 13,000	28	30	2.31	0		
Danvers	11,900	11	10	.84	0		
Dedham	11,500	25	12	1.04			
Easthampton	12,500	4	4	.32	0		
Everett	43,200	118	56	1.30	0		
Framingham	18,900	61	223	11.78	0		
Gardner	18,000	24	49	2.72	0		
Greenfield	17,800	30	96	5.40	0		
Haverhill	58,400	87	213	3.65	0		
Holyoke	61,300	40	36	.59	0		
Lawrence	98,200	115	206	2.10	0		
Leominster	20,700	42	80	3.86	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

CHICKEN POX—Continued

City	Estimated population July 1, 1924	Average, 1922–23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.							
Malden	51,300	65	89	1.74	0		
Marlboro	15,200		29	1.90	0		
Medford	46,400	72	106	2.28	0		
Melrose	19,400	24	51	2.63	0		
Methuen	16,900	45	47	2.78	0		
Milford	13,700	3	30	2.20	0		
Milton	10,000		163	16.21	0		
Natick	11,400	30	43	3.78			
Newburyport	15,900	16	60	3.77	0		
Newton	48,900	163	224	4.58	0		
North Adams	22,000		7	.31	0		
Northampton	23,100	44	81	3.50	0		
Northbridge	10,800	7	26	2.41	0		
Palmer	10,500		8	.76	0		
Peabody	21,300	22	46	2.16	0		
Pittsfield	46,200	37	37	.80	0		
Plymouth	13,500	50	16	1.19	0		
Quincy	54,900	68	151	2.75	0		
Salem	[1] 42,500	47	59	1.39	0		
Saugus	12,200	14	27	2.22	0		
Southbridge	15,000	9	5	.33	0		
Wakefield	13,800	20	35	2.54	0		
Waltham	32,300	94	183	5.66	0		
Watertown	25,400	63	103	4.05	0		
Webster	14,100	20	8	.57	0		
West Springfield	15,400		17	1.10	0		
Westfield	19,800	25	19	.96	0		
Winchester	11,000	45	210	19.04			
Winthrop	17,900	58	33	1.84	0		
Woburn	17,200	10	24	1.40	0		
Michigan:							
Ann Arbor	21,700	132	309	14.24	0		
Battle Creek	41,200	350	323	7.84	0		
Bay City	48,700	10	48	.99	0		
Benton Harbor	13,600	12	13	.95	0		
Hamtramck	75,700	21	44	.58	0		
Highland Park	67,600	273	298	4.41	1	0.01	298.0
Holland	13,000	19	9	.69	0		
Ironwood	17,100	52	161	9.42	0		
Ishpeming	[1] 10,500		9	.86	0		
Jackson	56,200	261	596	10.60	0		
Kalamazoo	52,700	313	233	4.42	0		
Lansing	68,300	367	748	10.95	0		
Marquette	13,300		15	1.13	0		
Monroe	13,700		20	1.45	0		
Mount Clemens	10,300		10	.97	0		
Muskegon	41,900	58	89	2.12	0		
Muskegon Heights	13,100		35	2.66	0		
Pontiac	43,400	182	645	14.85	0		
Port Huron	29,200	177	333	11.39	0		
Saginaw	70,900	175	199	2.81	0		
Sault Ste. Marie	[1] 12,100	35	256	21.16	0		
Minnesota:							
Albert Lea	10,900		6	.55			
Austin	11,600	1	5	.43			
Faribault	12,100	43	52	4.31	0		
Hibbing	16,900	14	54	3.19	0		
St. Cloud	18,300		6	.33	0		
Winona	19,400	31	20	1.03	0		
Mississippi:							
Biloxi	12,300	10	8	.65	0		
Missouri:							
Hannibal	19,800		9	.46			
Independence	12,500		27	2.15	0		
Joplin	[1] 29,900		17	.57			
Moberly	13,700	41	46	3.36	0		
St. Joseph	78,300	63	73	.93	0		
Springfield	41,700		23	.55	0		
Montana:							
Anaconda	12,400	16	18	1.45	0		
Butte	42,600	41	49	1.15	0		
Great Falls	28,800	212	172	5.96	0		
Helena	12,000	26	21	1.74	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

CHICKEN POX—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Nebraska:							
Grand Island	15,300	12	43	2.81			
Lincoln	59,900	302	274	4.58	0		
North Platte	13,100		23	1.76	0		
Nevada:							
Reno	12,500	10	28	2.23	0		
New Hampshire:							
Claremont	10,400		7	.67	0		
Dover	[1] 13,000	10	4	.31	0		
Keene	11,700	4	14	1.19	0		
Manchester	82,200	17	15	.18	0		
Nashua	29,500	6	13	.44	0		
Portsmouth	14,600	6	114	7.79	0		
New Jersey:							
Asbury Park	13,400	29	33	2.45	0		
Bayonne	86,600		102	1.18	0		
Belleville	18,300	27	48	2.62			
Bloomfield	25,200	110	219	8.68	0		
Bridgeton	14,400	28	47	3.27	0		
Carteret	13,500		3	.22	0		
Clifton	33,200	21	44	1.32	0		
Collingswood	10,500		40	3.80	0		
Dover	10,900		85	7.81	0		
East Orange	58,300	206	433	7.43	0		
Englewood	12,400	60	28	2.26	0		
Garfield	23,600		7	.30	0		
Gloucester City	13,000		23	1.71	0		
Hackensack	19,300	60	110	5.69	0		
Harrison	16,300	18	48	2.95	0		
Hoboken	[1] 68,200	22	42	.62	0		
Irvington	31,800		155	4.88	0		
Kearny	30,500	154	132	4.33	0		
Lodi	10,000		6	.60	0		
Long Branch	13,600	103	82	6.02	0		
Montclair	32,200	147	245	7.61	0		
Morristown	12,600	40	101	8.04	0		
New Brunswick	37,000		21	.57	0		
Orange	35,000	105	202	5.77	0		
Passaic	68,000	131	196	2.88	0		
Perth Amboy	46,100	12	35	.76	0		
Plainfield	31,000	80	45	1.45	1	0.03	45.0
Rahway	11,800	3	30	2.54	0		
Red Bank	10,100		24	2.37			
Ridgefield Park	10,500		51	4.88	0		
Rutherford	10,600		12	1.13	0		
Summit	11,400	81	49	4.29	0		
Union	[1] 20,700	14	18	.87	0		
West Hoboken	42,200	22	27	.64	0		
West New York	37,500	35	61	1.63	0		
West Orange	17,700	76	116	6.55	0		
New York:							
Amsterdam	34,600	88	153	4.43	0		
Batavia	14,300		26	1.82	0		
Beacon	11,100		10	.90	0		
Binghamton	75,300	211	487	6.47	0		
Cohoes	[1] 23,000	22	57	2.48	0		
Corning	16,800		31	1.85	0		
Cortland	14,100	16	16	1.13	0		
Dunkirk	20,300	85	10	.49	0		
Elmira	49,200		425	8.64	0		
Endicott	16,900		123	7.28	0		
Freeport	11,500		10	.87	0		
Geneva	15,700		64	4.09	0		
Glens Falls	17,300	64	26	1.50	0		
Gloversville	22,700	78	66	2.90	0		
Herkimer	11,800	5	55	4.66	0		
Hornell	15,700	185	81	5.17	0		
Hudson	11,800	12	21	1.77	0		
Ithaca	18,000	63	84	4.66	0		
Jamestown	42,400	171	646	15.22	0		
Johnson City	10,800		114	10.54	0		
Kingston	27,000		74	2.74	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

CHICKEN POX—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued.							
Lackawanna	19,500	73	31	1.59	0		
Little Falls	13,400	49	21	1.57	0		
Lockport	22,400	40	34	1.52	0		
Middletown	19,900	50	133	6.70	0		
Mount Vernon	48,200	64	214	4.44	0		
New Rochelle	39,600	77	90	2.27	0		
Newburgh	31,600	23	98	3.11	0		
Niagara Falls	60,200	248	147	2.44	0		
North Tonawanda	17,100	57	59	3.45	0		
Ogdensburg	[1] 14,600		10	.68	0		
Olean	23,200	68	151	6.52	0		
Oneonta	12,600		9	.72	0		
Oswego	23,700	24	72	3.03	1	0.04	72.0
Peekskill	16,100	70	66	4.11	0		
Plattsburg	[1] 10,900	40	44	4.03	0		
Poughkeepsie	38,300	134	68	1.78	0		
Rensselaer	10,900	21	18	1.66	0		
Rome	29,000	45	41	1.41	0		
Saratoga Springs	[1] 13,200	137	109	8.27	0		
Troy	[1] 72,600	150	155	2.15	0		
Watertown	33,400	258	421	12.61	0		
White Plains	22,900	103	71	3.11	0		
North Carolina:							
Asheville	30,900	59	97	3.14	0		
Greensboro	45,500	135	127	2.79	0		
High Point	22,300		81	3.64			
Raleigh	29,800	172	453	15.22	0		
Rocky Mount	14,700		20	1.36	0		
Salisbury	17,000		77	4.53	0		
Wilmington	36,400	73	198	5.44	0		
Winston-Salem	65,800	215	185	2.81	0		
North Dakota:							
Fargo	25,600		150	5.85	0		
Ohio:							
Alliance	24,400		3	.12	0		
Ashtabula	24,700	39	37	1.50	0		
Barberton	22,500	10	9	.40	0		
Bellaire	16,000	44	13	.81	0		
Bucyrus	11,500	30	19	1.65	0		
Cambridge	13,900	14	20	1.44	0		
Chillicothe	16,400	15	2	.12	0		
Cleveland Heights	20,900	221	187	8.93	0		
Conneaut	10,400		24	2.30	0		
Cuyahoga Falls	13,100	37	41	3.14	0		
East Cleveland	35,700	280	203	5.69	0		
East Liverpool	21,900	6	3	.14	0		
East Youngstown	15,300	30	106	6.91	0		
Elyria	23,300	60	80	3.44	0		
Findlay	18,000	69	75	4.16	0		
Fostoria	10,100		7	.69	0		
Fremont	13,600	14	53	3.89	0		
Hamilton	41,900	24	22	.52	0		
Kenmore	18,200	56	111	6.09	0		
Lakewood	54,000		64	1.18	0		
Lancaster	15,900		2	.13	0		
Lima	45,700	172	93	2.03	0		
Lorain	41,400	145	318	7.68	0		
Mansfield	31,100	115	184	5.92	0		
Marietta	15,200		8	.52	0		
Martins Ferry	15,300	13	10	.65	0		
New Philadelphia	11,800		6	.51	0		
Newark	30,300	101	295	9.73	0		
Niles	16,100	26	106	6.58	0		
Norwood	29,000	35	46	1.58	0		
Piqua	15,800	18	53	3.35	0		
Salem	10,900	45	261	23.87	0		
Sandusky	24,200	253	156	6.43	0		
Springfield	67,300	165	261	3.88	0		
Steubenville	31,300	8	18	.57	0		
Warren	33,300	27	103	3.09	0		
Zanesville	30,300	42	52	1.72	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

CHICKEN POX—Continued

City	Estimated population July 1, 1924	Average, 1922–23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Oklahoma:							
Muskogee	31,800		3	0.09	0		
Sapulpa	13,900		25	1.80	0		
Oregon:							
Astoria	16,100	17	25	1.55	0		
Eugene	11,100	28	25	2.25	0		
Pennsylvania:							
Allentown	89,700		242	2.70	0		
Altoona	65,300	100	199	3.05	0		
Ambridge	16,200	40	70	4.32	0		
Beaver Falls	13,100	55	8	.61	0		
Berwick	14,000		75	5.35			
Bethlehem	61,200	182	195	3.18	0		
Braddock	21,600	33	18	.83	0		
Bradford	15,700	51	186	11.81			
Butler	25,000	115	37	1.48	0		
Canonsburg	13,000		31	2.39	0		
Carbondale	19,400	3	5	.26	0		
Carlisle	11,300	70	32	2.84	0		
Carnegie	12,200	10	70	5.73	0		
Carrick	12,500	19	15	1.20	0		
Chambersburg	13,800	24	59	4.27	0		
Charleroi	12,400	18	61	4.92	0		
Chester	66,600	76	163	2.45	0		
Clairton	13,700		66	4.81	0		
Coatesville	16,100	28	37	2.30	0		
Connellsville	14,200	14	31	2.18	0		
Dickson	11,800		1	.08	0		
Donora	16,500	13	62	3.76	0		
Dubois	14,200		138	9.74			
Duquesne	20,500		23	1.12	0		
Ellwood City	11,300		35	3.10	0		
Farrell	18,100	59	47	2.59	0		
Greensburg	15,900		11	.69			
Harrisburg	82,300	342	449	5.46	0		
Hazleton	35,400	48	75	2.12	0		
Homestead	21,300	18	33	1.55			
Jeannette	11,500	38	5	.43	0		
Kingston	17,500		150	8.57			
Lancaster	55,900	295	508	9.09	0		
Lansford	10,200		7	.68	0		
Lebanon	25,100		65	2.59	0		
Lewistown	10,500		48	4.56	0		
McKees Rocks	17,900		43	2.41	0		
McKeesport	48,700	47	32	.66	0		
Monessen	20,700	58	15	.73	0		
Mount Carmel	[1] 17,500		4	.23	0		
Nanticoke	24,500	2	7	.29	0		
New Castle	49,000	71	129	2.64	0		
New Kensington	14,000		9	.64	0		
Norristown	34,400	206	53	1.54	0		
North Braddock	16,400	23	20	1.22	0		
Oil City	22,900	197	187	8.17			
Olyphant	11,000		2	.18			
Phoenixville	[1] 10,500	22	28	2.67	0		
Pittston	19,500	4	5	.26	0		
Plymouth	[1] 16,500		28	1.70	0		
Pottstown	18,300		55	3.01	0		
Sharon	24,400	83	101	4.14	0		
Shenandoah	[1] 24,700	27	5	.20	0		
Steelton	[1] 13,400	53	32	2.38	0		
Sunbury	16,600	66	76	4.57			
Swissvale	12,500	107	39	3.11	0		
Uniontown	[1] 15,700	29	69	4.40			
Vandergrift	10,600		12	1.14	0		
Warren	15,000	160	222	14.84	0		
Washington	22,700	148	109	4.80	0		
West Chester	[1] 11,700	68	106	9.05	0		
Wilkes-Barre	77,000		184	2.39	0		
Windber	10,100		6	.59			
Woodlawn	17,700	73	86	4.85	0		
York	48,800		127	2.60	0		

Reported prevalence for the year 1924—Continued

CHICKEN POX—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Rhode Island:							
Cranston	33,300		7	0.21	0		
Pawtucket	70,100		115	1.64	0		
Westerly	10,500		26	2.47			
South Carolina:							
Columbia	40,300	92	175	4.34			
Greenville	26,600	25	20	.75	0		
Sumter	10,200		4	.39			
South Dakota:							
Aberdeen	16,200	134	244	15.06			
Sioux Falls	30,400	31	98	3.23	0		
Tennessee:							
Knoxville	92,200	41	41	.44	0		
Texas:							
Amarillo	17,400	14	100	5.76			
Galveston	47,600	3	2	.04	0		
Paris	16,800	18	25	1.49	0		
Tyler	12,900	8	56	4.35	0		
Waco	43,000	35	62	1.44	0		
Utah:							
Ogden	36,100	181	441	12.21	0		
Provo	11,000		119	10.78	0		
Vermont:							
Barre	[1] 10,000	20	25	2.50	0		
Bennington	10,000		32	3.03			
Burlington	23,900	68	92	3.86	0		
Virginia:							
Alexandria	18,400	48	61	3.32	0		
Charlottesville	11,100		2	.18	0		
Danville	22,700	24	86	3.79	0		
Lynchburg	30,300	204	133	4.38	0		
Newport News	43,400	115	175	4.03	0		
Petersburg	35,000	24	21	.60	0		
Portsmouth	58,200	9	22	.38	0		
Roanoke	56,900		113	1.99	0		
Washington:							
Aberdeen	16,000	10	22	1.37	0		
Bellingham	26,100	15	26	1.00	0		
Bremerton	11,700		75	6.43	0		
Everett	29,000	36	82	2.83	0		
Vancouver	14,200		48	3.38	0		
Walla Walla	[1] 15,500	1	14	.90	0		
Yakima	22,200	135	336	15.13	0		
West Virginia:							
Charleston	47,300	22	248	5.24	0		
Clarksburg	29,941	165	200	6.68	0		
Fairmont	20,400	22	40	1.96			
Martinsburg	13,400	20	22	1.65	0		
Morgantown	13,500		13	.96	0		
Wheeling	[1] 56,200	198	301	5.36	0		
Wisconsin:							
Appleton	20,900	25	47	2.25	0		
Ashland	11,300		3	.26			
Beloit	24,100	63	319	13.22	0		
Eau Claire	22,100	94	123	5.56	0		
Fond du Lac	25,600	11	8	.31	0		
Green Bay	33,700	35	51	1.51	0		
Janesville	20,300	76	147	7.23	0		
Kenosha	48,900	225	609	12.46	0		
La Crosse	30,400		120	3.94	0		
Madison	45,200	345	513	11.35	0		
Manitowoc	19,700		115	5.85	0		
Marinette	13,600	15	43	3.16	0		
Oshkosh	33,200	63	182	5.48	0		
Racine	66,000	157	263	3.98	0		
Sheboygan	33,100	27	83	2.51	0		
Superior	[1] 39,700	47	40	1.01	0		
Wausau	19,900	80	114	5.73	0		
West Allis	17,000	17	27	1.58	0		
Wyoming:							
Casper	20,000		149	7.46	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

DENGUE

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Dothan	14,000	4	0.28	0		
Mobile	65,100	10	.15	0		
California:						
Eureka	13,400	4	.30	0		
Florida:						
Miami	40,700	2	.05	0		
St. Petersburg	26,500	12	.45	0		
Tampa	67,600	1	.01	0		
West Palm Beach	12,900	15	1.17	0		
Georgia:						
Savannah	91,200	1	.01	0		
Texas:						
Galveston	47,600	1	.02	0		
Waco	43,000	3	.07	1	0.02	3.0

DIPHTHERIA

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston	20,000	7	34	30	1.50	5	0.25	16.7
Dothan	14,000	1	8	3	.21	1	.07	33.3
Florence	12,300	1	24	6	.49	1	.08	16.7
Mobile	65,100	7	70	21	.32	1	.02	4.8
Montgomery	45,900	6	53			1	.02	
Arizona:								
Phoenix	35,300	1	16	39	1.11	3	.09	7.7
Tucson	26,000	4	21			2	.08	
Arkansas:								
Fort Smith	31,100	4	52	24	.77	2	.06	8.3
Hot Springs	11,700	3	14	3	.26	0		
Little Rock	72,600	5	69	55	.76	1	.01	1.8
California:								
Alameda	31,300	7	77	142	4.53	13	.42	9.2
Alhambra	11,000	1	51	43	3.91	0		
Bakersfield	22,900	7	36	52	2.27	7	.31	13.5
Berkeley	64,600	7	95	248	3.84	11	.17	4.4
Chico	11,900	1	1	5	.42			
Fresno	56,700	5	88	92	1.62	3	.05	3.3
Glendale	20,000	4	56	156	7.82	2	.10	1.3
Long Beach	83,100	7	76	248	2.98	7	.08	2.8
Modesto	11,700	1	30	70	6.01	3	.26	4.3
Pasadena	55,100	7	33	129	2.34	2	.04	1.6
Pomona	15,000	5	13	24	1.60	0		
Richmond	21,500	4	50	76	3.54	3	.14	3.9
Riverside	21,300	6	44	27	1.27	3	.14	11.1
Sacramento	71,100	7	101	325	4.57	9	.13	2.8
San Bernardino	22,100	6	25	110	4.99	5	.23	4.5
San Diego	96,400	7	91	249	2.58	15	.16	6.0
San Jose	42,900	5	51	139	3.24	6	.14	4.3
Santa Ana	18,800	5	25	30	1.60	1	.05	3.3
Santa Barbara	23,200	5	19	44	1.89	2	.09	4.5
Santa Cruz	[1] 10,900	6	5	25	2.29	0		
Stockton	46,100	3	62	104	2.26	2	.04	1.9
Vallejo	25,600	5	18			2	.08	
Venice	13,800	4	13	5	.36	0		
Colorado:								
Boulder	11,700	4	9	14	1.20	0		
Colorado Springs	[1] 30,100	7	18	37	1.23	2	.07	5.4
Greeley	12,200	1	18	5	.41	0		
Pueblo	43,700	3	149	115	2.63	6	.14	5.2
Trinidad	11,000	7	17	11	1.00	1	.09	9.1

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

DIPHTHERIA—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Connecticut:								
Bristol	23,900	7	38	39	1.63	3	0.13	7.7
Fairfield	14,000	3	23	34	2.44	2	.14	5.9
Greenwich	24,700	7	35	13	.53	1	.04	7.7
Manchester	20,600	6	12	12	.58	0		
Meriden	36,000	5	75	37	1.03			
Milford	12,900	4	23	5	.39	0		
Mew Britain	66,500	7	181	167	2.51	14	.21	8.4
New London	28,500	7	65	28	.98	3	.11	10.7
Norwich	23,000	7	45	41	1.78	6	.26	14.6
Stonington	10,700			13	1.21	2	.19	15.4
West Hartford	10,700	1	21	9	.84	1	.09	11.1
Florida:								
Miami	40,700	4	31	36	.88	7	.17	19.4
Orlando	14,800			4	.27			
St. Petersburg	26,500	1	54	68	2.57	1	.04	1.5
Tampa	67,600	4	94	32	.47	1	.01	3.1
West Palm Beach	12,900	1	5	3	.23	0		
Georgia:								
Albany	13,000	3	13	9	.69	0		
Athens	18,600	3	34	28	1.51	2	.11	7.1
Brunswick	16,400	7	5	3	.18	1	.06	33.3
Lagrange	22,300	1	15	43	1.92	4	.18	9.3
Macon	57,300	7	93	49	.86	1	.02	2.0
Rome	13,800	5	50	13	.94	1	.07	7.7
Savannah	91,200	5	112	37	.41	3	.03	8.1
Valdosta	12,200			25	2.04			
Idaho:								
Boise	22,900	6	13	8	.35			
Pocatello	17,700	4	26	75	4.23	2	.11	2.7
Illinois:								
Alton	26,400	6	69	85	3.22			
Berwyn	18,000	2	40	33	1.83	2	.11	6.1
Bloomington	30,100	4	30	22	.73	1	.03	4.5
Blue Island	12,900	4	42	12	.93	1	.08	8.3
Canton	11,000	3	7	10	.91			
Centralia	13,800	6	14	4	.29	0		
Champaign	17,900	6	14	12	.67	0		
Chicago Heights	21,700	4	95	13	.60			
Cicero	59,100	6	117	47	.80	4	.07	8.5
Collinsville	10,800			43	3.98	3	.28	7.0
Danville	36,400	6	22	21	.58	0		
Decatur	49,400	4	32	43	.87	2	.04	4.7
East Moline	11,200	1	31	6	.53	0		
East St. Louis	70,600	5	127	80	1.13	8	.11	10.0
Elgin	28,100	7	29	13	.46	0		
Evanston	42,700	7	55	46	1.08	2	.05	4.3
Freeport	20,500	5	20	14	.68	1	.05	7.1
Galesburg	24,600	7	33	21	.85	1	.04	4.8
Herrin	12,900	1	24	47	3.64	2	.16	4.3
Jacksonville	15,900	5	17	9	.57	1	.06	11.1
Joliet	40,200	4	82	20	.50			
Kewanee	19,400	4	17	7	.36	0		
La Salle	13,800	6	32	21	1.53	1	.07	4.8
Mattoon	14,500	4	31	13	.90	1	.07	7.7
Maywood	13,900	7	37	16	1.16	0		
Moline	33,300	7	46	94	2.82	4	.12	4.3
Murphysboro	12,200	2	16	6	.49	1	.08	16.7
Oak Park	49,300	7	81	37	.75	0		
Ottawa	11,400	4	22	8	.70	0		
Pekin	13,000	7	21	27	2.06	0		
Peoria	80,600	4	84	22	.27	0		
Quincy	37,500	7	39	13	.35	2	.05	15.4
Rock Island	39,200	7	42	79	2.02	3	.08	3.8
Rockford	74,400	7	97	44	.59	2	.03	4.5
Springfield	62,700	6	76	150	2.39	9	.14	6.0
Streator	15,000	4	71	46	3.06	4	.27	8.7
Urbana	11,100	5	7	19	1.70			
Waukegan	20,700	4	50	12	.58	1	.05	8.3
West Frankfort	11,400			12	1.05			
Indiana:								
Anderson	33,100	7	27	13	.39	0		
Connersville	12,200			5	.41	0		
Crawfordsville	10,500	6	8	6	.57	0		

Reported prevalence for the year 1924—Continued

DIPHTHERIA—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Indiana—Continued.								
East Chicago	43,800	7	86	40	0.91	4	0.09	10.0
Elkhart	26,600	4	27	31	1.17	4	.15	12.9
Elwood	[1] 10,800	6	10	4	.37	1	.09	25.0
Fort Wayne	95,700	7	165	253	2.64	7	.07	2.8
Hammond	48,500	6	59	54	1.11	5	.10	9.3
Huntington	15,600	5	18	11	.71	0		
Jeffersonville	[1] 10,100	4	11	8	.79			
Kokomo	35,700	7	36	36	1.01	5	.14	13.9
La Fayette	23,600	7	42	18	.76	0		
Laporte	17,100	4	19	32	1.87	1	.06	3.1
Logansport	22,900	7	8	12	.52	0		
Marion	25,800	6	44	20	.77	1	.04	5.0
Michigan City	19,700	4	41	25	1.27	0		
Mishawaka	16,400	7	15	11	.67	0		
Muncie	41,400	7	46	66	1.59	5	.12	7.6
New Albany	[1] 23,000	5	12	11	.48	1	.04	9.1
Newcastle	16,500	7	10	5	.30	2	.12	40.0
Richmond	29,000	7	33	24	.83	0		
South Bend	78,500	6	58	143	1.82	8	.10	5.6
Terre Haute	70,300	5	61	32	.46	1	.01	3.1
Wabash	10,400	1	13	34	3.26	0		
Whiting	11,800	2	14	14	1.19	4	.34	28.6
Iowa:								
Boone	13,400	3	26	3	.22	0		
Burlington	[1] 24,100	6	30	78	3.24	3	.12	3.8
Cedar Rapids	51,500	7	49	70	1.36	1	.02	1.4
Clinton	[1] 24,200	6	38	96	3.97	2	.08	2.1
Council Bluffs	39,300	7	60	11	.28	2	.05	18.2
Davenport	62,600	5	58	117	1.87			
Dubuque	39,400	6	60	68	1.72	6	.15	8.8
Fort Dodge	19,700	3	52	31	1.57			
Fort Madison	13,500			16	1.18	0		
Iowa City	11,800	4	16	20	1.69	0		
Keokuk	14,600	1	29	23	1.57			
Marshalltown	16,800	4	13	21	1.25			
Mason City	24,000	7	33	44	1.83	1	.04	2.3
Muscatine	16,100	6	11	4	.25	1	.06	25.0
Ottumwa	23,500	3	28	34	1.45			
Sioux City	82,100	7	68	92	1.12			
Waterloo	40,600	4	30	7	.17			
Kansas:								
Coffeyville	13,800	6	24	12	.87	0		
Eldorado	14,600	3	44	15	1.02	1	.07	6.7
Emporia	12,300	1	42	23	1.87	2	.16	8.7
Fort Scott	10,800	7	23	34	3.15	0		
Hutchinson	26,500	4	38	4	.15	0		
Lawrence	12,500	6	22	5	.40	0		
Leavenworth	16,900	7	54	26	1.54			
Parsons	17,700	2	44	20	1.13	0		
Pittsburg	19,500	5	50	53	2.72	2	.10	3.8
Topeka	53,200	4	91	91	1.71	1	.02	1.1
Wichita	81,200	6	198	217	2.67	5	.06	2.3
Kentucky:								
Covington	58,100	5	107	59	1.02	4	.07	6.8
Henderson	12,500	2	10	3	.24	0		
Lexington	44,300	7	44	22	.50	5	.11	22.7
Newport	[1] 29,300	6	28	14	.48	2	.07	14.3
Owensboro	21,800	6	32	31	1.42	1	.05	3.2
Paducah	20,300	7	32	20	.99			
Louisiana:								
Alexandria	20,100	2	26	15	.75	1	.05	6.7
Baton Rouge	27,000	4	21	25	.93	1	.04	4.0
Lake Charles	13,800			4	.29	0		
Shreveport	56,200	3	26	31	.55	5	.09	16.1
Maine:								
Auburn	17,900	5	5	14	.78	2	.11	14.3
Bangor	26,500	5	17	6	.23	0		
Bath	17,200	4	1			1	.06	
Biddeford	18,400	4	18	26	1.41	1	.05	3.8

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

DIPHTHERIA—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Maine—Continued.								
Lewiston	34,400	2	38	35	1.02	0		
Portland	74,200	7	69	149	2.01	16	0.22	10.7
Sanford	11,500	7	3	5	.44	1	.09	20.0
South Portland	10,100			10	.99			
Waterville	14,200	6	24	16	1.12	0		
Maryland:								
Cumberland	33,100	7	48	31	.94	2	.06	6.5
Frederick	12,000	2	8	18	1.50	1	.08	5.6
Massachusetts:								
Adams	[1] 13,000	7	19	9	.69	0		
Amesbury	10,100	4	31	55	5.45	4	.40	7.3
Arlington	22,100	7	31	25	1.13	0		
Athol	10,400			3	.29	0		
Attleboro	21,400	7	30	6	.28	1	.05	16.7
Belmont	13,200	4	17	12	.91	0		
Beverly	24,400	7	16	1	.04	0		
Braintree	11,700	4	17	19	1.62	3	.26	15.8
Brockton	70,600	7	115	246	3.48	7	.10	2.8
Brookline	42,400	7	42	16	.38	0		
Chelsea	48,200	7	83	105	2.18	3	.06	2.9
Chicopee	41,200	7	70	70	1.70	9	.22	12.9
Clinton	[1] 13,000	7	7	45	3.47	2	.15	4.4
Danvers	11,900	6	22	2	.17			
Dedham	11,500	5	24	9	.78			
Easthampton	12,500	6	35	7	.56	1	.08	14.3
Everett	43,200	7	137	79	1.83	1	.02	1.3
Framingham	18,900	7	12	14	.74	0		
Gardner	18,000	7	19	6	.33	2	.11	33.3
Greenfield	17,800	7	20	11	.62	1	.06	9.1
Haverhill	58,400	7	151	219	3.75	10	.17	4.6
Holyoke	61,300	7	52	163	2.66	8	.13	4.9
Lawrence	98,200	7	146	232	2.36	28	.29	12.1
Leominster	20,700	7	20	37	1.78	1	.05	2.7
Malden	51,300	7	151	176	3.43	14	.27	8.0
Marlboro	15,200	6	18	72	4.73	1	.07	1.4
Medford	46,400	7	70	74	1.59	2	.04	2.7
Melrose	19,400	7	24	27	1.39	0		
Methuen	16,900	6	24	27	1.60	3	.18	11.1
Milford	13,700	7	10	2	.15	0		
Milton	10,000			6	.60	1	.10	16.7
Natick	11,400	7	10	4	.35			
Newburyport	15,900	7	13	32	2.01	4	.25	12.5
Newton	48,900	7	88	28	.57	2	.04	7.1
North Adams	22,400	7	13	3	.13	1	.04	33.3
Northampton	23,100	7	31	6	.26	1	.04	16.7
Northbridge	10,800	6	3	16	1.48	0		
Norwood	14,800	4	21	31	2.10	0		
Palmer	10,500	1	10	6	.57	0		
Peabody	21,300	7	31	55	2.58	6	.28	10.9
Pittsfield	46,200	4	42	105	2.27	3	.06	2.9
Plymouth	13,500	5	24	12	.89	1	.07	8.3
Quincy	54,900	7	95	129	2.35	6	.11	4.7
Salem	[1] 42,500	7	87	68	1.60	5	.12	7.4
Saugus	12,200	5	11	17	1.40	3	.25	17.6
Southbridge	15,000	7	12	9	.66	1	.07	11.1
Taunton	38,500	5	24	10	.26	0		
Wakefield	13,800	4	30	35	2.54	1	.07	2.9
Waltham	32,300	7	74	69	2.13	9	.28	13.0
Watertown	25,400	7	53	55	2.16	1	.04	1.8
Webster	14,100	6	16	8	.57	0		
West Springfield	15,400	4	11	6	.39	1	.06	16.7
Westfield	19,800	7	35	21	1.06	0		
Winchester	11,000	6	8	20	1.81			
Winthrop	17,900	7	14	37	2.06	0		
Woburn	17,200	7	24	19	1.11	2	.12	10.5
Michigan:								
Ann Arbor	21,700	7	75	90	4.15	2	.09	2.2
Battle Creek	41,200	7	186	88	2.14	2	.05	2.3
Bay City	48,700	7	125	51	1.05	4	.08	7.8
Benton Harbor	13,600	7	27	15	1.10	1	.07	6.7

[1] Population Jan 1, 1920.

Reported prevalence for the year 1924—Continued

DIPHTHERIA—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Michigan—Continued.								
Cadillac	10,400	3	20	59	5.68	1	0.10	1.7
Hamtramck	75,700	4	235	69	.91	8	.11	11.6
Highland Park	67,600	5	118	48	.71	7	.10	14.6
Holland	13,000	5	29	9	.69	0		
Ironwood	17,100	7	20	31	1.81	2	.12	6.5
Ishpeming	[1] 10,500	5	17	3	.29	0		
Jackson	56,200	5	94	41	.73	5	.09	12.2
Kalamazoo	52,700	6	126	105	1.99	5	.09	4.8
Lansing	68,300	6	175	216	3.16	10	.15	4.6
Marquette	13,300	6	7	20	1.51	1	.08	5.0
Monroe	13,700	2	9	14	1.02	0		
Mount Clemens	10,300	1	31	32	3.10	0		
Muskegon	41,900	6	98	141	3.36	7	.17	5.0
Muskegon Heights	13,100	1	60	63	4.79	3	.23	4.8
Pontiac	43,400	7	145	230	5.30	5	.12	2.2
Port Huron	29,200	6	60	32	1.09	2	.07	6.2
River Rouge	12,400	1	24	19	1.53	2	.16	10.5
Saginaw	70,900	5	104	71	1.00	11	.16	15.5
Sault Ste. Marie	[1] 12,100	7	19	52	4.30	3	.25	5.8
Minnesota:								
Albert Lea	10,900			14	1.28			
Brainerd	10,100			21	2.08			
Faribault	12,100	4	22	59	4.89	1	.08	1.7
Hibbing	16,900	6	28	10	.59	0		
Mankato	13,400	5	3	14	1.04	1	.07	7.1
St. Cloud	18,300	4	88	136	7.42	4	.22	2.9
Virginia	15,700	1	23	28	1.79	1	.06	3.6
Winona	19,400	6	17	4	.21	0		
Mississippi:								
Biloxi	12,300	3	10	8	.65	1	.08	12.5
Missouri:								
Hannibal	19,800	1	31	27	1.37			
Independence	12,500	1	58	84	6.70	5	.40	6.0
Jefferson City	15,600	1	47	23	1.47			
Joplin	[1] 29,900	6	20	41	1.37			
Moberly	13,700	4	37	8	.58	1	.07	12.5
St. Joseph	78,300	7	141	54	.69	2	.03	3.7
Springfield	41,700	3	78	54	1.30	10	.24	18.5
Montana:								
Anaconda	12,400	6	4	1	.08	0		
Butte	42,600	6	39	79	1.85	8	.19	10.1
Great Falls	28,800	7	48	127	4.40	10	.35	7.9
Helena	12,000	2	11	9	.75	0		
Nebraska:								
Grand Island	15,300	7	6	4	.26			
Lincoln	59,900	7	83	226	3.78	12	.20	5.3
North Platte	13,100	2	47	42	3.21	4	.31	9.5
New Hampshire:								
Claremont	10,400	1	2	35	3.35	2	.19	5.7
Concord	22,500	7	13	7	.31	0		
Dover	[1] 13,000	7	7	4	.31	0		
Keene	11,700	5	6	8	.68	1	.09	12.5
Manchester	82,200	7	189	81	.98	9	.11	11.1
Nashua	29,500	6	25	200	6.78	1	.03	.5
Portsmouth	14,600	7	18	21	1.44	2	.14	9.5
New Jersey:								
Asbury Park	13,400	6	8	5	.37	1	.07	20.0
Bayonne	86,600	6	153	83	.96	8	.09	9.6
Belleville	18,300	7	33	24	1.31			
Bloomfield	25,200	7	37	11	.44	0		
Bridgeton	14,400	6	30	14	.97	0		
Carteret	13,500	1	25	15	1.11	3	.22	20.0
Clifton	33,200	4	67	129	3.88	6	.18	4.7
Collingswood	10,500			7	.66	2	.19	28.6
Dover	10,900	1	4	4	.37	1	.09	25.0
East Orange	58,300	7	44	29	.50	2	.03	6.9
Englewood	12,400	7	16	8	.64	0		
Garfield	23,600	3	37	21	.89	2	.08	9.5
Gloucester City	13,400	3	24	7	.52	1	.07	14.3
Hackensack	19,300	7	22	13	.67	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

DIPHTHERIA—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New Jersey—Continued.								
Harrison	16,300	6	33	20	1.23			
Hoboken	[1] 68,200	5	123	109	1.60	4	0.06	3.7
Irvington	31,800	5	36	28	.88	0		
Kearny	30,500	7	46	25	.82	1	.03	4.0
Lodi	10,000			6	.60	1	.10	16.7
Long Branch	13,600	7	9	5	.37	1	.07	20.0
Montclair	32,200	7	21	44	1.37	3	.09	6.8
Morristown	12,600	7	13	13	1.03	1	.08	7.7
New Brunswick	37,000	7	57	15	.41	0		
Orange	35,000	6	58	19	.54	0		
Passaic	68,000	7	181	121	1.78	6	.09	5.0
Perth Amboy	46,100	7	104	53	1.15	7	.15	13.2
Phillipsburg	18,300	4	41	36	1.96	2	.11	5.6
Plainfield	31,000	7	50	35	1.13	1	.03	2.9
Rahway	11,800	7	30	39	3.30	0		
Ridgefield Park	10,500	1	2	8	.77	1	.10	12.5
Rutherford	10,600	1	10	10	.94	0		
Summit	11,400	4	10	7	.61	2	.18	28.6
Union	[1] 20,700	4	59	38	1.84			
West Hoboken	42,200	7	60	39	.92	0		
West New York	37,500	7	59	89	2.37	3	.08	3.4
West Orange	17,700	7	47	8	.45	1	.06	12.5
New York:								
Amsterdam	34,600	4	112	51	1.48	2	.06	3.9
Batavia	14,300	1	20	20	1.40	2	.14	10.0
Beacon	11,100	2	17	14	1.26	0		
Binghamton	75,300	6	82	54	.72	9	.12	16.7
Cohoes	[1] 23,000	4	18	57	2.48	0		
Corning	16,800	5	21	30	1.79	1	.06	3.3
Cortland	14,100	7	14	5	.35	1	.07	20.0
Dunkirk	20,300	7	33	18	.89	1	.05	5.6
Elmira	49,200	5	45	33	.67	2	.04	6.1
Endicott	16,900	1	24	5	.30	1	.06	20.0
Freeport	11,500			11	.95	0		
Geneva	15,700	4	45	27	1.72	0		
Glens Falls	17,300	7	17	5	.29	0		
Gloversville	22,700	7	15	18	.79	2	.09	11.1
Herkimer	11,800	4	17			1	.08	
Hornell	15,700	6	12	27	1.72	2	.13	7.4
Hudson	11,800	5	16	15	1.27	0		
Ilion	11,800	1	22	8	.68			
Ithaca	18,000	7	13	3	.17	0		
Jamestown	42,400	7	114	71	1.67	3	.07	4.2
Johnson City	10,800			7	.65	0		
Kingston	27,000	6	39	21	.78	2	.07	9.5
Lackawanna	19,500	7	76	38	1.95	2	.10	5.3
Little Falls	13,400	7	17	36	2.69	3	.22	8.3
Lockport	22,400	4	15	5	.22	0		
Middletown	19,900	5	22	10	.50	0		
Mount Vernon	48,200	7	94	24	.50	2	.04	8.3
New Rochelle	39,600	6	40	45	1.14	1	.03	2.2
Newburgh	31,600	7	31	45	1.43	6	.19	13.3
Niagara Falls	60,200	7	94	191	3.17	6	.10	3.1
North Tonawanda	17,100	7	29	22	1.29	2	.12	9.1
Ogdensburg	[1] 14,600			40	2.74	3	.21	7.5
Olean	23,200	7	55	5	.22	0		
Oneonta	12,600	1	4	5	.40	0		
Oswego	23,700	4	33	34	1.43	0		
Peekskill	16,100	7	38	27	1.68	2	.12	7.4
Plattsburgh	[1] 10,900	7	10	2	.18	0		
Poughkeepsie	38,300	7	40	31	.81	3	.08	9.7
Rensselaer	10,900	2	10	82	7.54	1	.09	1.2
Rome	29,000	7	51	34	1.17	3	.10	8.8
Saratoga Springs	[1] 13,200	7	15	41	3.11	2	.15	4.9
Troy	[1] 72,000	7	90	263	3.65	19	.26	7.2
Watertown	33,400	7	32	30	.90	1	.03	3.3
Watervliet	16,500	4	86	55	3.33	0		
White Plains	22,900	7	28	35	1.53	4	.17	11.4

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

DIPHTHERIA—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
North Carolina:								
Asheville	30,900	6	36	36	1.16	2	0.06	5.6
Greensboro	45,500	2	65	86	1.89	4	.09	4.7
High Point	22,300			113	5.07			
New Bern	12,200	1	33	6	.49	1	.08	16.7
Raleigh	29,800	7	79	68	2.28	3	.10	4.4
Rocky Mount	14,700	5	17	77	5.24	3	.20	3.9
Salisbury	17,000	2	60	40	2.35	0		
Wilmington	36,400	7	38			1	.03	
Winston-Salem	65,800	6	86	235	3.57	19	.29	8.1
North Dakota:								
Fargo	25,600	6	28	31	1.21	4	.16	14.3
Ohio:								
Alliance	24,400	3	28	23	.94	0		
Ashtabula	24,700	7	24	9	.36	0		
Barberton	22,500	6	38	21	.93	0		
Bellaire	16,000	4	24	25	1.56	2	.12	8.0
Bucyrus	11,500	4	38	13	1.13	1	.09	7.7
Cambridge	13,900	5	16	18	1.30	0		
Chillicothe	16,400	7	45	14	.85	0		
Cleveland Heights	20,900	2	12	13	.62	0		
Conneaut	10,400	1	11	7	.67	0		
Cuyahoga Falls	13,100	3	31	13	1.00	0		
East Cleveland	35,700	7	28	32	.90	1	.03	3.1
East Liverpool	21,900	2	40	17	.78	4	.18	23.5
East Youngstown	15,300	4	46	16	1.04	0		
Elyria	23,300	6	30	7	.30	0		
Findlay	18,000	7	17	9	.50	1	.06	11.1
Fremont	13,600	7	8	4	.29	0		
Hamilton	41,900	7	29	8	.19	0		
Kenmore	18,200	3	29	20	1.10	0		
Lakewood	54,000	4	31	17	.31	0		
Lancaster	15,900	4	19	14	.88			
Lima	45,700	6	91	23	.50	1	.02	4.3
Lorain	41,400	7	76	29	.70	0		
Mansfield	31,100	7	16	40	1.29	2	.06	5.0
Marietta	15,200			1	.07	0		
Martins Ferry	15,300	6	26	17	1.11	2	.13	11.8
Middletown	29,700	7	34	22	.74	0		
New Philadelphia	11,800			8	.68	0		
Newark	30,300	6	26	13	.43	1	.03	7.7
Niles	16,100	4	37	46	2.85	3	.19	6.5
Norwood	29,000	7	14	22	.76	1	.03	4.5
Piqua	15,800	7	12	9	.57	3	.19	33.3
Salem	10,900	4	24	9	.82	1	.09	11.1
Sandusky	24,200	7	15	13	.54	1	.04	7.7
Springfield	67,300	5	51	151	2.24	16	.24	10.6
Steubenville	31,300	7	37	31	.99	5	.16	16.1
Warren	33,300	7	31	39	1.17	0		
Zanesville	30,300	7	24	16	.53	2	.07	12.5
Oklahoma:								
Chickasha	[1] 10,200	3	8	4	.39	0		
Muskogee	31,800	3	54	35	1.10	1	.03	2.9
Sapulpa	13,900			10	.72	0		
Oregon:								
Astoria	16,100	7	3	16	1.00	1	.06	6.2
Eugene	11,100	7	12	32	2.88	3	.27	9.4
Pennsylvania:								
Allentown	89,700	3	229	119	1.33	3	.03	2.5
Altoona	65,300	7	141	57	.87	6	.09	10.5
Ambridge	16,200	4	50	16	.99	0		
Beaver Falls	13,100	4	24	24	1.83			
Berwick	14,000	2	42	16	1.14			
Bethlehem	61,200	6	132	141	2.30	1	.02	.7
Braddock	21,600	7	75	53	2.46	3	.14	5.7
Bradford	15,700	6	7	8	.51			
Butler	25,000	7	74	80	3.20	3	.12	3.7
Canonsburg	13,000	3	26	28	2.16	2	.15	7.1
Carbondale	19,400	7	30	14	.72	1	.05	7.1
Carlisle	11,300	7	9	6	.53			
Carnegie	12,200	4	23	11	.90	2	.16	18.2

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

DIPHTHERIA—Continued

City	Estimated population July 1, 1924	Estimated expectancy: Number of years	Estimated expectancy: Cases	1924: Cases reported	1924: Cases per 1,000 inhabitants	1924: Deaths registered	1924: Deaths per 1,000 inhabitants	1924: Fatalities per 100 cases
Pennsylvania—Continued.								
Carrick	12,500	4	18	12	0.96	1	0.08	8.3
Charleroi	12,400	6	20	9	.73	3	.24	33.3
Chester	66,600	5	66	130	1.95	11	.17	8.5
Clairton	13,700	1	9	7	.51	0		
Coatesville	16,100	7	13	4	.25	0		
Connellsville	14,200	6	33	14	.98	1	.07	7.1
Dickson	11,800	3	51	12	1.01	6	.51	50.0
Donora	16,500	4	27	22	1.33	2	.12	9.1
Dubois	14,200	4	43	17	1.20			
Duquesne	20,500	3	37	39	1.90	2	.10	5.1
Ellwood City	11,300			1	.09	0		
Farrell	18,100	4	26	113	6.24	9	.50	8.0
Greensburg	15,900			12	.76			
Harrisburg	82,300	7	138	254	3.09	18	.22	7.1
Hazleton	35,400	7	55	25	.71	0		
Homestead	21,300	7	40	11	.52			
Jeannette	11,500	4	26	25	2.17	3	.26	12.0
Kingston	17,500	1	22	21	1.20			
Lancaster	55,900	7	154	61	1.09	3	.05	4.9
Lansford	10,200	4	21	17	1.66	2	.20	11.8
Lebanon	25,100	4	30	207	8.25	11	.44	5.3
Lewistown	10,500	3	37	24	2.28	3	.28	12.5
McKees Rocks	17,900	3	65	41	2.29	1	.06	2.4
McKeesport	48,700	7	58	65	1.33	9	.18	13.8
Monessen	20,700	6	78	42	2.03	4	.19	9.5
Mount Carmel	[1] 17,500	2	37	44	2.52	1	.06	2.3
Nanticoke	24,300	6	49	14	.58	1	.04	7.1
New Castle	49,600	7	44	52	1.06	5	.10	9.6
New Kensington	14,000	2	26	11	.79	1	.07	9.1
Norristown	34,400	7	60	26	.76	3	.09	11.5
North Braddock	16,400	7	43	37	2.26	2	.12	5.4
Oil City	22,900	7	36	27	1.18			
Olyphant	11,000	5	12	50	4.53			
Phoenixville	[1] 10,500	4	12	22	2.10	5	.48	22.7
Pittston	19,500	7	18	2	.10	1	.05	50.0
Plymouth	[1] 16,500	7	35	38	2.30	4	.24	10.5
Pottstown	18,300	1	6	6	.33	0		
Sharon	24,400	5	28	92	3.77	7	.29	7.6
Shenandoah	[1] 24,700	6	55	38	1.54	1	.04	2.6
Steelton	[1] 13,400	7	34	23	1.71	0		
Sunbury	16,600	6	44	48	2.89			
Swissvale	12,500	4	34	83	6.62	3	.24	3.6
Uniontown	[1] 15,700	5	42	24	1.53			
Vandergrift	10,600			8	.76	1	.09	12.5
Warren	15,000	7	22	6	.40	1	.07	16.7
Washington	22,700	7	54	28	1.23	4	.18	14.3
West Chester	[1] 11,700	7	13	5	.43	0		
Wilkes-Barre	77,000			121	1.57	10	.13	8.3
Windber	10,100			26	2.57			
Woodlawn	17,700	4	21	15	.85	1	.06	6.7
York	48,800	6	156	15	.31	2	.04	13.3
Rhode Island:								
Central Falls	24,800	4	35	16	.64	0		
Cranston	33,300	7	31	16	.48	1	.03	6.2
Newport	31,700	7	74	104	3.28	0		
Pawtucket	70,100	6	75	98	1.40	7	.10	7.1
Warwick	[1] 13,500			5	.37	2	.15	40.0
South Carolina:								
Columbia	40,300	5	71	37	.92			
Greenville	26,600	6	27	27	1.02	2	.08	7.4
Sumter	10,200	1	10	17	1.67			
South Dakota:								
Aberdeen	16,200	4	31	7	.43			
Sioux Falls	30,400	7	30	36	1.19	2	.07	5.6
Watertown	10,500			1	.10	0		
Tennessee:								
Knoxville	92,200	6	89	69	.75	3	.03	4.3

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

DIPHTHERIA—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Texas:								
Amarillo	17,400	6	14	6	0.35			
Cleburne	13,900	5	5	10	.72	0		
Galveston	47,600	7	44	28	.59	4	0.08	14.3
Paris	16,800	2	9	1	.06	0		
Port Arthur	30,000			48	1.60	1	.03	2.1
San Angelo	[1] 10,000					2	.20	
Tyler	12,900	6	12	7	.54	0		
Waco	43,000	6	48	19	.44	1	.02	5.3
Utah:								
Ogden	36,100	7	33	62	1.72	5	.14	8.1
Provo	11,000	1	13	33	2.99	1	.09	3.0
Vermont:								
Barre	[1] 10,000	6	3	8	.80			
Bennington	10,600	1	3	2	.19			
Burlington	23,900	6	23	37	1.55	1	.04	2.7
Virginia:								
Alexandria	18,400	6	9	4	.22	0		
Charlottesville	11,100	3	7	31	2.79	0		
Danville	22,700	7	53	33	1.45	2	.09	6.1
Lynchburg	30,300	6	68	118	3.89	3	.10	2.5
Newport News	43,400	6	36	22	.51	1	.02	4.5
Petersburg	35,000	7	69	32	.91	0		
Portsmouth	58,200	7	77	9	.15	0		
Roanoke	56,900	6	101	87	1.53	6	.11	6.9
Washington:								
Aberdeen	16,000	6	3	12	.75	1	.06	8.3
Bellingham	26,100	7	14	9	.34	2	.08	22.2
Bremerton	11,700	1	10	6	.51	1	.09	16.7
Everett	29,000	7	10	4	.14	0		
Hoquiam	10,900			12	1.10	1	.09	8.3
Vancouver	14,200	6	16	18	1.27	0		
Walla Walla	[1] 15,500	3	5	11	.71	2	.13	18.2
Yakima	22,200	7	10	36	1.62	2	.09	5.6
West Virginia:								
Charleston	47,300	7	91	53	1.12	3	.06	5.7
Clarksburg	29,900			7	.23	0		
Fairmont	20,400	7	61	34	1.67			
Martinsburg	13,400	5	31	10	.75	2	.15	20.0
Morgantown	13,500			28	2.07	0		
Wheeling	[1] 56,200	7	101	66	1.17	1	.02	1.5
Wisconsin:								
Appleton	20,900	5	16	28	1.34	3	.14	10.7
Ashland	11,300	5	16	30	2.65			
Beloit	24,100	7	39	28	1.16	0		
Eau Claire	22,100	7	26	12	.54	0		
Fond du Lac	25,600	7	13	44	1.72	2	.08	4.5
Green Bay	33,700	7	53	70	2.08	2	.06	2.9
Janesville	20,300	6	17	16	.79	1	.05	6.2
Kenosha	48,900	7	126	66	1.35	6	.12	9.1
La Crosse	30,400	6	42	11	.36	0		
Madison	45,200	7	34	71	1.57	3	.07	4.2
Manitowoc	19,700	5	21	51	2.59	2	.10	3.9
Marinette	13,600	7	10	12	.88	0		
Oshkosh	33,[illegible]00	6	30	7	.21	1	.03	14.3
Racine	66,[illegible]00	6	163	121	1.83	5	.08	4.1
Sheboygan	33,[illegible]00	6	69	106	3.21	5	.15	4.7
Superior	[1] 39,700	6	47	31	.78	4	.10	12.9
Wausau	19,900	7	19	19	.96	0		
West Allis	17,000	4	45	29	1.70	2	.12	6.9
Wyoming:								
Casper	20,000			10	.50	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

INFLUENZA

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston	20,000	34	1.70	2	0.10	17.0
Dothan	14,000	52	3.70	0		
Florence	12,300	31	2.52	0		
Mobile	65,100			30	.46	
Montgomery	45,900			4	.09	
Arizona:						
Douglas	11,500			1	.09	
Phoenix	35,300			13	.37	
Tucson	26,000			1	.04	
Arkansas:						
Fort Smith	31,100			1	.03	
Little Rock	72,600	25	.34	6	.08	4.2
California:						
Alhambra	11,000	2	.18	1	.09	2.0
Bakersfield	22,900	16	.70	7	.31	2.3
Berkeley	64,600	17	.26	6	.09	2.8
Chico	11,900	4	.34			
Eureka	13,400			1	.07	
Fresno	56,700			3	.05	
Glendale	20,000	15	.75	2	.10	7.5
Long Beach	83,100	20	.24	8	.10	2.5
Modesto	11,700	300	25.74	1	.09	300.0
Pasadena	55,100			5	.09	
Pomona	15,000			2	.13	
Sacramento	71,100			17	.24	
San Diego	96,400	17	.18	10	.10	1.7
San Jose	42,900	10	.23	5	.12	2.0
Santa Ana	18,800	17	.91	5	.27	3.4
Santa Barbara	23,200			4	.17	
Santa Monica	18,700			2	.11	
Stockton	46,100	30	.65	15	.33	2.0
Colorado:						
Boulder	11,700	1	.09	0		
Colorado Springs	[1] 30,100	7	.23	3	.10	2.3
Pueblo	43,700			2	.05	
Trinidad	11,000			3	.27	
Connecticut:						
Fairfield	14,000			4	.29	
Greenwich	24,700	3	.12	0		
Manchester	20,600	5	.24			
Meriden	36,000	4	.11			
Milford	12,900			1	.08	
New Britain	66,500	38	.57	4	.06	9.5
New London	28,500	1	.04	0		
Stonington	10,700			1	.09	
Florida:						
Miami	40,700	12	.29	4	.10	3.0
Tampa	67,600	13	.19	4	.06	3.2
West Palm Beach	12,900			2	.16	
Georgia:						
Athens	18,600	1	.05	0		
Brunswick	16,400	5	.31	1	.06	5.0
Lagrange	22,300	11	.49	0		
Rome	13,800	12	87	1	.07	12.0
Savannah	91,200	78	.85	19	.21	4.1
Valdosta	12,200	19	1.55			
Illinois:						
Alton	26,400	3	.11			
Bloomington	30,100			2	.07	
Blue Island	12,900			2	.16	
Canton	11,000	2	.18			
Champaign	17,900	3	.17			
Cicero	59,100			2	.03	
Danville	36,400			11	.30	
Decatur	49,400	16	.32	2	.04	8.0
East Moline	11,200	3	.27	0		
East St. Louis	70,600	100	1.42	25	.35	4.0
Elgin	28,100	3	.11	1	.04	3.0
Evanston	42,700	1	.02	0		
Freeport	20,500			1	.05	
Galesburg	24,600			1	.04	
Herrin	12,900			5	.39	
Jacksonville	15,900	2	.13	1	.06	2.0

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Illinois—Continued.						
Kewanee	19,400			1	0.05	
Mattoon	14,500			1	.07	
Maywood	13,900			1	.07	
Moline	33,300			1	.03	
Murphysboro	12,200			1	.08	
Oak Park	49,300	7	0.14	0		
Pekin	13,100			3	.23	
Peoria	80,600			6	.07	
Quincy	37,500	8	.21	1	.03	8.0
Rockford	74,400	10	.13	7	.09	1.4
Springfield	62,700	20	.32	5	.08	4.0
Urbana	11,100	1	.09			
Indiana:						
Anderson	33,100			2	.06	
Connersville	12,200	50	4.09	3	.25	16.7
Crawfordsville	10,500			2	.19	
East Chicago	43,800			15	.34	
Elkhart	26,600			2	.08	
Elwood	[1] 10,800	20	1.85	0		
Fort Wayne	95,700			1	.01	
Frankfort	12,800			2	.16	
Hammond	48,500			5	.10	
Kokomo	35,700			3	.08	
Laporte	17,100			1	.06	
Michigan City	19,700			1	.05	
Mishawaka	16,000			3	.18	
Muncie	41,400			3	.07	
New Albany	[1] 23,000			4	.17	
Richmond	29,000			2	.07	
Terre Haute	70,300			10	.14	
Iowa:						
Cedar Rapids	51,500			9	.17	
Council Bluffs	39,300			1	.03	
Dubuque	39,400			1	.03	
Fort Madison	13,500	10	.74	3	.22	3.3
Mason City	24,000			1	.04	
Muscatine	16,100			1	.06	
Kansas:						
Coffeyville	13,800			3	.22	
Emporia	12,300	9	.73	1	.08	9.0
Hutchinson	26,500	22	.83	2	.08	11.0
Lawrence	12,500			2	.16	
Pittsburg	19,500	6	.31	4	.21	1.5
Topeka	53,200			4	.08	
Wichita	81,200			5	.06	
Kentucky:						
Covington	58,100	5	.09	3	.05	1.7
Henderson	12,500			1	.08	
Lexington	44,300	11	.25	5	.11	2.2
Newport	[1] 29,300			10	.34	
Owensboro	21,800			14	.64	
Paducah	20,300	1	.05			
Louisiana:						
Alexandria	20,100			2	.10	
Baton Rouge	27,000	342	12.68	10	.37	34.2
Lake Charles	13,800	18	1.30	3	.22	6.0
Shreveport	56,200			5	.09	
Maine:						
Auburn	17,900	3	.17	0		
Biddeford	18,400	1	.05	0		
Lewiston	34,400			2	.06	
Portland	74,200	24	.32	4	.05	6.0
Waterville	14,200			1	.07	
Maryland:						
Cumberland	33,100	18	.54	2	.06	9.0
Frederick	12,000	7	.58	4	.33	1.7
Massachusetts:						
Adams	[1] 13,000	4	.31	2	.15	2.0
Amesbury	10,100			1	.10	
Arlington	22,100			2	.09	
Athol	10,400			3	.29	
Attleboro	21,400	6	.28	5	.23	1.2
Braintree	11,700			2	.17	
Brockton	70,600	1	.01	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.						
Brookline	42,400	3	0.07	2	0.05	1.5
Chicopee	41,200	4	.10	0		
Danvers	11,900	2	.17	0		
Everett	43,200	6	.14	0		
Framingham	18,900			1	.05	
Greenfield	17,800	3	.17	1	.06	3.0
Haverhill	58,400	9	.15	5	.09	1.8
Holyoke	61,300			3	.05	
Lawrence	98,200	9	.09	3	.03	3.0
Malden	51,300	9	.18	1	.02	9.0
Marlboro	15,200	1	.07			
Medford	46,400	2	.04			
Milford	13,700	40	2.93	1	.07	40.0
North Adams	22,400	3	.13	0		
Northampton	23,100	5	.22	3	.13	1.7
Northbridge	10,800	5	.46	2	.19	2.5
Peabody	21,300	4	.19	2	.09	2.0
Pittsfield	46,200			6	.13	
Quincy	54,900	17	.31	4	.07	4.2
Saugus	12,200	32	2.63			
Southbridge	15,000			1	.07	
Taunton	38,500			3	.08	
Wakefield	13,800	3	.22	1	.07	3.0
Waltham	32,300			1	.03	
Webster	14,100	1	.07			
Westfield	19,800			1	.05	
Winthrop	17,900	1	.06	0		
Woburn	17,200	2	.12	0		
Michigan:						
Bay City	48,700			2	.04	
Hamtramck	75,700	4	.05	0		
Highland Park	67,600			2	.03	
Holland	13,000			1	.08	
Jackson	56,200			6	.11	
Kalamazoo	52,700	13	.25	3	.06	4.3
Lansing	68,300			5	.07	
Monroe	13,700	15	1.09	0		
Muskegon	41,900			3	.07	
Pontiac	43,400	2	.05	1	.02	2.0
Minnesota:						
Faribault	12,100			1	.08	
Hibbing	16,900	1	.06	0		
St. Cloud	18,300			2	.11	
Winona	19,400			3	.15	
Mississippi:						
Biloxi	12,300	66	5.38	7	.57	9.4
Missouri:						
Independence	12,500			15	1.20	
St. Joseph	78,300			5	.06	
Springfield	41,700			13	.31	
Montana:						
Butte	42,600			2	.05	
Great Falls	28,800			1	.03	
Nebraska:						
Lincoln	59,900			4	.07	
North Platte	13,100	8	.61	3	.23	2.7
Nevada:						
Reno	12,500	4	.32	0		
New Hampshire:						
Concord	22,500	5	.22	1	.04	5.0
Manchester	82,200			14	.17	
Rochester	10,000			2	.20	
New Jersey:						
Asbury Park	13,400	2	.15	1	.07	2.0
Bayonne	86,600			11	.13	
Bloomfield	25,200	2	.08	1	.04	2.0
Bridgeton	14,400	4	.28	2	.14	2.0
Clifton	33,200	3	.09	0		
Dover	10,900	3	.28	0		
East Orange	58,300			9	.15	
Garfield	23,000	4	.17	2	.08	2.0
Gloucester City	13,400	1	.07	0		
Harrison	16,300	10	.61			
Hoboken	[1] 68,200	7	.10	3	.04	2.3
Irvington	31,800	2	.06	0		
Kearny	30,500	40	1.31	2	.07	20.0

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
New Jersey—Continued.						
Lodi	10,000	1	0.10	0		
Long Branch	13,600	2	.15	1	0.07	2.0
Morristown	12,600	4	.32	0		
Orange	35,000	2	.06	0		
Passaic	68,000			5	.07	
Plainfield	31,000	4	.13	2	.06	2.0
Rahway	11,800			2	.17	
Ridgefield Park	10,500	4	.38	3	.29	1.3
Rutherford	10,600			1	.09	
Summit	11,400	1	.09	0		
West Hoboken	42,200			2	.05	
West Orange	17,700	5	.28	1	.06	5.0
New York:						
Amsterdam	34,600	85	2.46	3	.09	28.3
Beacon	11,100	28	2.53	0		
Binghamton	75,300	52	.69	0		
Cohoes	23,000	2	.09	0		
Corning	16,800	15	.89	2	.12	7.5
Cortland	14,100			1	.07	
Dunkirk	20,300	71	3.49	3	.15	23.7
Elmira	49,200	2	.04	0		
Geneva	15,700	2	.13	1	.06	2.0
Hornell	15,700			2	.13	
Johnson City	10,800	1	.09	0		
Kingston	27,000			2	.07	
Lackawanna	19,500			1	.05	
Little Falls	13,400	6	.45	0		
Middletown	19,900	8	.40	0		
Mount Vernon	48,200	4	.08	1	.02	4.0
New Rochelle	39,600			1	.03	
Niagara Falls	60,200			7	.12	
North Tonawanda	17,100	3	.18	0		
Odgensburg	[1] 14,600	10	.68	0		
Olean	23,200			1	.04	
Peekskill	16,100			1	.06	
Plattsburgh	[1] 10,900			1	.09	
Rome	29,000	2	.07	1	.03	2.0
Saratoga Springs	[1] 13,200	17	1.29	0		
Troy	[1] 72,000	3	.04	1	.01	3.0
Watertown	33,400			1	.03	
North Carolina:						
Greensboro	45,500			9	.20	
New Bern	12,200			2	.16	
Raleigh	29,800			5	.17	
Rocky Mount	14,700			2	.14	
Salisbury	17,000			3	.18	
Wilmington	36,400			3	.08	
Winston-Salem	65,800			10	.15	
North Dakota:						
Fargo	25,600			5	.20	
Ohio:						
Alliance	24,400			5	.21	
Bellaire	16,000			1	.06	
Chillicothe	16,400	4	.24	0		
Conneaut	10,400	2	.19	0		
Cuyahoga Falls	13,100	1	.08	0		
East Cleveland	35,700	4	.11	0		
East Liverpool	21,900			2	.09	
Findlay	18,000			1	.06	
Fostoria	10,100			2	.20	
Fremont	13,600			1	.07	
Hamilton	41,900	48	1.15	0		
Lakewood	54,000			4	.07	
Lancaster	15,900	2	.13			
Lima	45,700			4	.09	
Lorain	41,400	2	.05	1	.02	2.0
Mansfield	31,100			2	.06	
Marietta	15,200			1	.07	
Middletown	29,700			2	.07	
Newark	30,300			6	.20	
Norwood	29,000			2	.07	
Springfield	67,300			4	.06	
Steubenville	31,300			4	.13	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Oklahoma:						
Muskogee	31,800	116	3.64	10	0.31	11.6
Sapulpa	13,900	50	3.61	0		
Oregon:						
Astoria	16,100	1	.06	0		
Eugene	11,100	3	.27	2	.18	1.5
Pennsylvania:						
Allentown	89,700			1	.01	
Braddock	21,600	4	.19	2	.09	2.0
Butler	25,000			1	.04	
Carbondale	19,400			2	.10	
Charleroi	12,400			1	.08	
Chester	66,600	10	.15	1	.02	10.0
Connellsville	14,200			1	.07	
Donora	16,500			12	.73	
Harrisburg	82,300			6	.07	
Lancaster	55,900			11	.20	
Lewistown	10,500			1	.09	
McKees Rocks	17,900	165	9.23	3	.17	55.0
McKeesport	48,700			5	.10	
Nanticoke	24,300			3	.12	
Norristown	34,400			7	.20	
Pottstown	18,300			7	.38	
Sharon	24,400			2	.08	
Steelton	[1] 13,400			3	.22	
Swissvale	12,500			1	.08	
Vandergrift	10,600			1	.09	
Warren	15,000			1	.07	
Washington	22,700			7	.31	
Woodlawn	17,700			5	.28	
Rhode Island:						
Pawtucket	70,100			2	.03	
Warwick	[1] 13,500			2	.15	
South Carolina:						
Greenville	26,600			1	.04	
South Dakota:						
Sioux Falls	30,400	2	.07	1	.03	2.0
Watertown	10,500			2	.19	
Tennessee:						
Knoxville	92,200			34	.37	
Texas:						
Beaumont	48,700			4	.08	
Galveston	47,600			1	.02	
Texarkana	12,300	50	4.08	4	.33	12.5
Waco	43,000	9	.21	4	.09	2.2
Utah:						
Provo	11,000			2	.18	
Virginia:						
Alexandria	18,400			2	.11	
Charlottesville	11,116			1	.09	
Danville	22,700			8	.35	
Lynchburg	30,300			9	.30	
Petersburg	35,000	39	1.11	16	.46	2.4
Portsmouth	58,200			7	.12	
Roanoke	56,900			19	.33	
Washington:						
Bellingham	26,100			5	.19	
Bremerton	11,700	36	3.09	3	.26	12.0
Everett	29,000			3	.10	
Walla Walla	[1] 15,500			5	.32	
West Virginia:						
Charleston	47,300	5	.11	1	.02	5.0
Clarksburg	29,900			3	.10	
Fairmont	20,400	6	.29			
Martinsburg	13,400			3	.22	
Morgantown	13,500	3	.22	1	.07	3.0
Wheeling	[1] 56,200			3	.05	
Wisconsin:						
Beloit	24,100			1	.04	
Eau Claire	22,100	1	.05			
Green Bay	33,700			2	.06	
Janesville	20,300			1	.05	
Kenosha	48,900	13	.27	0		
La Crosse	30,400			1	.03	
Madison	45,200	4	.09	2	.04	2.0
Marinette	13,600			10	.73	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

LETHARGIC ENCEPHALITIS

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Mobile	65,100	2	0.03	1	0.02	2.0
Arizona:						
Phoenix	35,300			10	.28	
Arkansas:						
Little Rock	72,600			5	.07	
California:						
Alhambra	11,000			1	.09	
Bakersfield	22,900	1	.04	0		
Berkeley	64,600	4	.06	0		
Glendale	20,000	1	.05	0		
Sacramento	71,100			2	.03	
San Diego	96,400	5	.05	1	.01	5.0
Santa Ana	18,800	2	.11	0		
Santa Monica	18,700			2	.11	
Stockton	46,100	3	.07	0		
Colorado:						
Colorado Springs	[1] 30,100			2	.07	
Connecticut:						
Fairfield	14,000			1	.07	
Greenwich	24,700	1	.04	0		
Meriden	36,000	4	.11			
New Britain	66,500	8	.12	0		
Florida:						
St. Petersburg	26,500	1	.04			
Georgia:						
Lagrange	22,300			1	.04	
Illinois:						
Bloomington	30,100			3	.10	
Elgin	28,100	1	.04	0		
Evanston	42,700			1	.02	
Freeport	20,500			1	.05	
Herrin	12,900			3	.23	
Oak Park	49,300			1	.02	
Pekin	13,100	1	.08	1		
Rockford	74,400			5	.07	
Waukegan	20,700			1	.05	
Indiana:						
Elkhart	26,600			1	.04	
Kokomo	35,700			1	.03	
Laporte	17,100	3	.18	2	.12	1.5
Michigan City	19,700			2	.10	
Newcastle	16,500			1	.06	
Terre Haute	70,300			2	.03	
Iowa:						
Muscatine	16,100			1	.06	
Kansas:						
Fort Scott	10,800			1	.09	
Parsons	17,700	2	.11	0		
Maine:						
Lewiston	34,400			1	.03	
Waterville	14,200			1	.07	
Massachusetts:						
Arlington	22,100	4	.18	2	.09	2.0
Attleboro	21,400	1	.05	0		
Chelsea	48,200	3	.06	1	.02	3.0
Clinton	[1] 13,000	1	.08	0		
Everett	43,200	2	.05	1	.02	2.0
Holyoke	61,300			2	.03	
Lawrence	98,200	2	.02	1	.01	2.0
Malden	51,300	4	.08	0		
Medford	46,400	2	.04	0		
Melrose	19,400	6	.31	0		
Milford	13,700			1	.07	
Milton	10,100	1	.10	0		
Newburyport	15,900	5	.31	0		
Newton	48,900			2	.04	
Northbridge	10,800			1	.09	
Wakefield	13,800			1	.07	
Michigan:						
Ann Arbor	21,700	2	.09	1	.05	2.0
Hamtramck	75,700			1	.01	
Ishpeming	[1] 10,500			1	.10	
Monroe	13,700	1	.07	0		
Muskegon	41,900			2	.05	
River Rouge	12,400			1	.08	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

LETHARGIC ENCEPHALITIS—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Minnesota:						
Faribault	12,100			1	0.08	
Virginia	15,700			2	.13	
Missouri:						
Moberly	13,700	1	0.07	0		
St. Joseph	78,300			7	.09	
Springfield	41,700			1	.02	
Montana:						
Butte	42,600			8	.19	
Great Falls	28,800			1	.03	
New Hampshire:						
Manchester	82,200			4	.05	
Nashua	29,500			1	.03	
Rochester	10,000			1	.10	
New Jersey:						
Belleville	18,300	1	.05			
Bloomfield	25,200	1	.04	0		
Clifton	33,200	2	.06	0		
East Orange	58,300			2	.03	
Garfield	23,600			2	.08	
Irvington	31,800			2	.06	
Long Branch	13,600	5	.37	4	.29	1.2
Passaic	68,000	3	.04	2	.03	1.5
Rahway	11,800			2	.17	
Summit	11,400	3	.26	0		
New York:						
Amsterdam	34,600	1	.03	0		
Beacon	11,000	1	.09	0		
Binghamton	75,300	5	.07	2	.03	2.5
Elmira	49,200	2	.04	0		
Freeport	11,500	1	.09	0		
Gloversville	22,700	1	.04	0		
Hudson	11,800	1	.08	0		
Ithaca	18,000	4	.22	2	.11	2.0
Jamestown	42,400			4	.09	
Kingston	27,000	1	.04	0		
Middletown	19,900			1	.05	
Mount Vernon	48,200			3	.06	
New Rochelle	39,600			1	.03	
Newburgh	31,600	2	.06	0		
Ogdensburg	[1] 14,600	3	.21	0		
Plattsburgh	[1] 10,900	1	.09	0		
Poughkeepsie	38,300	2	.05	1	.03	2.0
Troy	[1] 72,000			2	.03	
North Carolina:						
Raleigh	29,800			3	.10	
Winston-Salem	65,800			3	.05	
North Dakota:						
Fargo	25,600			2	.08	
Ohio:						
Cleveland Heights	20,900	1	.05	0		
Hamilton	41,900	1	.02	0		
Lorain	41,400	3	.07	0		
Mansfield	31,100			1	.03	
New Philadelphia	11,800			1	.08	
Warren	33,300			2	.06	
Oregon:						
Astoria	16,100	1	.06	0		
Eugene	11,100	1	.09	0		
Pennsylvania:						
Altoona	65,300			1	.02	
Bethlehem	61,200	1	.02	0		
McKeesport	48,700			1	.02	
New Kensington	14,000			1	.07	
Warren	15,000	3	.20	2	.13	1.5
York	48,800	3	.06	2	.04	1.5
South Carolina:						
Sumter	10,200	1	.10			
South Dakota:						
Sioux Falls	30,400	11	.36	2	.07	5.5
Watertown	10,500			4	.38	
Tennessee:						
Knoxville	92,200			1	.01	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

LETHARGIC ENCEPHALITIS—Continued

City	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Texas:						
Amarillo	17,400	1	0.06			
Galveston	47,600			1	0.02	
Texarkana	12,300			1	.08	
Utah:						
Ogden	36,100			1	.03	
Virginia:						
Petersburg	35,000			3	.09	
Portsmouth	58,200			1	.02	
Roanoke	56,900			2	.04	
Washington:						
Everett	29,000			1	.03	
Walla Walla	[1] 15,500			1	.06	
Yakima	22,200	2	.09	1	.05	2.0
West Virginia:						
Clarksburg	29,900			1	.03	
Wisconsin:						
Janesville	20,300			1	.05	
Madison	45,200			1	.02	
Oshkosh	33,200			3	.09	
Superior	[1] 39,700			1	.03	
Wyoming:						
Casper	20,000	1	.05	0		

MALARIA

City	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston	20,000	16	0.80			
Dothan	14,000	6	.43	1	0.07	6.0
Florence	12,300	15	1.22	3	.24	5.0
Mobile	65,100	10	.15	4	.06	2.5
Arkansas:						
Fort Smith	31,100			2	.06	
Little Rock	72,600	228	3.14	19	.26	12.0
California:						
Alhambra	11,000	1	.09	0		
Berkeley	64,600	1	.02	0		
Chico	11,900	6	.50			
Glendale	20,000	1	.05	0		
Long Beach	83,100	3	.04	0		
Modesto	11,700	5	.43	0		
Sacramento	71,100	5	.07	0		
Santa Ana	18,800	1	.05	0		
Santa Barbara	23,200	3	.13	0		
Stockton	46,100			1	.02	
Colorado:						
Colorado Springs	[1] 30,100	4	.13	0		
Connecticut:						
Greenwich	24,700	30	1.21	0		
Manchester	20,600	7	.34			
New Britain	66,500	1	.02	0		
Florida:						
Miami	40,700	7	.17	1	.02	7.0
St. Petersburg	26,500	68	2.57	3	.11	22.7
Tampa	67,600	47	.69	4	.06	11.7
West Palm Beach	12,900	7	.54	3	.23	2.3
Georgia:						
Albany	13,000	14	1.07	6	.46	2.3
Athens	18,600	4	.22	0		
Brunswick	16,400	16	.98	3	.18	5.3
Rome	13,800	4	.29	3	.22	1.3
Savannah	91,200	31	.34	3	.03	10.3
Valdosta	12,200	4	.33			
Illinois:						
Elgin	28,100	1	.04	0		
Peoria	80,600			1	.01	
Rock Island	39,200	2	.05	0		
Indiana:						
Clinton	13,200	10	.76	0		
Terre Haute	70,300			1	.01	
Kansas:						
Coffeyville	13,800	2	.14	0		
Leavenworth	[1] 16,900	1	.06			
Parsons	17,700	2	.11	0		
Pittsburg	19,500			1	.05	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MALARIA—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Kentucky:						
Owensboro	21,800	1	0.05	0		
Louisiana:						
Alexandria	20,100			7	0.35	
Baton Rouge	27,000	4	.15	1	.04	4.0
Lake Charles	13,800	1	.07	0		
Shreveport	56,200	9	.16	8	.14	1.1
Maine:						
Bath	17,200	1	.06	0		
Maryland:						
Frederick	12,000			1	.08	
Massachusetts:						
Belmont	13,200	2	.15	0		
Beverly	24,400	1	.04	0		
Brockton	70,600	2	.03	0		
Dedham	11,500	1	.09			
Everett	43,194	2	.05	0		
Lawrence	98,200	1	.01	0		
Pittsfield	46,200	1	.02	0		
Plymouth	13,500	1	.07	0		
Michigan:						
Jackson	56,200	1	.02	0		
Mount Clemens	10,300	10	.97	0		
Mississippi:						
Biloxi	12,300	9	.73	0		
Missouri:						
Hannibal	19,800	7	.35			
Springfield	41,700			3	.07	
New Hampshire:						
Portsmouth	14,600	1	.07	0		
New Jersey:						
Belleville	18,300	2	.11			
Cartaret	13,500	1	.07	0		
Dover	10,900	2	.18	0		
East Orange	58,300	2	.03	0		
Irvington	31,800	1	.03	0		
Kearny	30,500	4	.13	0		
Montclair	32,200	2	.06	0		
Morristown	12,600	1	.08	0		
Rutherford	10,600	1	.09	0		
Summit	11,400	1	.09	0		
New York:						
Kingston	27,000	1	.04	0		
Newburgh	31,600	1	.03	0		
Poughkeepsie	38,300	1	.03	0		
White Plains	22,900	2	.09	0		
North Carolina:						
Greensboro	45,500	2	.04	1	.02	2.0
New Bern	12,200	90	7.37	10	.82	9.0
Raleigh	29,800			1	.03	
Salisbury	17,000			1	.06	
Winston-Salem	65,800	6	.09	0		
Ohio:						
East Cleveland	35,700	1	.03	0		
Oklahoma:						
Muskogee	31,800	9	.28	2	.06	4.5
Sapulpa	13,900	10	.72	0		
Pennsylvania:						
Harrisburg	82,300	1	.01	0		
Oil City	22,900	1	.04			
Tennessee:						
Knoxville	92,200			1	.01	
Texas:						
Beaumont	48,700			3	.06	
Cleburne	13,900	10	.72	0		
Denison	18,700			1	.05	
Galveston	47,600	2	.04	1	.02	2.0
Texarkana	12,300			3	.24	
Tyler	12,900			3	.23	
Virginia:						
Alexandria	18,400	6	.33	1	.05	6.0
Danville	22,700	14	.62	1	.04	14.0
Petersburg	35,000	1	.03	0		

Reported prevalence for the year 1924—Continued

MEASLES

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston	20,000	7	34	99	4.94	2	0.10	2.0
Dothan	14,000	1	8	25	1.78	0		
Florence	12,300			92	7.48	6	.49	6.5
Mobile	65,100	3	39	76	1.17	5	.08	6.6
Arizona:								
Douglas	11,500			174	15.09	0		
Phoenix	35,300	1	3	209	5.92	6	.17	2.9
Tucson	26,000	6	15	140	5.38	3	.12	2.1
Arkansas:								
Fort Smith	31,100	4	55	1,332	42.78	5	.16	.4
Hot Springs	11,700			2	.17	0		
Little Rock	72,600	4	177	482	6.64	4	.06	.8
California:								
Alameda	31,300	7	193	145	4.63	0		
Alhambra	11,000	1	97	259	23.58	1	.09	.4
Bakersfield	22,900	7	28	66	2.88	7	.31	10.6
Berkeley	64,600			902	13.96	4	.06	.4
Chico	11,900	1	55	73	6.12			
Eureka	13,400	7	38	134	9.98	0		
Fresno	56,700			540	9.52	2	.04	.4
Glendale	20,000			505	25.30	1	.05	.2
Long Beach	83,100	5	129	487	5.86	0		
Modesto	11,700	1	20	40	3.43	0		
Pasadena	55,100	7	212	2,130	38.65	0		
Pomona	15,000			144	9.58	0		
Richmond	21,500	4	10	18	.84	0		
Riverside	21,300	5	37	1,197	56.32	0		
Sacramento	71,100	5	139	288	4.05	2	.03	.7
San Bernardino	22,100	7	36	380	17.23	0		
San Diego	96,400	5	404	709	7.35	7	.07	1.0
San Jose	42,900			452	10.55	0		
Santa Ana	18,800	5	23	30	1.60	1	.05	3.3
Santa Barbara	23,200	5	17	90	3.87	0		
Santa Cruz	[1] 10,900	5	28	6	.55	0		
Stockton	46,100			98	2.13	1	.02	1.0
Venice	13,800	4	19	45	3.27	0		
Colorado:								
Boulder	11,700	4	52	109	9.23	0		
Colorado Springs	[1] 30,100	7	265	810	26.91	6	.20	.7
Greeley	12,200			98	8.00	1	.08	1.0
Pueblo	43,700	3	307	1,913	43.82	4	.09	.2
Trinidad	11,000	7	98	150	13.64	1	.09	.7
Connecticut:								
Bristol	23,900	7	52	26	1.09	0		
Fairfield	14,000	2	54	5	.36	0		
Greenwich	24,700	7	281	518	20.93	7	.28	1.4
Manchester	20,000	6	23	62	3.02	1	.05	1.6
Meriden	36,000	5	63	177	4.91			
Milford	12,900	4	63	44	3.41	0		
New Britain	66,500	7	314	77	1.16	1	.02	1.3
New London	28,500	7	81	16	.56	0		
Norwich	23,000	7	72	11	.48	0		
Stonington	10,700			9	.84	0		
West Hartford	10,700	1	279	29	2.70	0		
Florida:								
Miami	40,700	4	93	194	4.76	1	.02	.5
Orlando	14,800			96	6.50			
St. Petersburg	26,500			98	3.70			
Tampa	67,600	4	211	174	2.57	2	.03	1.1
West Palm Beach	12,900	1	32	61	4.74	1	.08	1.6
Georgia:								
Albany	13,000			38	2.91	0		
Athens	18,600			101	5.43	1	.05	1.0
Brunswick	16,400	7	17	798	48.74	1	.06	.1
Lagrange	22,300			42	1.88	0		
Macon	57,360	6	116	922	16.10	0		
Rome	13,800	5	132	22	1.60	1	.07	4.5
Savannah	91,200			323	3.54	6	.07	1.9
Valdosta	12,200			83	6.79			

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MEASLES—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Idaho:								
Boise	22,900	6	48	603	26.30			
Pocatello	17,700	6	18	247	13.93	1	0.06	0.4
Illinois:								
Alton	26,400	6	100	26	.98			
Berwyn	18,000			26	1.44	0		
Bloomington	30,100	4	379	438	14.53	0		
Blue Island	12,900	4	96	15	1.16	0		
Centralia	13,800	6	7	4	.29	0		
Champaign	17,900	6	125	19	1.06	0		
Chicago Heights	21,700	3	19	2	.09			
Cicero	59,100	7	153	55	.93	0		
Danville	36,400	4	72	15	.41	1	.03	6.7
Decatur	49,400	4	167	424	8.58	0		
East Moline	11,200	1	309	7	.62	0		
East St. Louis	70,600	6	104	109	1.54	0		
Elgin	28,100	4	111	61	2.17	0		
Evanston	42,700	5	167	118	2.77	0		
Freeport	20,500	5	61	72	3.51	0		
Galesburg	24,600	5	150	431	17.49	3	.12	.7
Herrin	12,900	1	5	2	.16	0		
Jacksonville	15,900	7	55	564	35.49	0		
Joliet	40,200			307	7.64	5	.12	1.6
Kewanee	19,400	3	27	589	30.34	1	.05	.2
La Salle	13,800	5	101	53	3.85	0		
Mattoon	14,500	3	60	180	12.39	0		
Maywood	13,900	7	147	17	1.23	0		
Moline	33,300	7	156	283	8.49	1	.03	.4
Murphysboro	12,200	2	18	3	.25	0		
Oak Park	49,300	7	393	314	6.37	1	.02	.3
Ottawa	11,400	4	60	1	.09	0		
Pekin	13,100	7	11	11	.84	0		
Peoria	80,600	7	103	33	.41	0		
Quincy	37,500	7	191	521	13.90	1	.03	.2
Rock Island	39,200	7	75	427	10.90	1	.03	.2
Rockford	74,400	6	364	870	11.70	4	.05	.5
Springfield	62,700	5	109	78	1.24	0		
Streator	15,000	3	27	13	.87	1	.07	7.7
Urbana	11,100	4	43	15	1.35			
Waukegan	20,700	4	97	12	.58	0		
West Frankfort	11,400			5	.44			
Indiana:								
Anderson	33,100	7	48	515	15.55	1	.02	.2
Connersville	12,200			158	12.92	0		
Crawfordsville	10,500	6	13	415	39.68	0		
East Chicago	43,800	7	145	60	1.37	1	.02	1.7
Elwood	[1] 10,800	6	56	58	5.38	1	.09	1.7
Fort Wayne	95,700	7	91	807	8.43	1	.01	.1
Frankfort	12,800	6	14	79	6.18	0		
Hammond	48,500	6	113	207	4.27	0		
Huntington	15,600			76	4.89	0		
Kokomo	35,700	7	22	120	3.36	1	.03	.8
La Fayette	23,600	5	53	61	2.59	0		
Laporte	17,100	3	33	26	1.52	0		
Logansport	22,900	7	94	28	1.22	0		
Marion	25,800	6	74	153	5.93	0		
Michigan City	19,700	4	66	1	.05	0		
Mishawaka	16,400	7	23	13	.79	0		
Muncie	41,400	7	110	1,319	31.86	2	.05	.2
New Albany	[1] 23,000	5	12	3	.13	0		
Newcastle	16,500	7	16	56	3.39	0		
Richmond	29,600	7	56	8	.28	0		
South Bend	78,500	4	286	99	1.26	0		
Terre Haute	70,300	7	94	72	1.02	0		
Wabash	10,400			13	1.25	0		
Whiting	11,800	3	13	51	4.32	0		
Iowa:								
Boone	13,400	3	22	295	21.98	0		
Burlington	[1] 24,000	3	46	9	.37	0		
Cedar Rapids	51,500			131	2.54	3	.06	2.3
Clinton	[1] 24,200	3	104	140	5.80	0		
Council Bluffs	39,300	7	65	429	10.90	1	.03	.2

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MEASLES—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Iowa—Continued.								
Davenport	62,600	7	50	13	0.21			
Dubuque	39,400	6	127	36	.91	0		
Fort Dodge	19,700	2	71	33	1.67			
Fort Madison	13,500			70	5.17	3	0.22	4.3
Iowa City	11,800			303	25.65	0		
Keokuk	14,600			557	38.12			
Marshalltown	16,800	4	8	24	1.43			
Mason City	24,000	7	37	178	7.41	1	.04	.6
Muscatine	16,100	5	93	176	10.95	2	.12	1.1
Sioux City	82,100			58	.71			
Waterloo	40,600	3	58	78	1.92	0		
Kansas:								
Coffeyville	13,800	5	75	82	5.94	0		
Eldorado	14,600	2	56	23	1.57	0		
Emporia	12,300	1	58	363	29.45	0		
Fort Scott	10,800	5	33	7	.65	0		
Hutchinson	26,500	4	86	395	14.90	2	.08	.5
Lawrence	12,500	6	21	450	36.02	0		
Leavenworth	[1] 16,900	7	47	150	8.87			
Parsons	17,700	2	15	139	7.86	0		
Pittsburg	19,500	4	42	83	4.26	0		
Topeka	53,200			2,746	51.61	8	.15	.3
Wichita	81,200	5	267	2,534	31.19	4	.05	.2
Kentucky:								
Covington	58,100	5	55	164	2.82	0		
Henderson	12,500			2	.16	0		
Lexington	44,300	7	226	524	11.83	4	.09	.8
Newport	[1] 29,300	4	47	58	1.98	2	.07	3.4
Owensboro	21,800	3	3	1	.05	0		
Paducah	20,300	6	272	86	4.24			
Louisiana:								
Alexandria	20,100	2	526	50	2.49	0		
Baton Rouge	27,000	4	18	15	.56	2	.07	13.3
Lake Charles	13,800	1	891	260	18.78	1	.07	.4
Shreveport	56,200	3	34	143	2.54	1	.02	.7
Maine:								
Auburn	17,900	4	73	50	2.80	0		
Bangor	26,500	3	9	59	2.22	1	.04	1.7
Bath	17,200	4	4	46	2.67	1	.06	2.2
Biddeford	18,400	4	39	9	.49	0		
Lewiston	34,400	6	59	261	7.60	0		
Portland	74,200	7	355	50	.67	1	.01	2.0
Sanford	11,500	5	12	7	.61	0		
South Portland	10,100			4	.40			
Waterville	14,200	5	29	282	19.82	6	.42	2.1
Maryland:								
Cumberland	33,100	7	145	7	.21	0		
Frederick	12,000			344	28.74	6	.50	1.7
Massachusetts:								
Adams	[1] 13,000	7	8	15	1.16	0		
Amesbury	10,100	4	59	2	.20	0		
Arlington	22,100	7	188	86	3.89	0		
Athol	10,400			103	9.93	1	.10	1.0
Attleboro	21,400	7	60	41	1.92	0		
Belmont	13,200			36	2.74	0		
Beverly	24,400	7	33	415	17.03	0		
Braintree	11,700	3	55	30	2.55	1	.09	3.3
Brockton	70,600	7	321	141	2.00	0		
Brookline	42,400	7	277	421	9.94	0		
Chelsea	48,200	7	213	244	5.07	0		
Chicopee	41,200	7	64	272	6.60	10	.24	3.7
Clinton	[1] 13,000	6	108	120	9.25	0		
Danvers	11,900	6	30	34	2.86	0		
Dedham	17,500	5	29	17	1.48			
Easthampton	12,500	5	35	248	19.79	1	.08	.4
Everett	43,200	7	248	208	4.82	1	.02	.5
Framingham	18,900	5	79	138	7.29	0		
Gardner	18,000	7	57	31	1.72	0		
Greenfield	17,800	5	45	589	33.10	3	.17	.5
Haverhill	58,400	4	65	66	1.13	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MEASLES—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Massachusetts—Continued								
Holyoke	61,300	7	263	335	5.46	6	0.10	1.8
Lawrence	98,200	6	358	213	2.17	6	.06	2.8
Leominster	20,700	7	101	50	2.41	0		
Malden	51,300	7	382	243	4.74	2	.04	.8
Marlboro	15,200	6	38	121	7.94	0		
Medford	46,400	7	312	367	7.91	0		
Melrose	19,400	7	156	18	.93	0		
Methuen	16,900	5	70	17	1.00	0		
Milford	13,700	7	39	74	5.42	0		
Milton	10,100			195	19.39	0		
Natick	11,400	7	24	165	14.44			
Newburyport	15,900	6	94	8	.50	0		
Newton	48,900	7	229	1,064	21.74	1	.02	.1
North Adams	22,400	6	52	170	7.59	0		
Northampton	23,100	7	130	377	16.31	0		
Northbridge	10,800	6	39	6	.56	0		
Norwood	14,800	3	39	11	.75	0		
Palmer	10,500	1	5	94	8.96	0		
Peabody	21,300	7	27	152	7.13	1	.05	.7
Pittsfield	46,200	5	130	101	2.18	3	.06	3.0
Plymouth	13,500	5	22	167	12.40	0		
Quincy	54,900	7	163	889	16.18	0		
Salem	[1] 42,500	7	160	116	2.73	1	.02	.9
Saugus	12,200	5	57	38	3.12	0		
Southbridge	15,000	7	17	4	.27	0		
Taunton	38,500	5	87	2	.05	1	.03	50.0
Wakefield	13,800	4	171	132	9.58	0		
Waltham	32,300	7	215	67	2.07	3	.09	4.5
Watertown	25,400	5	98	180	7.08	0		
Webster	14,100	5	37	163	11.59	0		
West Springfield	15,400	4	42	82	5.33	0		
Westfield	19,800	7	42	24	1.21	0		
Winchester	11,000	6	65	13	1.18			
Winthrop	17,900	7	79	42	2.34	0		
Woburn	17,200	7	82	88	5.13	0		
Michigan:								
Ann Arbor	21,700	7	156	120	5.53	0		
Battle Creek	41,200	7	442	66	1.60	1	.02	1.5
Bay City	48,700	7	58	280	5.75	0		
Benton Harbor	13,600	7	33	35	2.57	0		
Cadillac	10,400	2	28	4	.39	0		
Hamtramck	75,700	4	66	83	1.10	1	.01	1.2
Highland Park	67,600	7	241	431	6.38	4	.06	.9
Holland	13,000			299	23.06	0		
Ironwood	17,800	7	96	484	28.32	0		
Ishpeming	[1] 10,500	4	30	72	6.86	0		
Jackson	56,200	7	617	85	1.51	1	.02	1.2
Kalamazoo	52,700	7	336	1,270	24.11	1	.02	.1
Lansing	68,300			860	12.59	0		
Marquette	13,300	5	81	18	1.36	0		
Monroe	13,700			12	.87	0		
Mount Clemens	10,300			10	.97	0		
Muskegon	41,900	6	67	70	1.67	0		
Muskegon Heights	13,100	1	145	47	3.58	0		
Pontiac	43,400	7	257	524	12.07	2	.05	.4
Port Huron	29,200	4	173	1,139	38.97	2	.07	.2
Saginaw	70,900	5	121	330	4.65	2	.03	.6
Sault Ste. Marie	[1] 12,100	6	58	39	3.22	1	.08	2.6
Minnesota:								
Albert Lea	10,900			180	16.48			
Austin	11,600			8	.69			
Faribault	12,100	3	11	46	3.82	0		
Hibbing	16,900	5	37	21	1.24	0		
Mankato	13,400			1	.07	0		
Virginia	15,700			40	2.55	1	.06	2.5
Winona	19,400	6	25	483	24.90	0		
Mississippi:								
Biloxi	12,300	3	46	70	5.70	1	.08	1.4

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MEASLES—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Missouri:								
Hannibal	19,800	1	23	11	.56			
Independence	12,500	1	104	223	17.79	1	0.08	0.4
Jefferson City	15,600			49	3.14			
Joplin	[1] 29,900	6	57	300	10.03			
Moberly	13,700	3	45	25	1.83	0		
St. Joseph	78,300	7	123	442	5.65	1	.01	.2
Springfield	41,700			380	9.12	11	.26	2.9
Montana:								
Anaconda	12,400	4	42	8	.65			
Butte	42,600	6	62	205	4.81	0		
Great Falls	28,800	7	134	1,238	42.93	12	.42	1.0
Helena	12,000			565	46.94	0		
Nebraska:								
Grand Island	15,300	6	25	512	33.46			
Lincoln	59,900	4	134	1,064	17.78	9	.15	.8
North Platte	13,100			244	18.63	0		
Nevada:								
Reno	12,500	7	10	160	12.75	0		
New Hampshire:								
Claremont	10,400	1	107	12	1.15	0		
Concord	22,500	7	112	503	22.38	0		
Dover	[1] 13,000	5	85	107	8.21	0		
Keene	11,700	4	28	9	.77	0		
Manchester	82,200	7	183	182	2.21	8	.10	4.4
Nashua	29,500			80	2.71	1	.03	1.2
Portsmouth	14,600	7	34	159	10.87	0		
Rochester	10,000			25	2.49	0		
New Jersey:								
Asbury Park	13,400	6	79	17	1.26	0		
Bayonne	86,600	5	143	1,036	11.97	20	.23	1.9
Belleville	18,300	7	119	186	10.15			
Bloomfield	25,200	7	175	416	16.48	0		
Bridgeton	14,400	6	122	10	.70	0		
Carteret	13,500			39	2.89	2	.15	5.1
Clifton	33,200	4	201	31	.93	0		
Collingswood	10,500			14	1.33	0		
Dover	10,900			44	4.04	0		
East Orange	58,300	7	639	379	6.50	0		
Englewood	12,400	7	108	22	1.77	0		
Garfield	23,600	3	72	8	.34	0		
Gloucester City	13,400	3	66	4	.30	0		
Hackensack	19,300	7	143	125	6.46	1	.05	.8
Harrison	16,300	6	105	138	8.47			
Hoboken	[1] 68,200	5	172	191	2.80	3	.04	1.6
Irvington	31,800	5	246	205	6.45	0		
Kearny	30,500	6	288	447	14.67	0		
Lodi	10,000			6	.60	0		
Long Branch	13,600	7	70	287	21.07	0		
Montclair	32,200	7	199	349	10.85	1	.03	.3
Morristown	12,600	7	49	35	2.79	0		
New Brunswick	37,000	7	41	99	2.67	0		
Orange	35,000	5	100	163	4.66	0		
Passaic	68,000	7	327	55	.81	1	.01	1.8
Perth Amboy	46,100	7	98	123	2.67	2	.04	1.6
Plainfield	31,000	7	279	254	8.19	3	.10	1.2
Rahway	11,800	7	16	162	13.69	0		
Red Bank	10,100			106	10.48			
Ridgefield Park	10,500	1	12	182	17.40			
Rutherford	10,600	1	203	12	1.13	0		
Summit	11,400	4	99	21	1.84	0		
Union	[1] 20,700	4	80	95	4.60			
West Hoboken	42,200	7	111	211	4.99	0		
West New York	37,500	6	132	123	3.28	0		
West Orange	17,700	7	221	80	4.52	0		
Westfield	10,300					1	.10	
New York:								
Amsterdam	34,600	4	111	758	21.93	0		
Batavia	14,300	1	64	15	1.05	0		
Beacon	11,100	2	100	20	1.81	0		
Binghamton	75,300	7	724	1,416	18.80	2	.03	.1

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MEASLES—Continued

City	Estimated population July 1, 1924	Estimated expectancy: Number of years	Estimated expectancy: Cases	1924: Cases reported	1924: Cases per 1,000 inhabitants	1924: Deaths registered	1924: Deaths per 1,000 inhabitants	1924: Fatalities per 100 cases
New York—Continued.								
Cohoes	[1] 23,000	7	20	31	1.35	0		
Corning	16,800	5	40	45	2.68	1	0.06	2.2
Cortland	14,100	7	56	113	8.00	1	.07	.9
Dunkirk	20,300	5	24	26	1.28	0		
Elmira	49,200	4	353	562	11.42	0		
Endicott	16,900	1	541	147	8.70	0		
Freeport	11,500			178	15.42	0		
Geneva	15,700	4	146	22	1.40	0		
Glens Falls	17,300	7	65	341	19.73			
Gloversville	22,700	7	49	119	5.23	0		
Herkimer	11,800	4	113	113	9.57	1	.08	.9
Hornell	15,700	6	325	8	.51	0		
Hudson	11,800	5	81	14	1.18	0		
Ilion	11,800			48	4.07			
Ithaca	18,000	6	39	52	2.89	0		
Jamestown	42,400	5	291	272	6.41	0		
Johnson City	10,800			234	21.64	1	.09	.4
Kingston	27,000	5	99	44	1.63	0		
Lackawanna	19,500	7	191	205	10.52	0		
Little Falls	13,400	6	53	396	29.60	5	.37	1.3
Lockport	22,400	4	162	46	2.05	0		
Middletown	19,900	7	115	26	1.31	0		
Mount Vernon	48,200	6	209	283	5.87	0		
New Rochelle	39,600	5	251	260	6.56	0		
Newburgh	31,600	5	66	385	12.20	1	.03	.3
Niagara Falls	60,200	6	354	560	9.31	3	.05	.5
North Tonawanda	17,100	7	56	7	.41	0		
Ogdensburg	[1] 14,600			23	1.57	0		
Olean	23,200	6	80	154	6.65	2	.09	1.3
Oneonta	12,600			104	8.28	0		
Oswego	23,700	4	16	46	1.94	1	.04	2.2
Peekskill	16,100	6	161	71	4.42	0		
Plattsburgh	[1] 10,900			43	3.94	0		
Poughkeepsie	38,300	5	50	22	.57	1	.03	4.5
Rensselaer	10,900	2	42	14	1.29	0		
Rome	29,000	7	261	288	9.91	2	.07	.7
Saratoga Springs	[1] 13,200	7	18	377	28.60	0		
Troy	[1] 72,000	5	286	505	7.01	22	.31	4.4
Watertown	33,400	7	218	1,118	33.48	5	.15	.4
Watervliet	16,500	4	34	81	4.90	0		
White Plains	22,900	5	100	148	6.48	0		
North Carolina:								
Asheville	30,900	7	44	278	8.99	1	.03	.4
Greensboro	45,500			841	18.47	2	.04	.2
High Point	22,300			736	33.04			
New Bern	12,200			361	29.56	0		
Raleigh	29,800	6	252	272	9.14	0		
Rocky Mount	14,700			226	15.39	0		
Salisbury	17,000			82	4.82	0		
Wilmington	36,400	7	77	709	19.48	5	.14	.7
Winston-Salem	65,800	6	446	1,367	20.77	14	.21	1.0
North Dakota:								
Fargo	25,600	5	68	481	18.77	1	.04	.2
Ohio:								
Alliance	24,400			17	.70	0		
Ashtabula	24,700	6	27	12	.49	1	.04	8.3
Barberton	22,500	6	13	5	.22	0		
Bellaire	16,000	2	50	111	6.92	3	.19	2.7
Bucyrus	11,500			9	.78	0		
Cambridge	13,900	5	33	1	.07	0		
Chillicothe	16,400	7	58	4	.24	0		
Cleveland Heights	20,900	2	536	94	4.49	0		
Conneaut	10,400	1	174	2	.19	0		
Cuyahoga Falls	13,100			4	.31	0		
East Cleveland	35,700	7	42	112	3.14	0		
East Liverpool	21,900			5	.23	0		
East Youngstown	15,300	4	85	3	.20	0		
Elyria	23,300	7	42	15	.64	0		
Findlay	18,000	7	171	63	3.50	0		
Fostoria	10,100	3	19	9	.89	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MEASLES—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio—Continued.								
Fremont	13,600	7	16	14	1.03	0		
Hamilton	41,900	7	82	75	1.79	2	0.05	2.7
Kenmore	18,200	3	166	8	.44	0		
Lakewood	54,000	4	90	9	.17	0		
Lancaster	15,900	3	24	2	.13			
Lima	45,700	7	105	337	7.37	2	.04	.6
Lorain	41,400	7	73	146	3.53	0		
Mansfield	31,100	7	269	18	.58	0		
Martins Ferry	15,300	4	56	7	.46	1	.07	14.3
Middletown	29,700	7	81	50	1.68	2	.07	4.0
New Philadelphia	11,800	2	35	23	1.95	1	.08	4.3
Newark	30,300	6	53	8	.26	0		
Niles	16,100	4	113	14	.87	0		
Norwood	29,000	5	104	158	5.44	0		
Piqua	15,800	7	8	203	12.84	0		
Salem	10,900	3	58	14	1.28	0		
Sandusky	24,200	7	37	92	3.79	0		
Springfield	67,300	7	508	69	1.03	1	.01	1.4
Steubenville	31,300	7	22	70	2.23	3	.10	4.3
Warren	33,300	7	75	72	2.16	0		
Zanesville	30,300	7	107	113	3.73	0		
Oklahoma:								
Muskogee	31,800	3	161	118	3.71	0		
Oregon:								
Astoria	16,100	7	58	156	9.70	1	.06	.6
Eugene	11,100	7	35	227	20.44	0		
Pennsylvania:								
Allentown	89,700	3	681	211	2.35	1	.01	.5
Altoona	65,300	5	156	17	.26	1	.02	5.9
Beaver Falls	13,100	4	50	43	3.29	0		
Berwick	14,000			13	.93			
Bethlehem	61,200	5	210	148	2.42	0		
Braddock	21,600	7	172	130	6.02	0		
Bradford	15,700	6	234	13	.83			
Butler	25,000	7	185	210	8.41	0		
Canonsburg	13,000	3	11	3	.23	0		
Carbondale	19,400	6	43	36	1.86	0		
Carlisle	11,300	7	61	7	.62	0		
Carnegie	12,200	3	111	26	2.13	0		
Carrick	12,500	4	99	12	.96	0		
Chambersburg	13,800	7	35	124	8.98	0		
Charleroi	12,400	6	31	69	5.57	0		
Chester	66,600	5	389	42	.63	0		
Clairton	13,700	1	336	30	2.19	1	.07	3.3
Coatesville	16,100	7	52	23	1.43	0		
Connellsville	14,200	6	43	7	.49	0		
Dickson	11,800			3	.25	0		
Donora	16,500	4	121	10	.61	1	.06	10.0
Dubois	14,200	3	122	120	8.47			
Duquesne	20,500	3	111	9	.44	0		
Ellwood City	11,300			69	6.11	0		
Farrell	18,100	4	53	3	.17	0		
Greensburg	15,900			65	4.10	0		
Harrisburg	82,300	5	239	276	3.35	0		
Hazleton	35,400	7	121	278	7.84	2	.06	.7
Homestead	21,300	7	132	16	.75			
Jeannette	11,500	3	25	32	2.77	2	.17	6.2
Kingston	17,500	1	128	46	2.63			
Lancaster	55,900	5	250	90	1.61	0		
Lansford	10,200	4	25	2	.20	0		
Lebanon	25,100	3	29	15	.60	0		
Lewistown	10,500	2	23	5	.47	0		
McKees Rocks	17,900	3	45	27	1.51	0		
McKeesport	48,700	7	189	206	4.23	1	.02	.5
Monessen	20,700	6	80	328	15.88	0		
Mount Carmel	[1] 17,500	2	53	124	7.10	0		
Nanticoke	24,300	6	59	1	.04	0		
New Castle	49,000	7	101	611	12.48	7	.14	1.1
New Kensington	14,000	2	51	3	.21	0		
Norristown	34,400	7	88	22	.64	1	.03	4.5

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MEASLES—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Pennsylvania—Continued.								
North Braddock	16,400	7	102	127	7.76	0		
Oil City	22,900	7	66	7	.31			
Olyphant	11,000	5	5	1	.09			
Phoenixville	[1] 10,500	3	65	2	.19	0		
Pittston	19,500	7	29	4	.20	0		
Plymouth	[1] 16,500	7	42	16	.97	1	0.06	6.2
Pottstown	18,300	1	488	13	.71	0		
Sharon	24,400	4	82	38	1.56	1	.04	2.6
Shenandoah	[1] 24,700	2	76	25	1.01	0		
Steelton	[1] 13,400	7	35	126	9.38	0		
Sunbury	16,600	6	35	257	15.46			
Swissvale	12,500	4	115	77	6.14	0		
Uniontown	[1] 15,700	4	158	21	1.34			
Vandergrift	10,600			6	.57	0		
Warren	15,000	7	18	10	.67	0		
Washington	22,700	6	230	230	10.12	4	.18	1.7
West Chester	[1] 11,700	7	78	20	1.71	0		
Wilkes-Barre	77,000	3	294	418	5.43	0		
Windber	10,100			3	.30			
Woodlawn	17,700	4	131	191	10.77	1	.06	.5
York	48,800	5	248	101	2.07	0		
Rhode Island:								
Central Falls	24,800	4	36	20	.81	0		
Cranston	33,300	6	42	3	.09	0		
Pawtucket	70,100	6	81	37	.53	1	.01	2.7
Warwick	[1] 13,500			2	.15	0		
Westerly	10,500	1	154	12	1.14			
South Carolina:								
Columbia	40,300	5	111	757	18.78			
Greenville	26,600	6	50	700	26.37	2	.08	.3
Sumter	10,200	1	101	19	1.87			
South Dakota:								
Aberdeen	16,200			535	33.03			
Sioux Falls	30,400	7	48	424	13.97	1	.03	.2
Watertown	10,500			16	1.52	2	.19	12.5
Tennessee:								
Knoxville	92,200	6	282	737	8.00	22	.24	3.0
Texas:								
Amarillo	17,400			800	46.07			
Cleburne	13,900			5	.36	0		
Denison	18,700	3	21			1	.05	
Galveston	47,600			130	2.73	9	.19	6.9
Texarkana	12,300					1	.08	
Tyler	12,900			25	1.94	0		
Waco	43,000	6	12	14	.33	0		
Utah:								
Ogden	36,100	7	108	1,458	40.35	0		
Provo	11,000	1	10	367	33.24	1	.09	.3
Vermont:								
Barre	[1] 10,000	5	12	23	2.30	0		
Bennington	10,600	1	454	116	10.97	0		
Burlington	23,900	6	99	64	2.68	0		
Virginia:								
Alexandria	18,400	6	7	18	.98	0		
Charlottesville	11,100			68	6.12	0		
Danville	22,700	6	38	450	19.82	4	.18	.9
Lynchburg	30,300			17	.56	0		
Newport News	43,400	6	210	820	18.90	1	.02	.1
Petersburg	35,000	7	84	63	1.80	1	.03	1.6
Portsmouth	58,200	7	189	226	3.88	1	.02	.4
Roanoke	56,900	3	377	38	.67	0		
Washington:								
Aberdeen	16,000			257	16.04	0		
Bellingham	26,100	7	44	428	16.39	5	.19	1.2
Bremerton	11,700	1	100	86	7.37	0		
Everett	29,000	5	131	434	14.96	0		
Vancouver	14,200	6	89	195	3.75	1	.07	.5
Walla Walla	[1] 15,500			563	36.32	0		
Yakima	22,200	7	231	366	16.48	1	.05	.3

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MEASLES—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
West Virginia:								
Charleston	47,300	7	85	200	4.23	0		
Clarksburg	29,900			143	4.78	0		
Fairmont	20,400	7	47	150	7.36			
Martinsburg	13,400	5	19	5	.37	0		
Morgantown	13,500			15	1.11	3	0.22	20.0
Wheeling	[1] 56,200	7	217	176	3.13	0		
Wisconsin:								
Appleton	20,900	4	28	230	11.03	0		
Ashland	11,300	4	23	34	3.00			
Beloit	24,100	7	24	11	.46	0		
Eau Claire	22,100	7	250	728	32.93	0		
Fond du Lac	25,600	4	39	77	3.01	0		
Green Bay	33,700	5	115	26	.77	0		
Janesville	20,300	6	40	110	5.41	1	.05	.9
Kenosha	48,900	5	265	41	.84	0		
La Crosse	30,400	7	162	102	3.35	0		
Madison	45,200	6	195	42	.93	0		
Manitowoc	19,700	5	26	6	.31	0		
Marinette	13,600	7	47	158	11.61	1	.07	.6
Oshkosh	33,200	7	24	365	10.99	2	.06	.5
Racine	66,000	4	48	21	.32	0		
Sheboygan	33,100	6	8	7	.21	0		
Superior	[1] 39,700	4	66	15	.38	0		
Wausau	19,900	7	20	51	2.56	0		
West Allis	17,000			5	.29	0		
Wyoming:								
Casper	20,000			495	24.79	0		

MUMPS

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:							
Anniston	20,000	1	10	0.50	0		
Dothan	14,000		1	.07	0		
Florence	12,300		6	.49	0		
Mobile	65,100		13	.20	0		
Arizona:							
Phoenix	35,300	3	18	.51	0		
Tucson	26,000	4	21	.81	0		
Arkansas:							
Little Rock	72,600	9	88	1.21	0		
California:							
Alameda	31,300	16	36	1.15	0		
Alhambra	11,000	94	6	.55	0		
Bakersfield	22,900		25	1.09	1	0.04	25.0
Berkeley	64,600	23	140	2.17	0		
Chico	11,900	1	4	.34			
Eureka	13,400	63	63	4.69			
Glendale	20,000	24	9	.45	0		
Long Beach	83,100	20	201	2.42	0		
Modesto	11,700		25	2.15	0		
Pasadena	55,100	79	35	.64	0		
Pomona	15,000	140	38	2.53	0		
Riverside	21,300	17	9	.42	0		
Sacramento	71,100	70	8	.11	0		
San Bernardino	22,100	18	106	4.81	0		
San Diego	96,400	86	30	.31	0		
San Jose	42,900	3	48	1.12	0		
Santa Ana	18,800	7	3	.16	0		
Santa Barbara	23,200		3	.13	0		
Stockton	46,100	2	121	2.63	0		
Venice	13,800	3	1	.07	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MUMPS—Continued

City	Estimated population July 1, 1924	Average, 1922–23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Colorado:							
Boulder	11,700	129	14	1.20			
Colorado Springs	[1] 30,100	263	1,030	34.21	0		
Greeley	12,200	18	20	1.63	0		
Pueblo	43,700	64	102	2.34	0		
Connecticut:							
Bristol	23,900		56	2.34	0		
Fairfield	14,000	8	148	10.61	0		
Greenwich	24,700	141	40	1.62	0		
Manchester	20,600	1	5	.24	0		
Meriden	36,000	15	32	.89			
Milford	12,900	11	17	1.32			
New Britain	66,500	5	91	1.37	0		
New London	28,500	31	10	.35			
Norwich	23,000	3	26	1.13	0		
Stonington	10,700		4	.37	0		
West Hartford	10,700	19	94	8.76	0		
Florida:							
Miami	40,700	2	8	.20	0		
St. Petersburg	26,500		18	.68	0		
Tampa	67,600		6	.09	0		
Georgia:							
Albany	13,000	1	42	3.22	0		
Athens	18,600	2	175	9.41	0		
Brunswick	16,400		44	2.69	0		
Lagrange	22,300		8	.36	0		
Macon	57,300	3	647	11.29	0		
Rome	13,800		30	2.18	0		
Savannah	91,200	1	17	.19	0		
Idaho:							
Boise	22,900	5	1	.04			
Pocatello	17,700		49	2.76	0		
Illinois:							
Alton	26,400	116	165	6.25			
Berwyn	18,000	99	97	5.39	0		
Bloomington	30,100	211	20	.66	0		
Blue Island	12,900	40	71	5.51	0		
Canton	11,000		72	6.54			
Centralia	13,800		40	2.90			
Champaign	17,900	21	178	9.97	0		
Cicero	59,100	150	542	9.17	0		
Danville	36,400		132	3.63	0		
Decatur	49,400		63	1.28	0		
East Moline	11,200		18	1.60	0		
Elgin	28,100	43	891	31.66	0		
Evanston	42,700	42	311	7.29	0		
Freeport	20,500		109	5.32	0		
Galesburg	24,600		19	.77	0		
Herrin	12,900		1	.08	0		
Jacksonville	15,900	48	112	7.05	0		
Joliet	40,200		10	.25			
Kewanee	19,400		377	19.42	0		
La Salle	13,800	1	49	3.56	0		
Maywood	13,900	46	113	8.16	0		
Moline	33,300	17	81	2.43	0		
Murphysboro	12,200		1	.08	0		
Oak Park	49,300	417	559	11.33	0		
Ottawa	11,400		2	.18	0		
Pekin	13,100	34	4	.31	0		
Peoria	80,600	60	55	.68	0		
Quincy	37,500	46	115	3.07	0		
Rock Island	39,200	17	36	.92	0		
Rockford	74,400	293	818	11.00	0		
Springfield	62,700	2	79	1.26	0		
Streator	15,000	2	11	.73	0		
Urbana	11,100	15	242	21.71	0		
Waukegan	20,700		25	1.21	0		
West Frankfort	11,400		8	.70			
Indiana:							
Connersville	12,200		3	.25	0		
Crawfordsville	10,500	1	5	.48	0		
East Chicago	43,800	13	12	.27	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MUMPS—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Indiana—Continued.							
Frankfort	12,800	2	11	0.86	0		
Hammond	48,500		10	.21	0		
Kokomo	35,700		4	.11	0		
Laporte	17,100		1	.06	0		
Marion	25,800		26	1.01	0		
Michigan City	19,700		6	.31	0		
Newcastle	16,500		5	.30	0		
Richmond	29,000	2	1	.03	0		
Iowa:							
Boone	13,400		23	1.71	0		
Burlington	24,100	7	105	4.36	0		
Cedar Rapids	51,500		5	.10	0		
Clinton	[1] 24,200	2	4	.17	0		
Council Bluffs	39,300	5	4	.10	0		
Dubuque	39,400	26	7	.18	0		
Iowa City	11,800		162	13.71	0		
Keokuk	14,600		7	.48			
Marshalltown	16,800		70	4.16			
Mason City	24,000		9	.37	0		
Muscatine	16,100	3	275	17.11	0		
Sioux City	82,100	1	7	.09			
Waterloo	40,600		307	7.55	0		
Kansas:							
Coffeyville	13,800	1	222	16.08	0		
Eldorado	14,600	2	196	13.39	0		
Emporia	12,300		142	11.52	0		
Fort Scott	10,800		13	1.20	0		
Hutchinson	26,500		228	8.60	2	0.08	114.0
Lawrence	12,500	6	78	6.24	0		
Parsons	17,700	4	4	.23	0		
Topeka	53,200	51	435	8.18	0		
Wichita	81,200	320	2,405	29.60	0		
Kentucky:							
Covington	58,100		16	.28	0		
Henderson	12,500	4	5	.40	0		
Lexington	44,300	19	11	.25	0		
Newport	[1] 29,300		1	.03	0		
Owensboro	21,800		9	.41	0		
Paducah	20,300		3	.15			
Louisiana:							
Alexandria	20,100		1	.05	0		
Shreveport	56,200		14	.25	0		
Maine:							
Auburn	17,900	10	94	5.26	0		
Bangor	26,500	3	29	1.09	0		
Bath	17,200	1	17	.99	0		
Biddeford	18,400		34	1.84	0		
Lewiston	34,400	5	19	.55	0		
Portland	74,200	6	989	13.32	0		
Sanford	11,500		4	.35	0		
South Portland	10,100		39	3.87			
Waterville	14,200	2	41	2.88	0		
Maryland:							
Cumberland	33,100	5	27	.82	0		
Frederick	12,000		2	.17	0		
Massachusetts:							
Adams	[1] 13,000	25	10	.77	0		
Amesbury	10,100		7	.69	0		
Arlington	22,100	27	4	.18	0		
Athol	10,400		6	.58	0		
Attleboro	21,400	16	147	6.88	0		
Belmont	13,200	33	47	3.57	0		
Beverly	24,400	2	19	.78	0		
Braintree	11,700	78	51	4.34	0		
Brockton	70,600	10	123	1.74	0		
Brookline	42,400	129	121	2.86	0		
Chelsea	48,200	32	60	1.25	0		
Clinton	[1] 13,000		20	1.54	0		
Danvers	11,900	2	14	1.18	0		
Dedham	11,500		6	.52	0		
Easthampton	12,500	2	40	3.19	0		
Everett	43,200	100	63	1.46	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MUMPS—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.							
Framingham	18,900	241	7	0.37	0		
Gardner	18,000	3	377	20.92	0		
Greenfield	17,800	6	192	10.79	0		
Haverhill	58,400	120	24	.41	0		
Holyoke	61,300	24	17	.28	0		
Lawrence	98,200	95	7	.07	0		
Leominster	20,700	2	36	1.74	0		
Malden	51,300	68	80	1.56	0		
Marlboro	15,200		2	.13	0		
Medford	46,400	70	102	2.20	0		
Melrose	19,400	43	45	2.32	0		
Methuen	16,900	56	20	1.18	0		
Milford	13,700		50	3.66	0		
Milton	10,100		9	.89	0		
Newburyport	15,900	3	58	3.64	0		
Newton	48,900	371	485	9.91	0		
North Adams	22,400	11			1	0.04	
Northampton	23,100	24	387	16.74	0		
Northbridge	10,800	22	5	.46	0		
Peabody	21,300	12	36	1.69	0		
Pittsfield	46,200	50	7	.15	0		
Plymouth	13,500	22	128	9.51	0		
Quincy	54,900	140	28	.51	0		
Salem	[1] 42,500	40	178	4.19	0		
Saugus	12,200	14	72	5.91	1	.08	72.0
Southbridge	15,000		20	1.33	0		
Taunton	38,500	5	10	.26	0		
Wakefield	13,800	11	34	2.47	0		
Waltham	32,300	219	22	.68	0		
Watertown	25,400	50	63	2.48	0		
Webster	14,100		9	.64	0		
West Springfield	15,400		56	3.64	0		
Westfield	19,800	9	69	3.49	0		
Winchester	11,000	30	24	2.18			
Winthrop	17,900	41	228	12.72	0		
Woburn	17,200	2	24	1.40	0		
Michigan:							
Ann Arbor	21,700	81	215	9.91	0		
Battle Creek	41,200	40	380	6.79	0		
Bay City	48,700	2	5	.10	0		
Benton Harbor	13,600	1	7	.51	0		
Hamtramck	75,700	5	23	.30	0		
Highland Park	67,600	82	499	7.38	0		
Holland	13,000		8	.62	0		
Ironwood	17,100	6	5	.29	0		
Ishpeming	[1] 10,500	10	43	4.10	0		
Jackson	56,200	412	85	1.51	0		
Kalamazoo	52,700	139	399	7.57	0		
Lansing	68,300	24	208	3.04	0		
Marquette	13,300		284	21.38	0		
Muskegon	41,900	19	9	.21	0		
Muskegon Heights	13,100		12	.91	0		
Pontiac	43,400	32	875	20.15	0		
Port Huron	29,200	7	601	20.56	0		
Saginaw	70,900	107	60	.85	0		
Minnesota:							
Winona	19,400	6			1	.05	
Mississippi:							
Biloxi	12,300	11	12	.90	0		
Missouri:							
Hannibal	19,800		14	.71			
Independence	12,500		57	4.55	0		
Joplin	[1] 29,900		6	.20			
Moberly	13,700		100	7.31	0		
St. Joseph	78,300	27	52	.66	0		
Springfield	41,700		52	1.25	0		
Montana:							
Great Falls	28,800	4	6	.21	0		
Nebraska:							
Grand Island	15,300	2	34	2.22			
Lincoln	59,900	337	33	.55	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MUMPS—Continued

City	Estimated population July 1, 1924	Average, 1922–23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
New Hampshire:							
Claremont	10,400		1	0.10	0		
Concord	22,500				2	0.09	
Dover	[1] 13,000	1	26	2.00	0		
Keene	11,700	1	3	.26	0		
Manchester	82,200	12	1	.01	0		
Portsmouth	14,600	11	32	2.19	0		
New Jersey:							
Belleville	18,300		64	3.49			
Bloomfield	25,200	120	168	6.66	0		
Bridgeton	14,400	9	65	4.52	0		
Clifton	33,200	11	13	.39	0		
Collingswood	10,500		14	1.33	0		
Dover	10,900		243	22.33	0		
East Orange	58,300		588	10.09	0		
Englewood	12,400	98	28	2.26	0		
Garfield	23,600		15	.63	0		
Gloucester City	13,400		10	.75	0		
Hackensack	19,300	79	22	1.14	0		
Harrison	16,300	9	39	2.39			
Hoboken	[1] 68,200	18	3	.04	0		
Irvington	31,800		143	4.50	0		
Kearny	30,500	100	315	10.34	0		
Lodi	10,000		5	.50	0		
Long Branch	13,600	2	6	.44	0		
Montclair	32,200	82	264	8.21	0		
Morristown	12,000	4	105	8.36	0		
Orange	35,000	19	347	9.91	0		
Passaic	68,000	17	169	2.48	0		
Perth Amboy	46,100		2	.04	0		
Rahway	11,800	6	16	1.35	0		
Ridgefield Park	10,500		85	8.13	0		
Rutherford	10,600		164	15.43	0		
Summit	11,400	9	123	10.78	0		
Union	[1] 20,700	3	2	.10			
West Hoboken	42,200	6	17	.40	0		
West New York	37,500		2	.05	0		
West Orange	17,700	12	189	10.68	0		
New York:							
Amsterdam	34,600	116	2	.06	0		
Batavia	14,300		33	2.30	0		
Beacon	11,100		28	2.53	0		
Binghamton	75,300	637	29	.39	0		
Cohoes	[1] 23,000		11	.48	0		
Corning	16,800		19	1.13	0		
Cortland	14,100	4	4	.28	0		
Dunkirk	20,300	9	6	.30	0		
Elmira	49,200		152	3.09	0		
Endicott	16,900		37	2.19	0		
Freeport	11,500		26	2.25	0		
Geneva	15,700		82	5.23	0		
Glens Falls	17,300	11	12	.69	0		
Gloversville	22,700	33	9	.40	0		
Herkimer	11,800		60	5.08	0		
Hornell	15,700	137	6	.38	0		
Hudson	11,800	12	31	2.62	0		
Ilion	11,800		4	.34			
Ithaca	18,000	65	75	4.16	0		
Jamestown	42,400	24	22	.52	0		
Johnson City	10,800		7	.65	0		
Kingston	27,000		63	2.33	0		
Lackawanna	19,500	3	27	1.39	0		
Little Falls	13,400	13	71	5.31	0		
Lockport	22,400	14	45	2.01	0		
Middletown	19,900	1	135	6.80	0		
Mount Vernon	48,200	204	319	6.62	0		
New Rochelle	39,600	41	150	3.79	0		
Newburgh	31,600	35	16	.51	0		
Niagara Falls	60,200	34	238	3.96	0		
North Tonawanda	17,100	6	54	3.15	0		
Olean	23,200	53	18	.78	0		
Oneonta	12,600		2	.16	0		
Oswego	23,700	70	1	.04	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MUMPS—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued.							
Peekskill	16,100	42	112	6.97	0		
Plattsburgh	[1] 10,900	12	1	.09	0		
Poughkeepsie	38,300	17	266	6.95	0		
Rensselaer	10,900	24	3	.28	0		
Rome	29,000	2	53	1.82	0		
Saratoga Springs	[1] 13,200	135	6	.46	0		
Troy	[1] 72,000	142	97	1.35	0		
Watervliet	16,500	10	13	.79	0		
White Plains	22,900	63	42	1.84	0		
North Carolina:							
Greensboro	45,500		188	4.13	0		
Rocky Mount	14,700		14	.95	0		
Wilmington	36,400	38	229	6.29	0		
Winston-Salem	65,800	142	195	2.96	0		
North Dakota:							
Fargo	25,600		33	1.29	0		
Ohio:							
Ashtabula	24,700	15	16	.65	0		
Barberton	22,500		10	.44	0		
Bellaire	16,000		7	.44	0		
Bucyrus	11,500	20	3	.26	0		
Cambridge	13,900		3	.22	0		
Cleveland Heights	20,900	5	386	18.44	0		
Conneaut	10,400		8	.77	0		
Cuyahoga Falls	13,100		13	1.15	0		
East Cleveland	35,700	44	555	15.55	0		
East Liverpool	21,900				1	0.05	
East Youngstown	15,300	3	14	.91	0		
Elyria	23,300	11	9	.39	0		
Findlay	18,000	2	4	.22	0		
Fremont	13,600	10	2	.15	0		
Hamilton	41,900		14	.33	0		
Kenmore	18,200	1	200	10.97	0		
Lakewood	54,000		41	.76	0		
Lancaster	15,900		1	.06			
Lima	45,700	4	6	.13			
Lorain	41,400	63	15	.36	0		
Mansfield	31,100	23	35	1.13	0		
Marietta	15,200		26	1.71	0		
Martins Ferry	15,300		4	.26	0		
New Philadelphia	11,800		3	.25	0		
Newark	30,300		196	6.46	0		
Niles	16,100	20	7	.43	0		
Norwood	29,000	8	7	.24	0		
Piqua	15,800	1	1	.06	0		
Salem	10,900		130	11.89	0		
Sandusky	24,200	12	3	.12	0		
Springfield	67,300	10	60	.89	0		
Warren	33,300	7	164	4.93	0		
Zanesville	30,300	1	113	3.73	0		
Oklahoma:							
Muskogee	31,800		202	6.35	0		
Sapulpa	13,900		25	1.80	0		
Oregon:							
Astoria	16,100	1	26	1.62	0		
Eugene	11,100	15	7	.63	0		
Pennsylvania:							
Allentown	89,700		366	4.08	0		
Altoona	65,300		201	3.08	0		
Ambridge	16,200	32	2	.12	0		
Beaver Falls	13,100		61	4.66	0		
Berwick	14,000		9	.64			
Bethlehem	61,200	5	90	1.47	0		
Braddock	21,600	2	5	.23	0		
Bradford	15,700	5	34	2.16			
Butler	25,000	90	78	3.12	0		
Canonsburg	13,000		2	.15	0		
Carbondale	19,400		2	.10	0		
Carlisle	11,300	1	156	13.84	0		
Carnegie	12,200		22	1.80	0		
Chambersburg	13,800	39	33	2.39	0		
Charleroi	12,400	17	56	4.52	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MUMPS—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Pennsylvania—Continued.							
Chester	66,600	38	98	1.47	0		
Clairton	13,700		20	1.46	0		
Coatesville	16,100		33	2.05	0		
Connellsville	14,200		9	.63	0		
Donora	16,500		22	1.33	0		
Dubois	14,200		20	1.41	0		
Duquesne	20,500		5	.24	0		
Ellwood City	11,300		101	8.94	0		
Farrell	18,100	60	20	1.10	0		
Greensburg	15,900		5	.32	0		
Harrisburg	82,300	17	377	4.58	0		
Hazleton	35,400	18	119	3.36	0		
Homestead	21,300	5	25	1.18			
Jeannette	11,500	3	29	2.51	0		
Kingston	17,500		59	3.37			
Lancaster	55,900	15	522	9.34	0		
Lansford	10,200		2	.20	0		
Lebanon	25,100		10	.40	0		
Lewistown	10,500		132	12.53	0		
McKees Rocks	17,900		43	2.41	0		
McKeesport	48,700	2	9	.18	0		
Monessen	20,700	18	21	1.02	0		
New Castle	49,000		46	.94	0		
New Kensington	14,000		35	2.51	0		
Norristown	34,400	10	79	2.30	0		
North Braddock	16,400	1	5	.31	0		
Oil City	22,900	113	20	.87			
Phoenixville	[1] 10,500	3	135	12.88	0		
Plymouth	[1] 16,500		18	1.09	0		
Pottstown	18,300		149	8.15	0		
Sharon	24,400	153	9	.37	0		
Steelton	[1] 13,400	34	27	2.01	0		
Sunbury	16,600	19	66	3.97			
Swissvale	12,500	1	46	3.67	0		
Uniontown	[1] 15,700	2	9	.57			
Warren	15,000	14	6	.40	0		
Washington	22,700	14	97	4.27	0		
West Chester	[1] 11,700	120	16	1.37	0		
Wilkes-Barre	77,000		51	.66	0		
Woodlawn	17,700	3	45	2.54	0		
York	48,800		82	1.68	0		
Rhode Island:							
Cranston	33,300	7	2	.06	0		
Pawtucket	70,100		184	2.62	0		
Westerly	10,500		8	.76			
South Carolina:							
Columbia	40,300	62	327	8.11			
Greenville	26,600		63	2.37	0		
Sumter	10,200		1	.10			
South Dakota:							
Aberdeen	16,200		7	.43			
Sioux Falls	30,400		3	.10	0		
Tennessee:							
Knoxville	92,200		4	.04	0		
Texas:							
Amarillo	17,400		500	28.80			
Waco	43,000	2	3	.07	0		
Utah:							
Ogden	36,100	3	443	12.26	0		
Provo	11,000		118	10.69	0		
Vermont:							
Barre	[1] 10,000	2	60	6.00			
Bennington	10,600		22	2.08	0		
Burlington	23,900	7	5	.21	0		
Virginia:							
Alexandria	18,400	2	8	.43	0		
Danville	22,700	8	13	.57	0		
Lynchburg	30,300	28	309	10.19	0		
Newport News	43,400	68	93	2.14	0		
Petersburg	35,000	18	8	.23	0		
Portsmouth	58,200	2	5	.09	0		
Roanoke	56,900		56	.98	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

MUMPS—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Washington:							
Aberdeen	16,000	4	62	3.87	0		
Bellingham	26,100	1	4	.15	1	0.04	4.0
Bremerton	11,700		104	8.92	0		
Everett	29,000	10	1	.03	0		
Vancouver	14,200		20	1.41	0		
Walla Walla	[1] 15,500		3	.19	0		
Yakima	22,200	12	150	6.76	0		
West Virginia:							
Charleston	47,300	2	80	1.69	0		
Clarksburg	29,900	33	8	.27	0		
Wheeling	[1] 56,200	9	62	1.10	0		
Wisconsin:							
Appleton	20,900	4	4	.19	0		
Beloit	24,100	104	25	1.04	0		
Eau Claire	22,100	77	3	.14	0		
Janesville	20,300	5	14	.69	0		
Kenosha	48,900	140	492	10.06	0		
La Crosse	30,400	113	55	1.81	0		
Madison	45,200		844	18.67	0		
Manitowoc	19,700		12	.61	0		
Racine	66,000	3	30	.45	0		
Sheboygan	33,100	15	15	.45	0		
Wausau	19,900	3	5	.25	0		
Wyoming:							
Casper	20,000		17	.85	0		

PELLAGRA

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:								
Anniston	20,000	7	7			2	0.10	
Dothan	14,000	1	0	2	0.14	0		
Mobile	65,100					13	.20	
Montgomery	45,900					6	.13	
Arkansas:								
Fort Smith	31,100	2	4			3	.10	
Hot Springs	11,700			1	.09	0		
Little Rock	72,600					8	.11	
California:								
Pasadena	55,100	7	1			1	.02	
San Bernardino	22,100	4	0			1	.05	
Santa Ana	18,800	4	0			1	.05	
Stockton	46,100	4	1	1	.02	0		
Florida:								
Miami	40,700					3	.07	
Tampa	67,600	2	4	7	.10	4	.06	1.7
West Palm Beach	12,900	1	4			1	.08	
Georgia:								
Athens	18,600					2	.11	
Brunswick	16,400	4	5			2	.12	
Lagrange	22,300					3	.13	
Rome	13,800					2	.15	
Savannah	91,200					10	.11	
Illinois:								
Champaign	17,900	6	0			1	.06	
Herrin	12,900			1	.08	0		
Rockford	74,400	7	0	1	.01	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

PELLAGRA—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Kansas:								
Leavenworth	[1] 16,900	7	0	1	0.06			
Parsons	17,700			2	.11	0		
Topeka	53,200	6	1			1	0.02	
Wichita	81,200	4	1			2	.02	
Kentucky:								
Lexington	44,300					3	.07	
Paducah	20,300			2	.10			
Louisiana:								
Alexandria	20,100					1	.05	
Baton Rouge	27,000					3	.11	
Shreveport	56,200					5	.09	
Massachusetts:								
Everett	43,200	7	0	1	.02			
Newburyport	15,500	7	0			1	.06	
Michigan:								
Holland	13,000	5	1	1	.08	0		
Mississippi:								
Biloxi	12,300	3	1	4	.33	2	.16	2.0
North Carolina:								
Greensboro	45,500					4	.09	
New Bern	12,200					2	.16	
Raleigh	29,800					17	.57	
Salisbury	17,000					1	.06	
Winston-Salem	65,800	5	14			10	.15	
Oklahoma:								
Muskogee	31,800			2	.06	0		
Pennsylvania:								
Pittston	19,500	7	0			2	.10	
South Carolina:								
Columbia	40,300			3	.07			
Greenville	26,600					1	.04	
Tennessee:								
Knoxville	92,200					17	.18	
Texas:								
Beaumont	48,700					3	.06	
Cleburne	13,900					5	.36	
Denison	18,700	3	2			1	.05	
Galveston	47,600					4	.08	
Port Arthur	30,000			1	.03	0		
San Angelo	[1] 10,000					2	.20	
Texarkana	12,300	2	1			1	.08	
Waco	43,000					8	.19	
Virginia:								
Danville	22,700					4	.18	
Lynchburg	30,300					4	.13	
Petersburg	35,000					2	.06	
Portsmouth	58,200					4	.07	
Roanoke	56,900					1	.02	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

PNEUMONIA (ALL FORMS)

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston	20,000	92	4.59	65	3.25	1.4
Dothan	14,000	7	.50	3	.21	2.3
Florence	12,300	35	2.84	10	.81	3.5
Mobile	65,100			60	.92	
Montgomery	45,900			60	1.31	
Arizona:						
Douglas	11,500			35	3.04	
Phoenix	35,300			102	2.89	
Tucson	26,000			53	2.04	
Arkansas:						
Fort Smith	31,100			38	1.22	
Little Rock	72,600	82	1.13	76	1.05	1.1
California:						
Alameda	31,300	40	1.28	26	.83	1.5
Alhambra	11,000			15	1.37	
Bakersfield	22,900			38	1.66	
Berkeley	64,600	[1] 36	[1] .56	40	.62	
Chico	11,900	15	1.26			
Eureka	13,400			19	1.42	
Fresno	56,700			66	1.16	
Glendale	20,000			26	1.30	
Long Beach	83,100	92	1.11	88	1.06	1.0
Modesto	11,700	100	8.58	10	.86	10.0
Pasadena	55,100	63	1.14	49	.89	1.3
Pomona	15,000			15	1.00	
Richmond	21,500			13	.60	
Riverside	21,300	52	2.45	39	1.83	1.3
Sacramento	71,100			102	1.43	
San Bernardino	22,100	121	5.49	56	2.54	2.2
San Diego	96,400	155	1.61	70	.73	2.2
San Jose	42,900	25	.58	0		
Santa Ana	18,800			30	1.60	
Santa Barbara	23,200			24	1.03	
Santa Cruz	[2] 10,900			13	1.19	
Santa Monica	18,700			44	2.36	
Stockton	46,100	108	2.34	67	1.45	1.6
Vallejo	25,600			17	.66	
Venice	13,800			9	.65	
Colorado:						
Boulder	11,700	43	3.68	14	1.20	3.1
Colorado Springs	[2] 30,100			37	1.23	
Greeley	12,200			16	1.31	
Pueblo	43,700			77	1.76	
Trinidad	11,000			41	3.73	
Connecticut:						
Bristol	24,000	[1] 29	[1] 1.21	23	.96	
Fairfield	14,000	[1] 10	[1] .72	12	.86	
Greenwich	24,700	[1] 31	[1] 1.25	6	.24	
Manchester	20,600	[1] 23	[1] 1.12	19	.92	
Meriden	36,000	[1] 45	[1] 1.25			
Milford	12,900			10	.78	
New Britain	66,500	[1] 80	[1] 1.20	78	1.17	
New London	28,500	[1] 14	[1] .49	37	1.30	
Norwich	23,000	[1] 10	[1] .44	5	.22	
Stonington	10,700	[1] 6	[1] .56	13	1.21	
West Hartford	10,700	[1] 22	[1] 2.05	12	1.12	
Florida:						
Miami	40,700			46	1.13	
Tampa	67,600			60	.89	
West Palm Beach	12,900	25	1.94	21	1.63	1.2
Georgia:						
Albany	13,000			6	.46	
Athens	18,000			31	1.67	
Brunswick	16,400	15	.92	10	.61	1.5
Lagrange	22,300			48	2.15	
Macon	57,300			110	1.92	
Rome	13,800	45	3.26	11	.80	4.1
Savannah	91,200			146	1.60	
Valdosta	12,200	4	.33			
Idaho:						
Pocatello	17,700	110	6.20	18	1.02	6.1

[1] Lobar pneumonia only.
[2] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Illinois:						
Alton	26,400	35	1.33			
Berwyn	18,000	28	1.56	10	0.56	2.8
Bloomington	30,100			32	1.06	
Blue Island	12,900	24	1.86	17	1.32	1.4
Canton	11,000	16	1.45			
Champaign	17,900	26	1.46	13	.73	2.0
Chicago Heights	21,700	2	.09			
Cicero	59,100	83	1.40	41	.69	2.0
Collinsville	10,800			8	.74	
Danville	36,400			58	1.59	
Decatur	49,400	81	1.64	43	.87	1.9
East Moline	11,200	8	.71	3	.27	2.7
East St. Louis	70,600	204	2.89	109	1.54	1.9
Elgin	28,100	63	2.24	23	.82	2.7
Evanston	42,700	53	1.24			
Freeport	26,500	24	1.17	17	.83	1.4
Galesburg	24,600	35	1.42	25	1.01	1.4
Herrin	12,900			22	1.71	
Jacksonville	15,900			50	3.15	
Joliet	40,200	86	2.14			
Kewanee	19,400	44	2.27	20	1.03	2.2
La Salle	13,800	19	1.38	17	1.24	1.1
Mattoon	14,500	17	1.17	3	.21	5.7
Maywood	13,900	36	2.60	12	.87	3.0
Moline	33,300	29	.87	19	.57	1.5
Murphysboro	12,200			19	1.56	
Oak Park	49,300	132	2.68	42	.85	3.1
Ottawa	11,400			2	.18	
Pekin	13,100	45	3.44	14	1.07	3.2
Peoria	80,600			127	1.58	
Quincy	37,500	86	2.29	42	1.12	2.0
Rock Island	39,200	30	.77	5	.13	6.0
Rockford	74,400	56	.75	37	.50	1.5
Springfield	62,700	106	1.69	91	1.45	1.2
Streator	15,000			24	1.60	
Urbana	11,100	40	3.59			
Waukegan	20,700	29	1.40	4	.19	7.2
Indiana:						
Anderson	33,100			48	1.45	
Connersville	12,200	30	2.45	11	.90	2.7
Crawfordsville	10,500			10	.96	
East Chicago	43,800			137	3.13	
Elkhart	26,600			33	1.24	
Elwood	[1] 10,800			8	.74	
Fort Wayne	95,700			73	.76	
Frankfort	12,800			17	1.33	
Hammond	48,500			65	1.34	
Huntington	15,600			20	1.29	
Jeffersonville	[1] 10,100	10	.99			
Kokomo	35,700			36	1.01	
La Fayette	23,600			31	1.32	
Laporte	17,100			16	.94	
Marion	25,800			10	.39	
Michigan City	19,700			23	1.17	
Mishawaka	16,400			81	1.89	
Muncie	41,400			51	1.23	
New Albany	[1] 23,000			15	.65	
Newcastle	16,500			22	1.33	
Richmond	29,000			20	.69	
Wabash	10,400			8	.77	
Whiting	11,800			16	1.36	
Iowa:						
Boone	13,400			12	.89	
Burlington	[1] 24,100	71	2.95	22	.91	3.2
Cedar Rapids	51,500			30	.58	
Council Bluffs	39,300			83	2.11	
Dubuque	39,400			51	1.29	
Fort Madison	13,500			25	1.85	
Iowa City	11,800	1	.08	0		
Keokuk	14,600	5	.34			
Marshalltown	16,800	3	.18			
Mason City	24,000			41	1.71	
Muscatine	16,100			24	1.49	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Kansas:						
Coffeyville	13,800	28	2.03	25	1.81	1.1
Eldorado	14,600	14	.96	2	.14	7.0
Emporia	12,300			34	2.75	
Fort Scott	10,800	27	2.50	15	1.39	1.8
Hutchinson	26,500	19	.72	18	.68	1.1
Lawrence	12,500	11	.88	9	.72	1.2
Leavenworth	[2] 16,900	8	.47			
Parsons	17,700	21	1.19	12	.68	1.7
Pittsburg	19,500	28	1.44	25	1.28	1.1
Topeka	53,200	145	2.73	68	1.28	2.1
Wichita	81,200			101	1.24	
Kentucky:						
Covington	58,100			66	1.14	
Henderson	12,500			14	1.12	
Lexington	44,300			105	2.37	
Newport	[2] 29,300			40	1.36	
Owensboro	21,800			31	1.42	
Louisiana:						
Alexandria	20,100			36	1.79	
Baton Rouge	27,000	120	4.45	31	1.15	3.9
Lake Charles	13,800			23	1.66	
Shreveport	56,200			86	1.53	
Maine:						
Auburn	17,900	9	.50	0		
Bangor	26,500	54	2.04	47	1.77	1.1
Bath	17,200			18	1.05	
Biddeford	18,400			47	2.55	
Lewiston	34,400			44	1.28	
Portland	74,200			100	1.35	
Sanford	11,500	22	1.92	15	1.31	1.5
South Portland	10,100	28	2.78			
Waterville	14,200			12	.84	
Maryland:						
Cumberland	33,100	84	2.54	46	1.39	1.8
Frederick	12,000	16	1.34	8	.67	2.0
Massachusetts:						
Adams	[2] 13,000	[1] 18	[1] 1.39	9	.69	
Amesbury	10,100	[1] 5	[1] .49	9	.89	
Arlington	22,100	[1] 35	[1] 1.58	28	1.27	
Athol	10,400			14	1.35	
Attleboro	21,400			13	.61	
Belmont	13,200	[1] 15	[1] 1.14	7	.53	
Beverly	24,400	[1] 42	[1] 1.72	25	1.03	
Braintree	11,700	[1] 4	[1] .34	12	1.02	
Brockton	70,600	[1] 51	[1] .72	22	.31	
Brookline	42,400	[1] 34	[1] .80	27	.64	
Chelsea	48,200	[1] 100	[1] 2.08	39	.81	
Chicopee	41,200	[1] 18	[1] .44	38	.92	
Clinton	[2] 13,000	[1] 15	[1] 1.16	8	.62	
Danvers	11,900	[1] 12	[1] 1.01	21	1.77	
Dedham	11,500	[1] 3	[1] .26			
Easthampton	12,500	[1] 36	[1] 2.87	12	.96	
Everett	43,200	[1] 88	[1] 2.04	24	.56	
Framingham	18,900	[1] 11	[1] .58	20	1.06	
Gardner	18,000	[1] 7	[1] .39	0		
Greenfield	17,800	[1] 16	[1] .90	14	.79	
Haverhill	58,400	[1] 87	[1] 1.49	51	.87	
Holyoke	61,300	[1] 24	[1] .39	91	1.48	
Lawrence	98,200	[1] 63	[1] .64	43	.44	
Leominster	20,700	[1] 21	[1] 1.01	10	.48	
Malden	51,300	[1] 48	[1] .94	22	.43	
Marlboro	15,200	[1] 12	[1] .79	18	1.18	
Medford	46,400	[1] 40	[1] .86	58	1.25	
Melrose	19,400	[1] 24	[1] 1.24	22	1.14	
Methuen	16,900	[1] 7	[1] .41	15	.89	
Milford	13,700	[1] 1	[1] .07	23	1.68	
Milton	10,100	[1] 6	[1] .60	6	.60	
Natick	11,400	[1] 36	[1] 3.16			
Newburyport	15,900	[1] 10	[1] .62	19	1.19	
Newton	48,900	[1] 59	[1] 1.21	25	.51	
North Adams	22,000			25	1.12	
Northampton	23,100	[1] 24	[1] 1.04	8	.35	
Northbridge	10,800	[1] 4	[1] .37	13	1.20	

[1] Lobar pneumonia only.
[2] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Cases per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.						
Norwood	14,800	[1] 41	[1] 2.78	15	1.02	
Palmer	10,500	[1] 2	[1] .19	7	.67	
Peabody	21,300	[1] 28	[1] 1.31	25	1.17	
Pittsfield	46,200	[1] 26	[1] .56	17	.37	
Plymouth	13,500	[1] 17	[1] 1.26	15	1.11	
Quincy	54,900	[1] 37	[1] .67	41	.75	
Salem	[2] 42,500	[1] 51	[1] 1.20	14	.33	
Saugus	12,200	[1] 19	[1] 1.56	11	.90	
Southbridge	15,000	[1] 13	[1] .87	12	.80	
Taunton	38,500	[1] 39	[1] 1.01	34	.88	
Wakefield	13,800	[1] 23	[1] 1.67	13	.94	
Waltham	32,300	[1] 26	[1] .80	16	.49	
Watertown	25,400	[1] 21	[1] .83	8	.31	
Webster	14,100	[1] 2	[1] .14	7	.50	
West Springfield	15,400	[1] 14	[1] .91	14	.91	
Westfield	19,800	[1] 17	[1] .86	12	.61	
Winchester	11,000	[1] 7	[1] .63			
Winthrop	17,900	[1] 13	[1] .73	4	.22	
Woburn	17,200	[1] 7	[1] .41	7	.41	
Michigan:						
Ann Arbor	21,700	28	1.29	11	.51	2.5
Battle Creek	41,200	35	.85	9	.22	3.9
Bay City	48,700	43	.88	35	.72	1.2
Benton Harbor	13,600	13	.95	11	.81	1.2
Cadillac	10,400	8	.77	4	.39	2.0
Hamtramck	75,700	67	.88	61	.81	1.1
Highland Park	67,600	111	1.64	80	1.18	1.4
Holland	13,000	9	.69	7	.54	1.3
Ironwood	17,100	50	2.93	19	1.11	2.6
Ishpeming	[2] 10,500	30	2.86	9	.86	3.3
Jackson	56,200	50	.89	38	.68	1.3
Kalamazoo	52,700	68	1.29	42	.80	1.6
Lansing	68,300	63	.92	59	.86	1.1
Marquette	13,300	53	3.99	10	.75	5.3
Monroe	13,700			18	1.31	
Mount Clemens	10,300	3	.29	2	.19	1.5
Muskegon	41,900	74	1.77	58	1.38	1.3
Muskegon Heights	13,100	35	2.66	0		
Pontiac	43,400	103	2.37	59	1.36	1.7
Port Huron	29,200	36	1.23	25	.86	1.4
River Rouge	12,400	6	.48	2	.16	3.0
Saginaw	70,900			69	.97	
Sault Ste. Marie	[2] 12,100	27	2.23	16	1.32	1.7
Minnesota:						
Brainerd	10,100			16	1.59	
Faribault	12,100			19	1.58	
Hibbing	16,900			1	.06	
Mankato	13,400			17	1.26	
St. Cloud	18,300			18	.98	
Virginia	15,700			26	1.66	
Winona	19,400			13	.67	
Mississippi:						
Biloxi	12,300	44	3.58	23	1.87	1.9
Missouri:						
Independence	12,500			49	3.91	
Moberly	13,700			21	1.53	
St. Joseph	78,300			147	1.88	
Springfield	41,700			79	1.90	
Montana:						
Anaconda	12,400			12	.97	
Butte	42,600			83	1.95	
Great Falls	28,800			27	.94	
Helena	12,000			29	2.41	
Nebraska:						
Lincoln	59,900			38	.63	
North Platte	13,100			19	1.45	
Nevada:						
Reno	12,500			22	1.75	
New Hampshire:						
Claremont	10,400	34	3.25	17	1.63	2.0
Concord	22,500			47	2.09	
Dover	[2] 13,000			9	.69	
Keene	11,700	27	2.30	15	1.28	1.8

[1] Lobar pneumonia only.
[2] Population Jan. 1, 1923.

Reported prevalence for the year 1924—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
New Hampshire—Continued.						
Manchester	82,200			106	1.29	
Nashua	29,500			34	1.15	
Portsmouth	14,600			22	1.50	
Rochester	10,000			19	1.89	
New Jersey:						
Asbury Park	13,400	1	0.07	0		
Bayonne	86,600	119	1.37	95	1.10	1.3
Belleville	18,300	64	3.49			
Bloomfield	25,200	77	3.05	15	.59	5.1
Bridgeton	14,400			14	.97	
Carteret	13,500	20	1.48	6	.44	3.3
Clifton	33,200	51	1.53	19	.57	2.7
Collingswood	10,500			1	.09	
Dover	10,900	35	3.22	18	1.65	1.9
East Orange	58,300	104	1.78	34	.58	3.1
Englewood	12,400	28	2.26	17	1.37	1.6
Garfield	23,600	57	2.41	26	1.10	2.2
Gloucester City	13,400	14	1.04	9	.67	1.6
Hackensack	19,300	54	2.79	37	1.91	1.5
Harrison	16,300	34	2.09			
Hoboken	[2] 68,200			115	1.69	
Irvington	31,800	67	2.11	20	.63	3.3
Kearny	30,500	96	3.15	33	1.08	2.9
Lodi	10,000	14	1.39	10	1.00	1.4
Long Branch	13,600	32	2.35	17	1.25	1.9
Montclair	32,200	83	2.58	31	.96	2.7
Morristown	12,600	53	4.22	14	1.11	3.8
New Brunswick	37,000	67	1.81	54	1.46	1.2
Orange	35,000	118	3.37	28	.80	4.2
Passaic	68,000			64	.94	
Perth Amboy	46,100			50	1.08	
Plainfield	31,000	92	2.97	21	.68	4.4
Rahway	11,800			13	1.10	
Red Bank	10,100	4	.40			
Ridgefield Park	10,500	16	1.53	9	.86	1.8
Rutherford	10,600	18	1.69	5	.47	3.6
Summit	11,400	76	6.66	24	2.10	3.2
West Hoboken	42,200			22	.52	
West New York	37,500			20	.53	
West Orange	17,700	41	2.32	15	.85	2.7
Westfield	10,300			6	.58	
New York:						
Amsterdam	34,600	74	2.14	36	1.04	2.1
Batavia	14,300	23	1.61	11	.77	2.1
Beacon	11,100	38	3.43	18	1.63	2.1
Binghamton	75,300	348	4.62	20	.27	17.4
Cohoes	[2] 23,000	87	3.78	29	1.26	3.0
Corning	16,800	20	1.19	17	1.01	1.2
Cortland	14,100	46	3.26	31	2.20	1.5
Dunkirk	20,300	53	2.61	22	1.08	2.4
Elmira	49,200	264	5.37	55	1.12	4.8
Endicott	16,900	76	4.50	13	.77	5.8
Freeport	11,500	20	1.73	15	1.30	1.3
Geneva	15,700	32	2.04	20	1.28	1.6
Glens Falls	17,300	50	2.89	24	1.39	2.1
Gloversville	22,700	35	1.54	8	.35	4.4
Herkimer	11,800			14	1.19	
Hornell	15,700	59	3.76	16	1.02	3.7
Hudson	11,800	52	4.39	18	1.52	2.9
Ithaca	18,000	63	3.50	23	1.28	2.7
Jamestown	42,400	75	1.77	33	.78	2.3
Johnson City	10,800	34	3.14	20	1.85	1.7
Kingston	27,000	34	1.26	27	1.00	1.3
Lackawanna	19,500	159	8.16	29	1.49	5.5
Little Falls	13,400	22	1.64	16	1.20	1.4
Lockport	22,400	42	1.88	18	.80	2.3
Middletown	19,900	93	4.68	22	1.11	4.2
Mount Vernon	48,200	127	2.63	46	.95	2.8
New Rochelle	39,600	83	2.10	43	1.09	1.9
Newburgh	31,600	42	1.33	35	1.10	1.2
Niagara Falls	60,200	84	1.40	78	1.30	1.1
North Tonawanda	17,100	18	1.05	11	.64	1.6
Ogdensburg	[2] 14,600	40	2.74	0		
Olean	23,200	50	2.16	15	.65	3.3

[2] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued.						
Oneonta	12,600	18	1.43	11	0.88	1.6
Oswego	23,700	63	2.65	15	.63	4.2
Peekskill	16,100	28	1.74	17	1.06	1.6
Plattsburg	[2] 10,900	1	.09			
Poughkeepsie	38,300	87	2.27	43	1.12	2.0
Rensselaer	10,900	30	2.76	12	1.10	2.5
Rome	29,000	55	1.89	27	.93	2.0
Salamanca	10,600			3	.28	
Saratoga Springs	[2] 13,200	42	3.19	12	.91	3.5
Troy	[2] 72,000	157	2.18	97	1.35	1.6
Watertown	33,400	45	1.35	34	1.02	1.3
Watervliet	16,500	56	3.39	0		
White Plains	22,900	83	3.63	25	1.09	3.3
North Carolina:						
Greensboro	45,500			49	1.08	
New Bern	12,200			22	1.80	
Raleigh	29,800			69	2.32	
Rocky Mount	14,700			19	1.29	
Salisbury	17,000			8	.47	
Wilmington	36,400			59	1.62	
Winston-Salem	65,800			158	2.40	
North Dakota:						
Fargo	25,600			37	1.44	
Ohio:						
Alliance	24,400			22	.90	
Ashtabula	24,700	6	.24	0		
Barberton	22,500			44	1.96	
Bellaire	16,000			23	1.43	
Bucyrus	11,500	12	1.04	8	.70	1.5
Cambridge	13,900			15	1.08	
Chillicothe	16,400			17	1.03	
Cleveland Heights	20,900	17	.81	14	.67	1.2
Conneaut	10,400	8	.77	6	.57	1.3
Cuyahoga Falls	13,100			7	.54	
East Cleveland	35,700	49	1.37	25	.70	2.0
East Liverpool	21,900			41	1.87	
East Youngstown	15,300			33	2.15	
Elyria	23,300			19	.82	
Findlay	18,000	21	1.17	12	.67	1.7
Fostoria	10,100	12	1.18	7	.69	1.7
Fremont	13,000			10	.73	
Hamilton	41,900	85	2.03	49	1.17	1.7
Kenmore	18,100	12	.66	7	.38	1.7
Lakewood	54,000			45	.83	
Lima	45,700			43	.94	
Lorain	41,400			49	1.18	
Mansfield	31,100	53	1.70	23	.74	2.3
Marietta	15,200			17	1.12	
Martins Ferry	15,200			27	1.77	
Middletown	29,700	48	1.62	39	1.31	1.2
New Philadelphia	11,800	7	.59	6	.51	1.2
Newark	30,300			27	.89	
Niles	16,100	13	.81	11	.68	1.2
Norwood	29,000	3	.10	2	.07	1.5
Piqua	15,800			16	1.01	
Salem	10,900			22	2.01	
Sandusky	24,200	22	.91	13	.54	1.7
Springfield	67,300			72	1.07	
Steubenville	31,300			79	2.52	
Warren	33,800			50	1.50	
Zanesville	30,300			49	1.62	
Oklahoma:						
Muskogee	31,800			42	1.32	
Sapulpa	13,900	51	3.68	10	.72	5.1
Oregon:						
Astoria	16,100			14	.87	
Eugene	11,100			20	1.80	
Pennsylvania:						
Allentown	89,700			114	1.27	
Ambridge	16,200			26	1.60	
Beaver Falls	13,100	6	.46	1	.08	6.0
Bethlehem	61,200			36	.59	
Braddock	21,600			95	4.40	
Butler	25,000			36	1.44	

[2] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Pennsylvania—Continued.						
Canonsburg	13,000			16	1.23	
Carbondale	19,400			67	3.46	
Carlisle	11,300	8	0.71	0		
Carnegie	12,200			27	2.21	
Carrick	12,500	3	.24			
Charleroi	12,400			26	2.10	
Chester	66,600			83	1.25	
Clairton	13,700	19	1.39	5	.36	3.8
Coatesville	16,000	12	.75	10	.62	1.2
Connellsville	14,200			28	1.97	
Dickson	11,800			19	1.60	
Donora	16,500			17	1.03	
Dubois	14,200	3	.21			
Duquesne	20,500			53	2.58	
Ellwood City	11,300			10	.88	
Harrisburg	82,300			115	1.40	
Jeannette	11,500			17	1.47	
Lancaster	55,900			66	1.18	
Lebanon	25,100	17	.68	0		
Lewistown	10,500			8	.76	
McKees Rocks	17,900	13	.73	3	.17	4.3
McKeesport	48,700			145	2.98	
Monessen	20,700			48	2.32	
Nanticoke	24,300			42	1.73	
New Castle	49,000			102	2.08	
New Kensington	14,000			35	2.51	
Norristown	34,400			50	1.45	
North Braddock	16,400	17	1.04	14	.86	1.2
Oil City	22,900	1	.04			
Phoenixville	[2] 10,500			23	2.19	
Pittston	19,500			55	2.82	
Pottstown	18,300			34	1.86	
Sharon	24,400			32	1.31	
Steelton	[2] 13,400			19	1.41	
Swissvale	12,500	48	3.83	29	2.31	1.7
Vandergrift	10,600			9	.85	
Warren	15,000			10	.67	
Washington	22,700			67	2.95	
West Chester	[2] 11,700			37	3.16	
Wilkes-Barre	77,000			180	2.34	
Woodlawn	17,700			35	1.97	
York	48,800			56	1.15	
Rhode Island:						
Cranston	33,300			27	.81	
Cumberland	[2] 10,100			6	.60	
Newport	31,700			24	.76	
Pawtucket	70,100			66	.94	
Warwick	[2] 13,500			30	2.23	
South Carolina:						
Greenville	26,600			58	2.18	
South Dakota:						
Sioux Falls	30,400			44	1.45	
Watertown	10,500			10	.95	
Tennessee:						
Knoxville	92,200			134	1.45	
Texas:						
Beaumont	48,700			69	1.42	
Denison	18,700			20	1.07	
Galveston	47,600			71	1.49	
Port Arthur	30,000			56	1.87	
San Angelo	[2] 10,000			8	.80	
Texarkana	12,300			22	1.79	
Tyler	12,900			11	.86	
Waco	43,000			51	1.19	
Utah:						
Ogden	36,100	78	2.16	59	1.63	1.3
Provo	11,000			19	1.72	
Vermont:						
Bennington	10,600	26	2.46			
Burlington	23,900			54	2.26	
Virginia:						
Alexandria	18,400	40	2.17	23	1.25	1.7
Charlottesville	11,100			13	1.17	
Danville	22,700			26	1.15	

[2] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Virginia—Continued.						
Lynchburg	30,300			36	1.19	
Newport News	43,400			42	.97	
Petersburg	35,000	140	4.00	47	1.34	3.0
Portsmouth	58,200			87	1.50	
Roanoke	56,900			62	1.09	
Washington:						
Aberdeen	16,000			13	.81	
Bellingham	26,100			23	.88	
Bremerton	11,700			13	1.11	
Everett	29,000			23	.79	
Vancouver	14,200			16	1.13	
Walla Walla	[2] 15,500			6	.39	
West Virginia:						
Charleston	47,300			67	1.42	
Clarksburg	29,900			33	1.10	
Fairmont	20,400	3	.15			
Martinsburg	13,400			33	2.47	
Morgantown	13,500			18	1.33	
Wheeling	[2] 56,200			118	2.10	
Wisconsin:						
Beloit	24,100	26	1.08	18	.75	1.4
Eau Claire	22,100	59	2.67	32	1.45	1.8
Fond du Lac	25,600			32	1.25	
Green Bay	33,700			29	.86	
Janesville	20,300			18	.89	
Kenosha	48,900			43	.88	
La Crosse	30,400			40	1.31	
Madison	45,200			50	1.11	
Manitowoc	19,700			13	.66	
Marinette	13,600			17	1.25	
Oshkosh	33,200			26	.78	
Racine	66,000	33	.50	0		
Sheboygan	33,100			17	.51	
Wausau	19,900			40	2.01	
West Allis	17,000	19	1.12	17	1.00	1.1
Wyoming:						
Casper	20,000			38	1.90	

POLIOMYELITIS

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Mobile	65,100	7	1	1	0.03	1	0.02	50.0
California:								
Alameda	31,300	7	0	7	.22	1	.03	14.3
Alhambra	11,000	1	0	2	.18	0		
Berkeley	64,600	7	1	3	.05	0		
Eureka	13,400	4	0	1	.07	0		
Long Beach	83,100	7	1	4	.05	1	.01	25.0
Pasadena	55,100	7	1	3	.05	0		
Pomona	15,000	5	1	2	.13	1	.07	50.0
San Bernardino	22,100	3	1			2	.09	
San Diego	96,400	7	3	14	.15	3	.03	21.4
Stockton	46,100	4	1	1	.02	0		
Venice	13,800	3	0	2	.15	0		
Colorado:								
Boulder	11,700	4	1	1	.09	0		
Trinidad	11,000	4	1			1	.09	
Connecticut:								
Bristol	23,900	7	1	2	.08	0		
Greenwich	24,700	7	1	3	.12	1	.04	33.3
Manchester	20,600	3	0	5	.24	0		

[2] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

POLIOMYELITIS—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Connecticut—Continued								
Meriden	36,000	4	0	1	0.03			
Milford	12,900	4	1	1	.08	0		
New Britain	66,500	5	1	6	.09	0		
New London	28,500	5	1	2	.07	0		
West Hartford	10,700	1	0	2	.19	0		
Florida:								
Miami	40,700	4	1			1	0.02	
West Palm Beach	12,900	1	0			1	.08	
Georgia:								
Lagrange	22,300					6	.27	
Idaho:								
Boise	22,900	4	1	1	.04			
Pocatello	17,700	4	0	3	.17	1	.06	33.3
Illinois:								
Alton	26,400	5	3	1	.04			
Berwyn	18,000	2	0	2	.11	0		
Blue Island	12,900	4	0	1	.08	0		
Canton	11,000			2	.18			
Centralia	13,800	4	0	1	.07	0		
Champaign	17,900	3	1	1	.06	0		
Danville	36,400	5	0			1	.03	
East St. Louis	70,600	6	2	6	.09	5	.07	83.3
Elgin	28,100	4	2	3	.11	0		
Evanston	42,700	7	2	5	.12	0		
Freeport	20,500	2	2	1	.05			
Herrin	12,900	1	0	1	.08	0		
Jacksonville	15,900	4	2	2	.13	0		
Joliet	40,200	4	2	1	.02			
Peoria	80,600	5	1	1	.01	0		
Rock Island	39,200	7	2	2	.05	1	.03	50.0
Rockford	74,400	7	1	3	.04	0		
Springfield	62,700	5	4	1	.02	0		
Waukegan	20,700	4	2	3	.15	0		
Indiana:								
Anderson	33,100	5	0	2	.05	1	.03	50.0
East Chicago	43,800	5	1	5	.11	0		
Elkhart	26,600					1	.04	
Fort Wayne	95,700	6	1	6	.01	1	.01	16.7
Frankfort	12,800	6	0			1	.08	
Hammond	48,500	5	0	1	.02	0		
Huntington	15,000	4	0	2	.13	0		
Kokomo	35,700	5	0	1	.03	0		
La Fayette	23,600	6	1	2	.08	0		
Marion	25,800	6	1	1	.04	0		
Muncie	41,400	6	1	1	.02	0		
South Bend	78,500	6	0	5	.06	1	.01	20.0
Terre Haute	70,300	5	0	2	.03	0		
Whiting	11,800	3	0	1	.08	0		
Iowa:								
Boone	13,400	3	0	2	.15	0		
Cedar Rapids	53,800	7	1	2	.04	0		
Clinton	24,200	5	1	36	1.49			
Davenport	62,600	4	2	4	.06			
Dubuque	39,400	6	1	1	.03	0		
Iowa City	11,800	2	3	2	.17	1	.08	50.0
Muscatine	16,100	6	0	1	.06	0		
Waterloo	40,600	4	2	2	.05	0		
Kansas:								
Leavenworth	[1] 16,900	6	0	1	.06			
Parsons	17,700	3	0	1	.06	0		
Pittsburg	19,500	3	0	2	.10	0		
Topeka	53,200	6	2			3	.06	
Kentucky:								
Lexington	44,300	7	1			1	.02	
Owensboro	21,800	3	1	1	.05	0		
Maine:								
Auburn	17,900	5	0	2	.11	0		
Bangor	26,500	3	1	4	.15	1	.04	25.0
Bath	17,200	4	0	6	.35	0		
Biddeford	18,400	3	0			1	.05	
Lewiston	34,400			1	.03	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

POLIOMYELITIS—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Maine—Continued.								
Portland	74,200	5	1	12	0.16	1	0.01	8.3
Sanford	11,500	5	1	2	.17	0		
South Portland	10,100			1	.10			
Waterville	14,200	5	1	1	.07	0		
Maryland:								
Cumberland	33,100	7	1	1	.03	0		
Frederick	12,000	1	3	2	.17	0		
Massachusetts:								
Arlington	22,100	6	1	1	.05	0		
Attleboro	21,400	7	1	1	.05	0		
Braintree	11,700	4	3	1	.09	0		
Brockton	70,600	7	1	2	.03	0		
Brookline	42,400	7	1	3	.07	1	.02	33.3
Chelsea	48,200	7	1			1	.02	
Dedham	11,500	5	1	1	.09			
Everett	43,200	7	3	6	.14	0		
Framingham	18,900	7	1	1	.05	0		
Haverhill	58,400	7	6	3	.05	0		
Holyoke	61,300	6	2	2	.03	0		
Lawrence	98,200	6	8	1	.01	0		
Leominster	20,700	7	1	2	.10	0		
Malden	51,300	6	2	2	.04	0		
Medford	46,400	7	2	6	.13	2	.04	33.3
Methuen	16,900	6	2	1	.06	0		
Milford	13,700	7	0	1	.07	0		
Newton	48,900	7	2	4	.08	0		
Northampton	23,100	6	3			1	.04	
Northbridge	10,800	6	1	2	.19	0		
Quincy	54,900	7	2	4	.07	0		
Salem	[1] 42,500	5	1	3	.07	1	.02	33.3
Southbridge	15,000	7	0			1	.01	
Wakefield	13,800	4	2	1	.07	0		
Waltham	32,300	7	1	1	.03	0		
Watertown	25,400	7	0	4	.16	0		
West Springfield	15,400	4	1			2	.13	
Winchester	11,000	5	1	1	.09			
Winthrop	17,900	5	1			1	.06	
Michigan:								
Ann Arbor	21,700	7	2	3	.14	0		
Battle Creek	41,200	7	2	5	.12	0		
Bay City	48,700	7	1			1	.02	
Cadillac	10,400	3	0	1	.10	0		
Hamtramck	75,700	3	0	10	.13	0		
Highland Park	67,600	7	1	19	.28	2	.03	10.5
Holland	13,000	4	0	3	.23	0		
Jackson	56,200	5	1	1	.02	0		
Kalamazoo	52,700	6	1	2	.04	0		
Lansing	68,300	5	2	6	.09	1	.01	16.7
Mount Clemens	10,300			1	.10	0		
Muskegon	41,900	5	0	1	.02	0		
Muskegon Heights	13,100	1	1	2	.15	1	.08	50.0
Pontiac	43,400	6	2	6	.14	1	.02	16.7
Port Huron	29,200	5	1	2	.07	0		
River Rouge	12,400	1	0	6	.48	2	.16	33.3
Saginaw	70,900	4	1			1	.01	
Sault Ste. Marie	[1] 12,100	7	0	1	.08	0		
Minnesota:								
Hibbing	16,900	5	1	1	.06	0		
Missouri:								
Moberly	13,700	3	0	1	.07	0		
Montana:								
Anaconda	12,400	3	0	3	.24	0		
Butte	42,600	5	0			1	.02	
Great Falls	28,800	7	2	2	.07	0		
Helena	12,000	2	0	9	.75	0		
Nebraska:								
Lincoln	59,900	7	2	1	.02	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

POLIOMYELITIS—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Nevada:								
Reno	12,500	5	0	13	1.04	2	0.16	15.4
New Hampshire:								
Claremont	10,400	1	2	2	.19	0		
Dover	[1] 13,000	6	1	3	.23	0		
Manchester	82,200	6	1	5	.06	1	.01	20.0
Nashua	29,500	5	1	2	.07	0		
Rochester	10,000			1	.10	0		
New Jersey:								
Belleville	18,300	5	1	1	.05			
Bloomfield	25,200	6	0	1	.04	0		
Bridgeton	14,400	2	0	1	.07	0		
Collingswood	10,500			1	.09	0		
East Orange	58,300	7	2	2	.03	0		
Englewood	12,400	5	1	1	.08	0		
Kearny	30,500	7	1			1	.03	
Long Branch	13,600	5	1	2	.15	0		
Montclair	32,200	6	1	2	.06	0		
Perth Amboy	46,100	7	0	2	.04	0		
Plainfield	31,000	4	1	3	.10	0		
Red Bank	10,100			1	.10			
Union	[1] 20,700	4	1	1	.05			
West Hoboken	42,200	3	3	1	.02	0		
West New York	37,500	4	2	1	.03	0		
Westfield	10,300					1	.10	
New York:								
Binghamton	75,300	6	1	5	.07	0		
Cohoes	[1] 23,000	7	0	1	.04	0		
Cortland	14,100	7	1	1	.07	0		
Dunkirk	20,300	6	1	3	.15	1	.05	33.3
Elmira	49,200	5	1	2	.04	0		
Endicott	16,900	1	3	1	.06	0		
Freeport	11,500			1	.09	0		
Geneva	15,700	5	0	1	.06	0		
Herkimer	11,800	4	0	6	.51	0		
Hornell	15,700	7	1	1	.06	0		
Hudson	11,800	5	1	1	.08	0		
Ilion	11,800	1	0	1	.08			
Ithaca	18,000	7	1	6	.33	1	.06	16.7
Jamestown	42,400	7	2	4	.09			
Johnson City	10,800			1	.09	0		
Kingston	27,000	6	0	1	.04	0		
Little Falls	13,400	7	1	6	.45	0		
Middletown	19,900	7	1	2	.10	0		
Mount Vernon	48,200	7	1	5	.10	0		
New Rochelle	39,600	6	2	2	.05	1	.03	50.0
Ogdensburg	[1] 14,600			1	.07	0		
Oneonta	12,600	1	0	1	.08	0		
Oswego	23,700	4	1	23	.97	3	.13	13.0
Poughkeepsie	38,300	6	2	1	.03	0		
Rome	29,000	7	0	8	.28	1	.03	12.5
Saratoga Springs	[1] 13,200	7	1	6	.46	0		
Watertown	33,400	7	1	9	.27	0		
North Carolina:								
Greensboro	45,500	2	1	1	.02	0		
Winston-Salem	65,800	6	0	2	.03	0		
North Dakota:								
Fargo	25,600	6	0			2	.08	
Ohio:								
Alliance	24,400	3	0	1	.04	0		
Cleveland Heights	20,900	2	0	1	.05	0		
East Cleveland	35,700	5	0	2	.06	0		
Hamilton	41,900	7	0	2	.05	1	.02	50.0
Lorain	41,400	7	1	1	.02	0		
Martins Ferry	15,300	2	1	1	.07	0		
Piqua	15,800	7	1	5	.32	2	.13	40.0
Salem	10,900	3	0	1	.09	0		
Springfield	67,300	6	0	4	.06	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

POLIOMYELITIS—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Pennsylvania:								
Allentown	89,700	1	2	2	0.02	0		
Altoona	65,300	7	2	6	.09	1	0.02	16.7
Ambridge	16,200	4	0	1	.06	0		
Bradford	15,700	6	1	3	.19			
Dubois	14,200	4	0	1	.07			
Harrisburg	82,300	7	1			3	.04	
Hazleton	35,400	7	0	3	.08	0		
Jeannette	11,500	4	0			1	.09	
Lancaster	55,900	7	1	2	.04	0		
Monessen	20,700	6	0			1	.05	
New Castle	49,000	6	1	1	.02	0		
Shenandoah	[1] 24,700	5	0	1	.04	0		
Uniontown	[1] 15,700	5	1	1	.06			
Warren	15,000	7	0	4	.27	0		
Rhode Island:								
Cranston	33,300	7	2	3	.09	1	.03	33.3
Pawtucket	70,100	6	1	4	.06	1	.01	25.0
Warwick	[1] 13,500					1	.07	
South Carolina:								
Columbia	40,300	5	1	1	.02			
South Dakota:								
Sioux Falls	30,400	6	0	2	.07	1	.03	50.0
Tennessee:								
Knoxville	92,200	6	0	11	.12	0		
Virginia:								
Alexandria	18,400	6	0	5	.27	0		
Lynchburg	30,300	5	1	1	.03	0		
Petersburg	35,000	7	1	2	.06	0		
Portsmouth	58,200	7	0	1	.02	0		
Washington:								
Aberdeen	16,000	6	0	3	.19	0		
Bellingham	26,100	6	2	5	.19	4	.15	80.0
Bremerton	11,700	1	0	2	.17	0		
Everett	29,000	7	1	9	.31	4	.14	44.4
Vancouver	14,200	6	0	2	.14	1	.07	50.0
Yakima	22,200	6	0	9	.41	2	.09	22.2
West Virginia:								
Fairmont	20,400	6	0	1	.05			
Wheeling	[1] 56,200	7	0	2	.04	1	.02	50.0
Wisconsin:								
Beloit	24,100	6	1	1	.04	0		
Kenosha	48,900	7	2	1	.02	0		
Racine	66,000	6	1	2	.03	0		
Wausau	19,900	7	0	4	.20	0		
West Allis	17,000	3	0			1	.06	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

RABIES IN ANIMALS

City	Cases reported, 1924
Alabama:	
Dothan	1
Florence	12
Mobile	25
Arizona:	
Douglas	6
Arkansas:	
Hot Springs	1
Little Rock	45
California:	
Alameda	3
Alhambra	8
Berkeley	3
Eureka	4
Glendale	2
Long Beach	9
Sacramento	3
San Diego	5
Connecticut:	
Greenwich	1
Florida:	
Orlando	1
St. Petersburg	54
Georgia:	
Athens	7
Lagrange	23
Savannah	19
Illinois:	
Alton	1
Berwyn	1
Centralia	1
West Frankfort	8
Iowa:	
Muscatine	5
Ottumwa	9
Kansas:	
Coffeyville	6
Kentucky:	
Lexington	5
Louisiana:	
Shreveport	12
Massachusetts:	
Arlington	8
Belmont	4
Brookline	4
Methuen	4
Milford	2
Northbridge	1
Peabody	2
Salem	1
Watertown	2
Woburn	5
Michigan:	
Hamtramck	3
Highland Park	4
Michigan—Continued	
Jackson	3
Kalamazoo	2
Pontiac	8
Montana:	
Great Falls	2
New Jersey:	
Belleville	2
Bloomfield	7
Cartaret	8
Clifton	7
East Orange	6
Englewood	4
Hackensack	54
Hoboken	4
Irvington	16
Kearny	6
Lodi	1
Montclair	4
Morristown	2
Orange	7
Passaic	5
Perth Amboy	2
Phillipsburg	1
Plainfield	12
Red Bank	1
Ridgefield Park	4
Rutherford	5
Summit	5
West Orange	3
New York:	
Johnson City	1
New Rochelle	2
North Carolina:	
New Bern	26
Winston-Salem	4
Ohio:	
Cleveland Heights	5
Conneaut	1
East Cleveland	7
Fostoria	1
Lakewood	10
Warren	40
Zanesville	1
Oklahoma:	
Chickasha	6
Pennsylvania:	
Clairton	1
McKees Rocks	3
Monessen	2
Texas:	
Port Arthur	14
Virginia:	
Newport News	7

RABIES IN MAN

City	Deaths registered, 1924
Arkansas:	
Little Rock	1
Colorado:	
Trinidad	1
Georgia:	
Valdosta	1
Massachusetts:	
Milford	1
New Hampshire:	
Nashua	1
New Jersey:	
Hackensack	1
Pennsylvania:	
Greensburg	1
Texas:	
Denison	1

Reported prevalence for the year 1924—Continued

ROCKY MOUNTAIN SPOTTED FEVER

City	Cases reported, 1924	Deaths registered, 1924	City	Cases reported, 1924	Deaths registered, 1924
Idaho:			Wyoming:		
Pocatello	8	0	Casper	11	3
Montana:					
Helena	2	0			

SCARLET FEVER

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston	20,000	7	11	3	0.15	0		
Dothan	14,000	1	8	8	.57	0		
Florence	12,300	1	18	7	.57	0		
Mobile	65,100	7	31	23	.35	0		
Arizona:								
Douglas	11,500	1	0	15	1.30	0		
Phoenix	35,300	1	13	63	1.79	4	0.11	6.3
Tucson	26,000	5	6	41	1.58	0		
Arkansas:								
Fort Smith	31,100	4	25	73	2.34	0		
Hot Springs	11,700	3	4	4	.34	1	.09	25.0
Little Rock	72,600	5	75	48	.66	0		
California:								
Alameda	31,300	5	41	65	2.08	1	.03	1.5
Alhambra	11,000	1	37	28	2.55	0		
Bakersfield	22,900	7	25	29	1.27	0		
Berkeley	64,600	7	92	87	1.35	1	.02	1.1
Chico	11,900	1	17	15	1.26			
Eureka	13,400	6	58	6	.45	0		
Fresno	56,700	5	59	133	2.34	0		
Glendale	20,000	3	31	73	3.66	0		
Long Beach	83,100	5	45	100	1.20	2	.02	2.0
Modesto	11,700	1	20	19	1.63	1	.09	5.3
Pasadena	55,100	7	49	110	2.00	0		
Pomona	15,000	5	21	88	5.85	1	.07	1.1
Richmond	21,500	4	30	12	.56	0		
Riverside	21,300	6	18	106	4.99	1	.05	.9
Sacramento	71,100	7	123	72	1.01	2	.03	2.8
San Bernardino	22,100	7	13	58	2.63	0		
San Diego	96,400	5	85	217	2.25	3	.03	1.4
San Jose	42,900	5	48	146	3.41	0		
Santa Ana	18,800	5	14	48	2.56	0		
Santa Barbara	23,200	5	6	74	3.18	0		
Santa Cruz	[1] 10,900	6	7			9	.82	
Stockton	46,100	3	54	108	2.34	1	.02	.9
Vallejo	25,600	5	27			1	.04	
Venice	13,800	4	6	17	1.24	0		
Colorado:								
Boulder	11,700	5	15	8	.68	0		
Colorado Springs	[1] 30,100	7	51	89	2.96	2	.07	2.2
Greeley	12,200	1	17	13	1.06	0		
Pueblo	43,700	3	62	114	2.61	1	.02	.9
Trinidad	11,000	7	22	31	2.82	2	.18	6.5
Connecticut:								
Bristol	23,900	7	44	190	7.94	2	.08	1.1
Fairfield	14,000	3	45	50	3.58	0		
Greenwich	24,700	7	46	65	2.63	1	.04	1.5
Manchester	20,600	6	36	78	3.79	0		
Meriden	36,000	5	45	34	.94			
Milford	12,900	4	33	20	1.55	3	.23	15.0
New Britain	66,500	7	103	433	6.52	4	.06	.9
New London	28,500	7	46	19	.67	0		
Norwich	23,000	7	26	66	2.87	1	.04	1.5
Stonington	10,700			73	6.82	0		
West Hartford	10,700	1	25	65	6.06	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SCARLET FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy: Number of years	Estimated expectancy: Cases	1924: Cases reported	1924: Cases per 1,000 inhabitants	1924: Deaths registered	1924: Deaths per 1,000 inhabitants	1924: Fatalities per 100 cases
Florida:								
Miami	40,700	4	9	11	0.27	1	0.02	9.1
Orlando	14,800			1	.07			
St. Petersburg	26,500	1	23	88	3.33	0		
Tampa	67,600	4	15	12	.18	0		
West Palm Beach	12,900	1	0	1	.08	0		
Georgia:								
Albany	13,000	3	8	3	.23	0		
Athens	18,600	3	8	16	.86	0		
Lagrange	22,300	1	0	22	.98	0		
Macon	57,300	7	21	17	.30	0		
Rome	13,800	5	28	9	.65	0		
Savannah	91,200	5	43	18	.20	0		
Valdosta	12,200			1	.08			
Idaho:								
Boise	22,900	5	40	28	1.22			
Pocatello	17,700	6	9	3	.17	1	.06	33.3
Illinois:								
Alton	26,400	6	42	45	1.70			
Berwyn	18,000	2	38	56	3.11	1	.06	1.8
Bloomington	30,100	4	116	54	1.79	0		
Blue Island	12,900	4	30	82	6.37	0		
Canton	11,000	4	12	29	2.63			
Centralia	13,800	6	9	15	1.09	0		
Champaign	17,900	6	40	20	1.12	0		
Chicago Heights	21,700	3	43	9	.42	0		
Cicero	59,100	7	61	79	1.34	1	.02	1.3
Collinsville	10,800			48	4.44	0		
Danville	36,400	6	45	44	1.21	1	.03	2.3
Decatur	49,400	4	43	216	4.37	2	.04	.9
East Moline	11,200	1	11	7	.62	0		
East St. Louis	70,600	6	61	181	2.56	6	.09	3.3
Elgin	28,100	7	36	48	1.71	1	.04	2.1
Evanston	42,700	7	80	181	4.24	3	.07	1.7
Freeport	20,500	5	45	65	3.17	0		
Galesburg	24,600	7	21	64	2.60	0		
Herrin	12,900	1	27	23	1.78	0		
Jacksonville	15,900	7	15	37	2.33	0		
Joliet	40,200	3	30	102	2.54			
Kewanee	19,400	2	10	23	1.18	0		
La Salle	13,800	6	11	11	.80	0		
Mattoon	14,500	5	12	10	.69	0		
Maywood	13,900	7	40	78	5.63	0		
Moline	33,300	7	23	19	.57	0		
Murphysboro	12,200	2	17	20	1.64	0		
Oak Park	49,300	4	72	141	2.86	3	.06	2.1
Ottawa	11,400	4	41	15	1.31	0		
Pekin	13,100	7	21	48	3.66	1	.08	2.1
Peoria	80,600	7	203	116	1.44	1	.01	.9
Quincy	37,500	7	43	47	1.25	0		
Rock Island	39,200	7	34	22	.56	1	.03	4.5
Rockford	74,400	4	96	35	.47	1	.01	2.9
Springfield	62,700	4	53	64	1.02	1	.02	1.6
Streator	15,000	4	32	189	12.58	5	.33	2.6
Urbana	11,100	5	21	4	.36			
Waukegan	20,700	4	40	61	2.95	0		
West Frankfort	11,400			4	.35			
Indiana:								
Anderson	33,100	6	54	38	1.15	1	.03	2.6
Clinton	13,200	3	6	8	.61	0		
Connersville	12,200			37	3.03	1	.08	2.7
Crawfordsville	10,500	4	15	44	4.21	1	.10	2.3
East Chicago	43,800	7	52	31	.71	2	.05	6.5
Elkhart	26,600	3	61	59	2.22	0		
Elwood	[1] 10,800	6	5	5	.46	0		
Fort Wayne	95,700	7	87	207	2.16	2	.02	1.0
Frankfort	12,800	6	27	7	.55	0		
Hammond	48,500	6	94	117	2.41	1	.02	.9
Huntington	15,600	4	35	32	2.06	0		
Jeffersonville	[1] 10,100	4	2	12	1.19			
Kokomo	35,700	7	42	22	.62	0		
La Fayette	23,600	7	56	10	.42	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SCARLET FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Indiana—Continued.								
La Porte	17,100	4	24	13	0.76	0		
Logansport	22,900	7	22	29	1.27	0		
Marion	25,800	6	44	8	.31	0		
Michigan City	19,700	3	60	35	1.78	1	0.05	2.9
Mishawaka	16,400	6	52	167	10.18	1	.06	.6
Muncie	41,400	7	24	26	.63	0		
New Albany	[1] 23,000	4	26	5	.22	0		
Newcastle	16,500	7	12	16	.97	0		
Richmond	29,000	7	42	20	.69	0		
South Bend	78,500	4	110	382	4.87	2	.03	.5
Terre Haute	70,300	6	101	108	1.54	0		
Wabash	10,400			6	.58	0		
Whiting	11,800	3	10	8	.68	0		
Iowa:								
Boone	13,400	3	31	15	1.12	0		
Burlington	[1] 24,100	7	51	42	1.75	0		
Cedar Rapids	51,500	6	55	195	3.79	2	.04	1.0
Clinton	[1] 24,200	5	28	15	.62	0		
Council Bluffs	39,300	5	83	33	.84	0		
Davenport	62,600	7	152	58	.93	0		
Dubuque	39,400	6	49	17	.43	0		
Fort Dodge	19,700	3	21	23	1.17			
Fort Madison	13,500			6	.44	0		
Iowa City	11,800	3	10	38	3.22	0		
Keokuk	14,600			91	6.23			
Marshalltown	16,800	3	26	60	3.56			
Mason City	24,000	7	31	104	4.33	4	.17	3.8
Muscatine	16,100	6	22	43	2.68	0		
Ottumwa	23,500	3	19	33	1.41	0		
Sioux City	82,100	7	142	44	.54			
Waterloo	40,600	4	72	72	1.77	1	.02	1.4
Kansas:								
Coffeyville	13,800	6	15	13	.94	0		
Eldorado	14,600	4	36	28	1.91	0		
Emporia	12,300	1	27	53	4.30	1	.08	1.9
Fort Scott	10,800	7	3	75	6.95	0		
Hutchinson	26,500	5	72	15	.57	0		
Lawrence	12,500	6	28	77	6.16	0		
Leavenworth	[1] 16,900	7	18	95	5.62			
Parsons	17,700	3	27	15	.85	0		
Pittsburg	19,500	5	32	12	.62	0		
Topeka	53,200	6	122	164	3.08	0		
Wichita	81,200	4	95	81	1.00	0		
Kentucky:								
Covington	58,100	4	72	107	1.84	1	.02	.9
Henderson	12,500	2	10	33	2.64	0		
Lexington	44,300	7	32	44	.99	2	.05	4.5
Newport	[1] 29,300	6	22	49	1.67	2	.07	4.1
Owensboro	21,800	6	13	31	1.42	1	.05	3.2
Paducah	20,300	7	17	32	1.58			
Louisiana:								
Alexandria	20,100	2	4	10	.50	0		
Baton Rouge	27,000	4	12	13	.48	0		
Lake Charles	13,800	2	5	4	.29	0		
Shreveport	56,200	3	20	14	.25	0		
Maine:								
Auburn	17,900	5	58	38	2.13	0		
Bangor	26,500	5	13	18	.68	0		
Bath	17,200	4	11	15	.87	0		
Biddeford	18,400	4	8	11	.60	0		
Lewiston	34,400	3	16	93	2.71	0		
Portland	74,200	7	131	33	.44	0		
Sanford	11,500	6	8	34	2.97	1	.09	2.9
South Portland	10,100			6	.60			
Waterville	14,200	2	16	6	.42	0		
Maryland:								
Cumberland	23,100	7	51	29	.88	0		
Frederick	12,000			190	15.88	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SCARLET FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Massachusetts:								
Adams	[1] 13,000	7	11	7	0.54	0		
Amesbury	10,100	4	10	28	2.77	0		
Arlington	22,100	7	41	60	2.71	0		
Athol	10,400			37	3.57	1	0.10	2.7
Attleboro	21,400	7	39	53	2.48	0		
Belmont	13,200	4	27	75	5.70	0		
Beverly	24,400	7	38	118	4.84	0		
Braintree	11,700	4	46	12	1.02	0		
Brockton	70,600	7	114	257	3.64	0		
Brookline	42,400	7	62	136	3.21	3	.07	2.2
Chelsea	48,200	7	98	88	1.83	0		
Chicopee	41,200	7	31	114	2.77	1	.02	.9
Clinton	[1] 13,000	7	22	66	5.09	1	.08	1.5
Danvers	11,900	6	25	15	1.26	0		
Dedham	11,500	5	32	70	6.09	0		
Easthampton	12,500	6	12	41	3.27	0		
Everett	43,200	7	89	168	3.89	1	.02	.6
Framingham	18,900	7	36	71	3.75	0		
Gardner	18,000	7	36	32	1.78	0		
Greenfield	17,800	7	35	84	4.72	1	.06	1.2
Haverhill	58,400	6	69	147	2.52	1	.02	.7
Holyoke	61,300	5	80	50	.82	1	.02	2.0
Lawrence	98,200	7	61	135	1.38	1	.01	.7
Leominster	20,700	7	41	403	19.42	2	.10	.5
Malden	51,300	7	131	336	6.55	6	.12	1.8
Marlboro	15,200	6	15	42	2.76	0		
Medford	46,400	7	87	269	5.79	1	.02	.4
Methuen	16,900	6	38	101	5.97	0		
Milford	13,700	7	29	45	3.29	0		
Milton	10,100			34	3.38	0		
Natick	11,400	7	28	30	2.63			
Newburyport	15,900	7	14	14	.88	0		
Newton	48,900	7	108	118	2.39	0		
North Adams	22,400	7	19	13	.58	0		
Northampton	23,100	7	49	31	1.34	0		
Northbridge	10,800	6	10	25	2.31	0		
Norwood	14,800	4	20	102	6.91	1	.07	1.0
Peabody	21,300	7	29	96	4.50	1	.05	1.0
Pittsfield	46,200	7	104	268	5.80	6	.13	2.2
Plymouth	13,500	5	13	19	1.41	0		
Quincy	54,900	6	105	161	2.93	0		
Salem	[1] 42,500	5	59	187	4.40	1	.02	.5
Saugus	12,200	5	44	42	3.45	0		
Southbridge	15,000	7	6	23	1.53	0		
Taunton	38,500	5	48	43	1.12	0		
Wakefield	13,800	4	39	61	4.43	1	.07	1.6
Waltham	32,300	7	67	143	4.42	3	.09	2.1
Watertown	25,400	7	31	201	7.90	2	.08	1.0
Webster	14,100	5	9	28	1.99	2	.14	7.1
West Springfield	15,400	4	29	41	2.66	1	.06	2.4
Westfield	19,800	7	42	112	5.66	3	.15	2.7
Winchester	11,000	7	19	44	3.99			
Winthrop	17,900	7	41	100	5.58	0		
Woburn	17,200	7	42	33	1.92	0		
Michigan:								
Ann Arbor	21,700	7	41	135	6.22	3	.14	2.2
Battle Creek	41,200	7	162	222	5.39	1	.02	.5
Bay City	48,700	7	96	109	2.24	1	.02	.9
Benton Harbor	13,600	7	37	59	4.32	0		
Hamtramck	75,700	4	40	34	.45	1	.01	2.9
Highland Park	67,600	7	169	218	3.22	3	.04	1.4
Holland	13,000	4	27	64	4.94	3	.23	4.7
Ironwood	17,100	7	99	145	8.48	1	.06	.7
Ishpeming	[1] 10,500	4	21	25	2.38	0		
Jackson	56,200	7	227	164	2.92	0		
Kalamazoo	52,700	7	265	203	3.85	1	.02	.5
Lansing	68,300	6	140	293	4.29	1	.01	.3
Marquette	13,300	6	39	37	2.79	1	.08	2.7
Monroe	13,700	2	1	9	.65	0		
Mount Clemens	10,300	1	47	106	10.28	1	.10	.9

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SCARLET FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Michigan—Continued.								
Muskegon	41,900	6	52	351	8.38	7	0.17	2.0
Muskegon Heights	13,100	1	39	138	10.50	4	.30	2.9
Pontiac	43,400	5	129	328	7.55	2	.05	.6
Port Huron	29,200	6	75	87	2.98	2	.07	2.3
River Rouge	12,400	1	60	20	1.61	0		
Saginaw	70,900	5	212	629	8.87	3	.04	.5
Sault Ste. Marie	[1] 12,100	7	17	27	2.23	0		
Minnesota:								
Albert Lea	10,900			24	2.20			
Austin	11,600	4	28	43	3.71			
Brainerd	10,100			14	1.39	0		
Faribault	12,100			50	4.15	0		
Hibbing	16,900	5	35	132	7.79	2	.12	1.5
Mankato	13,400	6	22	18	1.34	0		
St. Cloud	18,300	3	30	38	2.07	1	.05	2.6
Virginia	15,700			230	14.68	2	.13	.9
Winona	19,400	6	19	43	2.22	0		
Mississippi:								
Biloxi	12,300	3	2	6	.49	0		
Missouri:								
Hannibal	19,800	1	46	29	1.47			
Independence	12,500	1	51	146	11.65	2	.16	1.4
Jefferson City	15,600	1	18	38	2.44			
Joplin	[1] 29,900	6	25	48	1.61			
Moberly	13,700	4	35	69	5.04	0		
St. Joseph	78,300	7	120	78	1.00	2	.03	2.6
Springfield	41,700	4	35	48	1.15	1	.02	2.1
Montana:								
Anaconda	12,400	6	21	18	1.45	0		
Butte	42,600	4	36	52	1.22	2	.05	3.8
Great Falls	28,800	7	44	115	3.99	12	.42	10.4
Helena	12,000	2	48	95	7.89	0		
Nebraska:								
Grand Island	15,300	7	42	17	1.11			
Lincoln	59,900	7	97	57	.95	3	.05	5.3
North Platte	13,100	2	31	9	.69	0		
Nevada:								
Reno	12,500	7	15	34	2.71	0		
New Hampshire:								
Claremont	10,400	1	6	7	.67	0		
Concord	22,500	7	41	12	.53	1	.04	8.3
Dover	[1] 13,000	6	4	18	1.38	0		
Keene	11,700	5	25	82	6.99	3	.26	3.7
Manchester	82,200	6	63	559	6.80	5	.06	.9
Nashua	29,500	4	32	63	2.14	0		
Portsmouth	14,600	7	33	14	.96	1	.07	7.1
Rochester	10,000			3	.30	0		
New Jersey:								
Asbury Park	13,400	7	15	23	1.71	1	.07	4.3
Bayonne	86,600	5	76	86	.99	1	.01	1.2
Belleville	18,300	7	32	50	2.73			
Bloomfield	25,200	5	57	45	1.78	0		
Bridgeton	14,400	6	18	5	.35	0		
Carteret	13,500	1	30	15	1.11	0		
Clifton	33,200	4	80	43	1.29	0		
Collingswood	10,500			54	5.13	0		
Dover	10,900	1	8	16	1.47	0		
East Orange	58,300	7	72	105	1.80	1	.02	1.0
Englewood	12,400	7	32	16	1.29	0		
Garfield	23,600	3	19	60	2.54	2	.08	3.3
Gloucester City	13,400	3	12	4	.30	0		
Hackensack	19,300	7	33	51	2.64	0		
Harrison	16,300	2	32	27	1.66	0		
Hoboken	[1] 68,200	4	58	148	2.17	3	.04	2.0
Irvington	31,800	3	56	105	3.30	0		
Kearny	30,500	7	75	76	2.50	0		
Lodi	10,000			7	.70	0		
Long Branch	13,600	7	32	18	1.32	0		
Montclair	32,200	6	53	60	1.86	0		
Morristown	12,600	7	25	14	1.11	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SCARLET FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New Jersey—Continued								
New Brunswick	37,100	5	39	40	1.08	0		
Orange	35,000	4	63	38	1.09	0		
Passaic	68,000	4	41	152	2.23	9	0.13	5.9
Perth Amboy	46,200	7	85	37	.80			
Phillipsburg	18,300	4	21	10	.55	0		
Plainfield	31,000	7	47	201	6.48	0		
Rahway	11,800	7	27	17	1.44	0		
Red Bank	10,100			10	.99			
Ridgefield Park	10,500	1	33	34	3.25	0		
Rutherford	10,600	1	13	52	4.89	0		
Summit	11,400	4	23	6	.53	0		
Union	[1] 20,700	4	38	74	3.58			
West Hoboken	42,200	7	33	54	1.28	1	.02	1.9
West New York	37,500	7	36	72	1.92	1	.03	1.4
West Orange	17,700	7	43	30	1.69	0		
New York:								
Amsterdam	34,600	2	14	64	1.85	0		
Batavia	14,300	1	30	30	2.10	1	.07	3.3
Beacon	11,100	3	9	1	.09	0		
Binghamton	75,300	7	136	233	3.09	0		
Cohoes	[1] 23,000	7	22	67	2.91	3	.13	4.5
Corning	16,800	6	10	7	.42	0		
Cortland	14,100	7	36	3	.21	0		
Dunkirk	20,300	6	50	86	4.23	3	.15	3.5
Elmira	49,200	5	46	78	1.59	0		
Endicott	16,900	1	18	132	7.81	0		
Freeport	11,500			10	.87	0		
Geneva	15,700	5	31	8	.51	0		
Glens Falls	17,300	7	5	9	.52	0		
Gloversville	22,700	7	10	25	1.10	0		
Herkimer	11,800	4	20	13	1.10	0		
Hornell	15,700	6	12	16	1.02	0		
Hudson	11,800	5	12	10	.84	0		
Ilion	11,800	1	3	12	1.02			
Ithaca	18,000	7	38	36	2.00	0		
Jamestown	42,400	7	74	252	5.94	3	.07	1.2
Johnson City	10,800			102	9.43	0		
Kingston	27,000	6	20	94	3.48	1	.04	1.1
Lackawanna	19,500	6	41	111	5.70	1	.05	.9
Little Falls	13,400	7	13	17	1.27	1	.07	5.9
Lockport	22,400	4	64	155	6.92	9	.40	5.8
Middletown	19,900	7	30	20	1.01	0		
Mount Vernon	48,200	7	37	52	1.08	0		
New Rochelle	39,600	6	73	34	.86	0		
Newburgh	31,600	7	30	118	3.74	1	.03	.8
Niagara Falls	60,200	4	90	100	1.66	1	.02	1.0
North Tonawanda	17,100	4	36	80	4.67	2	.12	2.5
Ogdensburg	[1] 14,600			1	.07	0		
Olean	23,200	7	38	153	6.60	1	.04	.7
Oneonta	12,600	1	39	19	1.51	0		
Oswego	23,700	3	33	16	.67	0		
Peekskill	16,100	6	28	56	3.49	0		
Plattsburgh	[1] 10,900	7	30	21	1.93	2	.18	9.5
Poughkeepsie	38,300	7	48	341	8.91	0		
Rensselaer	10,900	2	12	50	4.60	0		
Rome	29,000	7	36	104	3.58	1	.03	1.0
Saratoga Springs	[1] 13,200	7	14	43	3.26	0		
Troy	[1] 72,000	7	50	50	.69	0		
Watertown	33,400	5	54	43	1.29	0		
Watervliet	16,500	4	17	13	.79	0		
White Plains	22,900	6	45	28	1.22	0		
North Carolina:								
Asheville	30,900	6	30	72	2.33	0		
High Point	22,300			48	2.15			
New Bern	12,200	1	2	1	.08	0		
Raleigh	29,800	7	41	26	.87	0		
Rocky Mount	14,700	5	9	19	1.29	2	.14	10.5
Salisbury	17,000	2	35	8	.47	0		
Wilmington	36,400	7	41	26	.71	2	.05	7.7
Winston-Salem	65,800	6	56	389	5.91	2	.03	.5

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SCARLET FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
North Dakota:								
Fargo	25,600	4	33	107	4.18	2	0.08	1.9
Ohio:								
Alliance	24,400	2	33	167	6.85	1	.04	.6
Ashtabula	24,700	7	26	69	2.80	2	.08	2.9
Barberton	22,500	6	34	29	1.29	1	.04	3.4
Bellaire	16,000	4	41	24	1.50	0		
Bucyrus	11,500	4	31	29	2.52	0		
Cambridge	13,900	5	11	38	2.74	1	.07	2.6
Chillicothe	16,400	7	52	26	1.58	0		
Cleveland Heights	20,900	2	125	51	2.44	0		
Conneaut	10,400	1	15	19	1.82	0		
Cuyahoga Falls	13,100	3	19	17	1.30	0		
East Cleveland	35,700	7	40	47	1.32	0		
East Liverpool	21,900	2	41	134	6.12	2	.09	1.5
East Youngstown	15,300	4	28	19	1.24	2	.13	10.5
Elyria	23,300	7	20	82	3.52	0		
Findlay	18,000	7	14	77	4.27	0		
Fostoria	10,100	3	17	31	3.06	1	.10	3.2
Fremont	13,600	7	21	63	4.62	0		
Hamilton	41,900	5	36	58	1.38	1	.02	1.7
Kenmore	18,200	3	30	51	2.80	0		
Lakewood	54,000	4	36	61	1.13	1	.02	1.6
Lancaster	15,900	2	12	73	4.60			
Lima	45,700	7	77	75	1.64	0		
Lorain	41,400	6	100	224	5.41	2	.05	.9
Mansfield	31,100	7	16	12	.39	0		
Marietta	15,200	2	13	9	.59	0		
Martins Ferry	15,300	5	35	21	1.37	0		
Middletown	29,700	7	29	20	.67	2	.07	10.0
New Philadelphia	11,800	2	27	36	3.06	0		
Newark	30,300	6	55	44	1.45	0		
Niles	16,100	4	49	39	2.42	2	.12	5.1
Norwood	29,000	7	24	31	1.07	1	.03	3.2
Piqua	15,800	7	17	7	.44	0		
Salem	10,900	4	59	63	5.76	0		
Sandusky	24,200	7	23	129	5.32	3	.12	2.3
Springfield	67,300	7	87	437	6.49	6	.09	1.4
Steubenville	31,300	7	28	42	1.34	1	.03	2.4
Warren	33,300	7	61	62	1.86	0		
Zanesville	30,300	7	39	57	1.88	1	.03	1.8
Oklahoma:								
Chickasha	[1] 10,200	2	5	10	.98	0		
Muskogee	31,800	2	67	34	1.07	0		
Sapulpa	13,900			9	.65	0		
Oregon:								
Astoria	16,100	7	9	5	.31	0		
Eugene	11,100	7	13	32	2.88	1	.09	3.1
Pennsylvania:								
Allentown	89,700			163	1.82	0		
Altoona	65,300	7	62	76	1.16	3	.05	3.9
Ambridge	16,200	4	22	31	1.91	1	.06	3.2
Beaver Falls	13,100	4	25	115	8.79	0		
Berwick	14,000	2	46	104	7.42			
Bethlehem	61,200	6	112	141	2.30	0		
Braddock	21,600	7	21	46	2.13	0		
Bradford	15,700	6	20	12	.76			
Butler	25,000	7	50	27	1.08	0		
Canonsburg	13,000	2	5	53	4.09	1	.08	1.9
Carbondale	19,400	7	12	13	.67	0		
Carlisle	11,300	7	7	97	8.60	0		
Carnegie	12,200	3	7	25	2.05	0		
Carrick	12,500	4	26	20	1.60	0		
Chambersburg	13,800	7	8	51	3.69	0		
Charleroi	12,400	6	22	7	.56	0		
Chester	66,600	5	59	134	2.01	2	.03	1.5
Clairton	13,700	1	64	13	.95	0		
Coatesville	16,100	6	27	7	.43	0		
Connellsville	14,200	6	38	50	3.51	0		
Dickson	11,800					1	.08	
Donora	16,500	4	8	33	2.00	0		
Dubois	14,200	3	17	57	4.02			

[1] Population Jan 1, 1920.

Reported prevalence for the year 1924—Continued

SCARLET FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Pennsylvania—Continued								
Duquesne	20,500	2	11	64	3.12	2	0.10	3.1
Ellwood City	11,300			13	1.15	0		
Farrell	18,100	3	28	43	2.37	3	.17	7.0
Greensburg	15,900			32	2.02	0		
Harrisburg	82,300	7	113	487	5.92	2	.02	.4
Hazleton	35,400	7	27	16	.45	1	.03	6.2
Homestead	21,300	7	20	27	1.27			
Jeannette	11,500	4	15	54	4.68	0		
Kingston	17,500	1	23	20	1.14			
Lancaster	55,900	3	49	133	2.38	2	.04	1.5
Lansford	10,200	4	4	1	.10	0		
Lebanon	25,100	4	28	232	9.24	10	.40	4.3
Lewistown	10,500	3	7	51	4.84	1	.09	2.0
McKees Rocks	17,900	3	20	55	3.08	0		
McKeesport	48,700	7	36	18	.37	0		
Monessen	20,700	6	33	16	.77	0		
Mount Carmel	[1] 17,500	2	13	3	.17	0		
Nanticoke	24,300	6	26	6	.25	0		
New Castle	49,000	7	75	166	3.39	0		
New Kensington	14,000	2	11	7	.50	0		
Norristown	34,400	7	36	24	.70	0		
North Braddock	16,400	7	23	60	3.67	2	.12	3.3
Oil City	22,900	7	36	102	4.45			
Olyphant	11,000	5	2	6	.54			
Phoenixville	[1] 10,500	3	8	6	.57	0		
Pittston	19,500	7	13	4	.20	0		
Plymouth	[1] 16,500	7	11	10	.61	0		
Pottstown	18,300	1	8	7	.38	0		
Sharon	24,400	5	41	24	.98	0		
Shenandoah	[1] 24,700	6	32	3	.12	0		
Steelton	[1] 13,400	7	20	29	2.16	0		
Sunbury	16,600	6	23	25	1.50			
Swissvale	12,500	4	54	198	15.79	0		
Uniontown	[1] 15,700	4	58	89	5.67	0		
Vandergrift	10,600			27	2.56	0		
Warren	15,000	7	14	70	4.68	1	.07	1.4
Washington	22,700	7	44	74	3.26	3	.13	4.1
West Chester	[1] 11,700	7	17	15	1.28	0		
Wilkes-Barre	77,000	3	101	65	.84	0		
Windber	10,100			16	1.58			
Woodlawn	17,700	4	16	19	1.07	0		
York	48,800	3	46	76	1.56	0		
Rhode Island:								
Central Falls	24,800	4	17	53	2.13	0		
Cranston	33,300	7	38	183	5.50	5	.15	2.7
Cumberland	[1] 10,100	2	2			1	.10	
Newport	31,700	6	70	31	.98	0		
Pawtucket	70,100	6	48	200	2.85	1	.01	.5
Warwick	[1] 13,500			88	6.53	0		
Westerly	10,500	1	3	45	4.27			
South Carolina:								
Columbia	40,300	4	25	6	.15			
Greenville	26,600	6	22	13	.49	0		
Sumter	10,200	1	8	3	.30			
South Dakota:								
Aberdeen	16,200			61	3.77			
Sioux Falls	30,400	5	58	77	2.54	0		
Tennessee:								
Knoxville	92,200	4	75	148	1.61	3	.03	2.0
Texas:								
Amarillo	17,400	6	33	42	2.42			
Cleburne	13,900	4	2	20	1.44	0		
Galveston	47,600	7	10	14	.29	0		
Paris	16,800	2	10	26	1.55	1	.06	3.8
Port Arthur	30,000	1	10	35	1.17	0		
Waco	43,000	6	21	30	.70	0		
Utah:								
Ogden	36,100	7	22	13	.36	0		
Provo	11,000	1	13	8	.72	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SCARLET FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Vermont:								
Barre	[1] 10,000	6	20	35	3.50	0		
Bennington	10,600	1	6	12	1.13	0		
Burlington	23,900	6	27	40	1.68	2	0.08	5.0
Virginia:								
Alexandria	18,400	6	10	20	1.09	0		
Charlottesville	11,100	3	2	9	.81	0		
Danville	22,700	7	30	34	1.50	0		
Lynchburg	30,300	6	30	28	.92	0		
Newport News	43,400	6	27	29	.67	0		
Petersburg	35,900	7	30	12	.34	0		
Portsmouth	58,200	7	32	13	.22	0		
Roanoke	56,900	5	54	90	1.58	0		
Washington:								
Aberdeen	16,000	6	6	26	1.62	0		
Bellingham	26,100	7	26	24	.92	2	.08	8.3
Bremerton	11,700	1	26	7	.60	0		
Everett	29,000	7	24	18	.62	0		
Vancouver	14,200	6	22	23	1.62	1	.07	4.3
Walla Walla	[1] 15,500	3	2	7	.45	0		
Yakima	22,200	7	20	31	1.40	2	.09	6.5
West Virginia:								
Charleston	47,300	6	48	33	.70	2	.04	6.1
Clarksburg	29,900	2	56	85	2.84	1	.03	1.2
Fairmont	20,400	7	49	31	1.52			
Martinsburg	13,400	5	15	6	.45	0		
Morgantown	13,500	2	8	20	1.48	0		
Wheeling	[1] 56,200	7	41	170	3.02	3	.05	1.8
Wisconsin:								
Appleton	20,900	5	32	48	2.30	1	.05	2.1
Ashland	11,300	5	6	112	9.88			
Beloit	24,100	7	43	94	3.89	1	.04	1.1
Eau Claire	22,100	7	48	237	10.72	3	.14	1.3
Fond du Lac	25,600	7	37	170	6.65	2	.08	1.2
Green Bay	33,700	7	46	131	3.89	3	.09	2.3
Janesville	20,300	6	69	29	1.43	0		
Kenosha	48,900	7	98	82	1.68	1	.02	1.2
La Crosse	30,400	7	70	72	2.37	0		
Madison	45,200	7	133	175	3.87	2	.04	1.1
Manitowoc	19,700	3	27	41	2.08	0		
Marinette	13,600	7	39	11	.81	0		
Oshkosh	33,200	7	44	37	1.11	1	.03	2.7
Racine	66,000	5	258	482	7.30	6	.04	1.2
Sheboygan	33,100	6	87	335	10.13	7	.21	2.1
Superior	39,700	6	101	96	2.42	3	.08	3.1
Wausau	19,900	7	38	285	14.33	4	.20	1.4
West Allis	17,000	4	26	42	2.47	1	.06	2.4
Wyoming:								
Casper	20,000			142	7.11	6	.30	4.2

SEPTIC SORE THROAT

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
California:						
Glendale	20,000			1	0.05	
Santa Monica	18,700			1	.05	
Connecticut:						
Fairfield	14,000			1	.07	
Greenwich	24,700	1	0.04	0		
Manchester	20,600	1	.05	0		
Meriden	36,000	3	.08			
Norwich	23,000	2	.09	1	.04	2.0

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SEPTIC SORE THROAT—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Georgia:						
Savannah	91,200			2	0.02	
Valdosta	12,200	1	0.08			
Idaho:						
Pocatello	17,700	11	.62	1	.06	11.0
Illinois:						
Champaign	17,900	1	.06	0		
Elgin	28,100	4	.04	0		
Indiana:						
Connersville	12,200	1	.08	0		
East Chicago	43,800			2	.05	
Iowa:						
Boone	13,400	1	.07	0		
Council Bluffs	39,300			1	.03	
Sioux City	82,100	8	.10			
Kansas:						
Topeka	53,200			1	.02	
Kentucky:						
Paducah	20,300	2	.10			
Massachusetts:						
Belmont	13,200	1	.08	0		
Braintree	11,700	1	.09	0		
Clinton	[1] 13,000	1	.08	0		
Haverhill	58,400	2	.03	0		
Lawrence	98,200	1	.01	0		
Leominster	20,700			1	.05	
Medford	46,400	3	.06	0		
Milton	10,100	3	.30	0		
Natick	11,400	5	.44			
Norwood	14,800			2	.14	
Palmer	10,500			1	.10	
Salem	[1] 42,500	2	.05	1	.02	2.0
Wakefield	13,800	3	.22	0		
Watertown	25,400	1	.04			
Webster	14,100	1	.07	0		
West Springfield	15,400	2	.13	1	.06	2.0
Winthrop	17,900	1	.06	0		
Michigan:						
Holland	13,000	7	.54	0		
Kalamazoo	52,700	10	.19	1	.02	10.0
Muskegon	41,900	2	.05	0		
Pontiac	43,400	129	2.97	0		
Port Huron	29,200	30	1.03	0		
Saginaw	70,900			4	.06	
Minnesota:						
Virginia	15,700			1	.06	
Mississippi:						
Beloxi	12,300	4	.33	0		
Missouri:						
Independence	12,500			2	.16	
Moberly	13,700	4	.29	0		
Montana:						
Helena	12,000	3	.25	0		
Nebraska:						
Lincoln	59,900			1	.02	
New Jersey:						
West New York	37,500			1	.03	
New York:						
Amsterdam	34,600	29	.84	0		
Beacon	11,100	4	.36	0		
Binghamton	75,300	3	.04	0		
Cohoes	[1] 23,000	45	1.96	0		
Cortland	14,100	25	1.77	0		
Dunkirk	20,300	19	.94	0		
Freeport	11,500	1	.09	0		
Hornell	15,700	1	.06	0		
Jamestown	42,400	9	.21	0		
Lackawanna	19,500	15	.77	0		
Middletown	19,900	2	.10	0		
Mount Vernon	48,200	21	.44	0		
New Rochelle	39,600	1	.03	0		
Newburgh	31,600	1	.03	0		
Niagara Falls	60,200	1	.02	0		
Oswego	23,700	1	.04	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SEPTIC SORE THROAT—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued.						
Peekskill	16,100	1	0.06	0		
Rome	29,000			1	0.03	
Watertown	33,400	2	.06	0		
North Carolina:						
High Point	22,300	14	.63			
Winston-Salem	65,800	1	.02	0		
Ohio:						
East Cleveland	35,700	1	.03	0		
Fostoria	10,100	1	.10	0		
Hamilton	41,900	31	.74	0		
Steubenville	31,300			1	.03	
Warren	33,300			1	.03	
Oklahoma:						
Muskogee	31,800			1	.03	
Oregon:						
Eugene	11,100	3	.27	0		
Pennsylvania:						
Uniontown	[1] 15,700	1	.06			
Vandergrift	10,600	3	.28	0		
Rhode Island:						
Cranston	33,300	8	.24	0		
Utah:						
Ogden	36,100			1	.03	
Vermont:						
Burlington	23,900			2	.08	
Virginia:						
Alexandria	18,400	3	.16	0		
Charlottesville	11,100	2	.18	0		
Washington:						
Aberdeen	16,000			1	.06	
West Virginia:						
Martinsburg	13,400			1	.07	
Morgantown	13,500	3	.22	2	.15	1.5
Wisconsin:						
Madison	45,200			1	.02	
Oshkosh	33,200			1	.03	
West Allis	17,000			1	.06	

SMALLPOX

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston	20,000	4	5	8	0.40	0		
Dothan	14,000	1	12	3	.21	0		
Mobile	65,100	7	124	8	.12	0		
Arizona:								
Phoenix	35,300			6	.17	1	0.03	16.7
Tucson	26,000	3	3			2	.08	
Arkansas:								
Fort Smith	31,100	3	8	2	.06	0		
Little Rock	72,600	6	10	17	.23	0		
California:								
Alameda	31,300	5	4	1	.03	0		
Alhambra	11,000	1	24	65	5.92	0		
Bakersfield	22,900	7	2	23	1.01	1	.04	4.3
Berkeley	64,600	7	4	2	.03	0		
Chico	11,900	1	1	2	.17			
Eureka	13,400	6	1	20	1.49	0		
Fresno	56,700	5	9	102	1.80	11	.19	10.8
Glendale	20,000	4	4	44	2.20	0		
Long Beach	83,100	4	11	643	7.74	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SMALLPOX—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
California—Continued.								
Modesto	11,700	1	44	2	0.17	0		
Pasadena	55,100	7	8	110	2.00	0		
Pomona	15,000	2	4	112	7.45	0		
Riverside	21,300	5	21	30	1.41	0		
Sacramento	71,100	7	10	115	1.62	1	0.01	0.9
San Bernardino	22,100	7	3	374	16.96	0		
San Diego	96,400	4	5	130	1.35	1	.01	.8
San Jose	42,900	2	1	8	.19	0		
Santa Ana	18,800	5	1	11	.59	0		
Santa Barbara	23,200	4	5	8	.34	0		
Stockton	46,100	4	26	5	.11	0		
Venice	13,800	4	1	15	1.09	0		
Connecticut:								
New Britain	66,500	7	1	47	.71	5	.08	10.6
Stonington	10,700			4	.37	0		
Florida:								
Miami	40,700	3	14	4	.10	0		
Orlando	14,800			9	.61			
St. Petersburg	26,500	1	21	56	2.12	0		
West Palm Beach	12,900	1	1	3	.23	0		
Georgia:								
Albany	13,000	2	4	4	.31	0		
Athens	18,600	2	3	23	1.24	0		
Brunswick	16,400	7	8	1	.06	0		
Lagrange	22,300	1	10	35	1.57	0		
Macon	57,300	7	22	8	.14	0		
Rome	13,800	5	2	6	.44	0		
Savannah	91,200	5	22	17	.19	0		
Valdosta	12,200			3	.25			
Idaho:								
Boise	22,900	3	6	56	2.44			
Pocatello	17,700	3	10	4	.23	0		
Illinois:								
Alton	26,400	4	8	74	2.80			
Centralia	13,800	3	3	1	.07	0		
Champaign	17,900	6	9	2	.11	0		
Chicago Heights	21,700	3	1	2	.09	0		
Danville	36,400	6	9	2	.05	0		
Decatur	49,400			3	.06	0		
East Moline	11,200					1	.09	
East St. Louis	70,600			48	.68	0		
Evanston	42,700	7	1	5	.12	0		
Freeport	20,500	2	3	9	.44	0		
Galesburg	24,600			3	.12	0		
Jacksonville	15,900	3	1	5	.31	0		
Joliet	40,200	2	1	3	.07			
Kewanee	19,400	3	1	5	.26	0		
Moline	33,300	3	6	21	.63	4	.12	19.0
Murphysboro	12,200	1	20	1	.08	0		
Oak Park	49,300	7	4	3	.06	0		
Quincy	37,500	7	18	3	.08	0		
Rock Island	39,200	5	19	42	1.07	3	.08	7.1
Springfield	62,700	3	3	7	.11	0		
Urbana	11,100	5	2	1	.09			
Waukegan	20,700	4	12	113	5.46	0		
Indiana:								
Anderson	33,100	3	30	24	.72	0		
Connersville	12,200			48	3.92	0		
Crawfordsville	10,500	6	1	2	.19	0		
East Chicago	43,800	5	13	23	.52	0		
Elkhart	26,600	2	25	11	.41	0		
Elwood	[1] 10,800	5	13	9	.83	0		
Fort Wayne	95,700	4	59	124	1.30	0		
Frankfort	12,800	4	5	5	.39	0		
Hammond	48,500	5	23	61	1.26	0		
Huntington	15,600	3	2	21	1.35	0		
Kokomo	35,700	5	14	7	.20	0		
La Fayette	23,600	4	3	8	.34	0		
La Porte	17,100	4	2	5	.29	0		
Logansport	22,900	4	10	69	3.02	0		
Marion	25,800	5	34	52	2.01	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SMALLPOX—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Indiana—Continued.								
Michigan City	19,700	3	5	17	0.86	0		
Mishawaka	16,400	7	3	20	1.22	0		
Muncie	41,400	4	17	376	9.08	1	0.02	0.3
New Albany	[1] 23,000	4	4	2	.09	0		
Newcastle	16,500	6	6	4	.24	0		
Richmond	29,000	5	10	27	.93	0		
South Bend	78,500	6	41	22	.28	0		
Terre Haute	70,300	5	36	91	1.30	0		
Wabash	10,400	1	11	38	3.65	0		
Iowa:								
Burlington	[1] 24,100	7	20	2	.08	0		
Cedar Rapids	51,500	3	13	3	.06	0		
Clinton	[1] 24,200	3	16	85	3.52			
Council Bluffs	39,300	3	35	13	.33	1	.03	7.7
Davenport	62,600	4	60	318	5.08			
Dubuque	39,400	4	14	3	.08	0		
Fort Dodge	19,700	3	37	1	.05			
Fort Madison	13,500			1	.07	0		
Marshalltown	16,800	2	5	1	.06			
Mason City	24,000	4	28	801	33.35	6	.25	.7
Muscatine	16,100	4	8	3	.19	0		
Ottumwa	23,500			4	.17	0		
Sioux City	82,100			8	.10			
Waterloo	40,600			44	1.08	1	.02	2.3
Kansas:								
Coffeyville	13,800	6	11	4	.29	0		
Eldorado	14,600	2	4	11	.75	0		
Emporia	12,300	1	8	36	2.92	0		
Hutchinson	26,500	2	7	8	.30	0		
Lawrence	12,500	6	7	3	.24	0		
Leavenworth	[1] 16,900	7	14	1	.06			
Parsons	17,700	2	8	5	.28	0		
Pittsburg	19,500	2	7	60	3.08	0		
Topeka	53,200			5	.09	0		
Wichita	81,200			253	3.11	0		
Kentucky:								
Covington	58,100	4	16	16	.28	0		
Lexington	44,300	7	6	5	.11	0		
Newport	[1] 29,300	5	5	4	.14	0		
Owensboro	21,800	4	5	3	.14	0		
Louisiana:								
Alexandria	20,100	2	19	17	.85	0		
Baton Rouge	27,000	4	7	7	.26	0		
Shreveport	56,200			96	1.71	0		
Maine:								
Bangor	26,500	3	0	3	.11	0		
Maryland:								
Cumberland	33,100	7	9	2	.06	0		
Massachusetts:								
Brockton	70,600	7	0	3	.04	0		
Taunton	38,500	5	0	4	.10	2	.05	50.0
Michigan:								
Ann Arbor	21,700	7	15	24	1.11	0		
Battle Creek	41,200	7	24	33	.80	0		
Bay City	48,700	7	3	37	.76	0		
Benton Harbor	13,600	7	2	45	3.30	0		
Cadillac	10,400	2	1	1	.10	0		
Hamtramck	75,700	3	8	34	.45	3	.04	8.8
Highland Park	67,600	6	46	177	2.62	10	.15	5.6
Holland	13,000	5	1	1	.08	0		
Ironwood	17,100	5	4	8	.47	0		
Jackson	56,200	5	26	98	1.74	1	.02	1.0
Kalamazoo	52,700	5	12	101	1.92	0		
Lansing	68,300	3	22	69	1.01	0		
Marquette	13,300	6	15	1	.08	0		
Monroe	13,700			8	.58	0		
Mount Clemens	10,300	1	2	13	1.26	2	.19	15.4
Pontiac	43,400	3	9	61	1.40	1	.02	1.6
Port Huron	29,200	4	3	12	.41	2	.07	16.7
River Rouge	12,400	1	50	23	1.85	1	.08	4.3
Saginaw	70,900	5	11	19	27	0		
Sault Ste. Marie	[1] 12,100	4	3	4	.33	1	.08	25.0

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SMALLPOX—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Minnesota:								
Austin	11,600	2	3	2	0.17			
Faribault	12,100	4	24	1	.08			
Hibbing	16,900	4	5	5	.30	0		
Mankato	13,400	4	5	72	5.36	0		
St. Cloud	18,300	3	10	9	.49	0		
Virginia	15,700	1	1	41	2.62	4	0.26	09.8
Winona	19,400	6	8			1	.05	
Missouri:								
Hannibal	19,800	1	5	5	.25	0		
Jefferson City	15,600			2	.13			
Joplin	29,900	4	11	3	.10			
Springfield	41,700	4	82	6	.14	0		
Montana:								
Anaconda	12,400	6	1	12	.97	0		
Butte	42,600	6	20	257	6.03	1	.02	.4
Great Falls	28,800	5	59	32	1.11	0		
Helena	12,000	2	61	9	.75	0		
Nebraska:								
Grand Island	15,300	7	79	2	.13			
Lincoln	59,900			17	.28	1	.02	5.9
North Platte	13,100			3	.23	0		
Nevada:								
Reno	12,500	7	4	1	.08	0		
New Hampshire:								
Claremont	10,400	1	0	1	.10	0		
New Jersey:								
Belleville	18,300	6	0	4	.22			
Carteret	13,500	1	0	1	.07	0		
Dover	10,900	1	0	1	.09	0		
East Orange	58,300	7	0	1	.02	0		
Gloucester City	13,400	3	0	1	.07	0		
Hoboken	[1] 68,200	5	0	1	.01	0		
Montclair	32,200	7	0	1	.03	0		
Plainfield	31,000	7	0	1	.03	0		
New York:								
Amsterdam	34,600	4	0	99	2.86	0		
Binghamton	75,300	7	1	4	.05	0		
Cohoes	[1] 23,000	7	0	1	.04			
Dunkirk	20,300	7	0	26	1.28	0		
Elmira	49,200	5	0	4	.08	1	.02	25.0
Endicott	16,900	1	0	1	.06	0		
Gloversville	22,700	7	0	6	.26	0		
Ilion	11,800	1	0	3	.25			
Jamestown	42,400	7	11	1	.02	0		
Johnson City	10,800			125	11.56	0		
Niagara Falls	60,200	5	9	2	.03	0		
Oneonta	12,600	1	0	5	.40	0		
Rensselaer	10,900	2	2	1	.09	0		
Watervliet	16,500	4	1	1	.06	0		
North Carolina:								
Asheville	30,900	7	3	67	2.17	0		
Greensboro	45,500			133	2.92	2	.04	1.5
High Point	22,300			214	9.61			
Raleigh	29,800	7	12	165	5.54	1	.03	.6
Salisbury	17,000	2	9	17	1.00	0		
Wilmington	36,400	6	4	28	.77	0		
Winston-Salem	65,800			121	1.84	2	.03	1.7
North Dakota:								
Fargo	25,600	4	11	28	1.09	0		
Ohio:								
Alliance	24,400	3	16	1	.04	0		
Ashtabula	24,700	4	1	2	.08	0		
Barberton	22,500	6	3	15	.67	0		
Bellaire	16,000	4	0	1	.06	0		
Bucyrus	11,500	3	4	22	1.91	3	.26	13.6
Cambridge	13,900	5	1	95	6.85	0		
Chillicothe	16,400	7	13	6	.36	0		
Cleveland Heights	20,900	2	0	2	.10	0		
Cuyahoga Falls	13,100	3	0	1	.08	0		
East Cleveland	35,700	7	5	5	.14	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

SMALLPOX—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio—Continued								
East Youngstown	15,300	4	7	26	1.69	0		
Elyria	23,300	7	7	2	.09	0		
Findlay	18,000	7	6	3	.17	0		
Fostoria	10,100	3	5	1	.10	0		
Fremont	13,600	4	2	11	.81	0		
Hamilton	41,900			244	5.82	0		
Kenmore	18,200	3	1	20	1.10			
Lakewood	54,000	4	2	14	.26	0		
Lancaster	15,900	2	8	9	.57			
Lima	45,700	3	4	143	3.13	0		
Lorain	41,400	4	3	1	.02	0		
Martins Ferry	15,300	6	1	1	.07	0		
Middletown	29,700			42	1.41	0		
New Philadelphia	11,800	2	10	1	.08	0		
Newark	30,300	4	2	4	.13	0		
Niles	16,100	4	1	28	1.74	0		
Norwood	29,000	7	3	4	.14	0		
Piqua	15,800	3	2	2	.13	0		
Springfield	67,300	5	23	6	.09	0		
Steubenville	31,300	4	5	77	2.46	0		
Warren	33,300	7	11	13	.39	1	0.03	7.7
Zanesville	30,300	7	25	163	5.38	0		
Oklahoma:								
Muskogee	31,800	3	69	22	.69	0		
Sapulpa	13,900			10	.72	0		
Oregon:								
Astoria	16,100	7	18	10	.62	0		
Eugene	11,100	7	13	9	.81	0		
Pennsylvania:								
Altoona	65,300	7	2	1	.02	0		
Ambridge	16,200			1	.06	0		
Braddock	21,600	7	2	3	.14	0		
Chester	66,600	5	0	12	.18	0		
Clairton	13,700	1	2	2	.15	0		
Coatesville	16,100	7	1	1	.06	0		
Donora	16,500	4	0	22	1.33	0		
Duquesne	20,500	3	0	1	.05	0		
Farrell	18,100	5	3	3	.17	0		
Harrisburg	82,300	7	2	1	.01	0		
Jeannette	11,500	4	1	1	.09	0		
McKeesport	48,700	7	0	1	.02	0		
Monessen	20,700	6	0	1	.05	0		
Nanticoke	24,300	6	0	1	.04	0		
New Castle	49,000	7	0	2	.04	0		
New Kensington	14,000	2	0	1	.07	0		
Oil City	22,900	7	0	1	.04			
Pittston	19,500					4	.20	
Sharon	24,400	5	0	4	.16	0		
Swissvale	12,500	4	0	1	.08	0		
Vandergrift	10,600			1	.09	0		
Washington	22,700	7	0	1	.04	0		
Wilkes-Barre	77,000	3	0	3	.04	0		
Woodlawn	17,700	4	1	12	.68	0		
South Carolina:								
Columbia	40,300	5	9	32	.79			
Greenville	26,600	6	20	97	3.65	0		
Sumter	10,200	1	1	1	.10			
South Dakota:								
Aberdeen	16,200			3	.19			
Sioux Falls	30,400	7	48	7	.23	0		
Tennessee:								
Knoxville	92,200			631	6.85	2	.02	.3
Texas:								
Amarillo	17,400	6	12	4	.23			
Galveston	47,600	7	5	1	.02	0		
Paris	16,800	2	6	1	.06	0		
Port Arthur	30,000			1	.03	0		
Texarkana	12,300	6	22	12	.98	0		
Tyler	12,900	3	3	51	3.96	0		
Waco	43,000	3	15	17	.40	1	.02	5.9

[1] Population Jan. 1, 1920

Reported prevalence for the year 1924—Continued

SMALLPOX—Continued

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Utah:								
Ogden	36,100	3	13	36	1.00	0		
Provo	11,000	1	0	1	.09	0		
Vermont:								
Burlington	23,900	6	0	12	.50	0		
Virginia:								
Alexandria	18,400	6	2	2	.11	0		
Charlottesville	11,100	3	0	7	.63	0		
Danville	22,700	7	13	4	.18	0		
Petersburg	35,000	7	2	2	.06	0		
Roanoke	56,900	5	37	2	.04	0		
Washington:								
Aberdeen	16,000	3	9	43	2.68	9	0.56	20.9
Bellingham	26,100	3	9	7	.27	0		
Everett	29,000	5	39	69	2.38	0		
Hoquiam	10,900	1	150	60	5.49	0		
Vancouver	14,200	6	14	8	.56	0		
Walla Walla	[1] 15,500	3	3	3	.19	0		
Yakima	22,200	4	12	15	.68	0		
West Virginia:								
Charleston	47,300	7	23	128	2.71	0		
Fairmont	20,400	7	1	4	.20			
Wisconsin:								
Appleton	20,900	5	1	42	2.01	0		
Ashland	11,300	5	8	3	.26			
Beloit	24,100	7	9	1	.04	0		
Eau Claire	22,100	7	21	20	.90	0		
Fond du Lac	25,600	4	3	3	.12	0		
Janesville	20,300	3	5	9	.44	0		
Kenosha	48,900	5	11	170	3.48	1	.02	.6
La Crosse	30,400			35	1.15	0		
Madison	45,200	6	47	10	.22	1	.02	10.0
Manitowoc	19,700	4	10	2	.10	0		
Oshkosh	33,200	5	25	5	.15	0		
Racine	66,000	4	20	90	1.36	0		
Sheboygan	33,100	6	2	4	.12	0		
Superior	[1] 39,700			126	3.18	1	.03	.8
Wyoming:								
Casper	20,000			31	1.55	0		

TUBERCULOSIS (ALL FORMS)

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston	20,000			19	0.95	
Florence	12,300	15	1.22	10	.81	1.5
Mobile	65,100			67	1.03	
Montgomery	46,000			42	.91	
Arizona:						
Douglas	11,500			25	2.17	
Phoenix	35,300			434	12.30	
Arkansas:						
Fort Smith	31,100	43	1.38	38	1.22	1.1
Little Rock	72,600			106	1.46	
California:						
Alameda	31,300	28	.89	12	.38	2.3
Bakersfield	22,900			52	2.27	
Berkeley	64,600	93	1.44	31	.48	3.0
Eureka	13,400	64	4.77	30	2.24	2.1
Fresno	56,700			33	.58	
Glendale	20,000	32	1.60	26	1.30	1.2
Long Beach	83,100	58	.70	48	.58	1.2
Modesto	11,700			19	1.63	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
California—Continued.						
Pasadena	55,100	97	1.76	74	1.34	1.3
Pomona	15,000	27	1.80	12	.80	2.2
Richmond	21,500	6	.28	1	.05	6.0
Riverside	21,300	98	4.61	65	3.06	1.5
Sacramento	71,100			102	1.43	
San Bernardino	22,100			109	4.94	
San Diego	96,400			162	1.68	
Santa Ana	18,800			20	1.07	
Santa Barbara	23,200	38	1.64	28	1.21	1.4
Santa Monica	18,700			23	1.23	
Stockton	46,100	90	1.95	51	1.11	1.8
Colorado:						
Boulder	11,700			28	2.40	
Greeley	12,200			15	1.22	
Pueblo	43,700	66	1.51	41	.94	1.6
Trinidad	11,000			17	1.55	
Connecticut:						
Bristol	23,900	32	1.34	10	.42	3.2
Fairfield	14,000	23	1.65	9	.65	2.6
Greenwich	24,700	42	1.70	13	.53	3.2
Manchester	20,600	21	1.02	14	.68	1.5
Meriden	36,000	49	1.36			
Milford	12,900			3	.23	
New Britain	66,500	79	1.19	33	.50	2.4
New London	28,500	22	.77	6	.21	3.7
Norwich	23,000	41	1.78	32	1.39	1.3
Stonington	10,700			2	.19	
Florida:						
Miami	40,700			66	1.62	
Tampa	67,600			88	1.30	
West Palm Beach	12,900	9	.70	5	.39	1.8
Georgia:						
Brunswick	16,400			18	1.10	
Lagrange	22,300	61	2.73	31	1.39	2.0
Macon	57,300			77	1.34	
Savannah	91,200			148	1.62	
Illinois:						
Alton	26,400	107	4.05			
Berwyn	18,000	13	.72	9	.50	1.4
Blue Island	12,900	5	.39	4	.31	1.2
Champaign	17,900	31	1.74	11	.62	2.8
Chicago Heights	21,700			1	.05	
Cicero	59,100	68	1.15	19	.32	3.6
Danville	36,400	33	.91	25	.69	1.3
Decatur	49,400	140	2.83	16	.32	8.7
East St. Louis	70,600	69	.98	61	.86	1.1
Elgin	28,100	32	1.14	5	.18	6.4
Freeport	20,500	14	.68	10	.48	1.4
Galesburg	24,600			22	.48	
Jacksonville	15,900	57	3.59	42	2.64	1.4
Joliet	40,200	34	.85			
Kewanee	19,400	15	.77	11	.57	1.4
Mattoon	14,500	7	.48	0		
Maywood	13,900	14	1.01	0		
Moline	33,300	103	3.09	10	.30	10.3
Murphysboro	12,200	24	1.97	9	.74	2.7
Oak Park	49,350	38	.77	28	.57	1.4
Pekin	13,100			3	.23	
Peoria	80,600			57	.71	
Quincy	37,500	24	.64	13	.35	1.8
Rock Island	39,200	35	.89	8	.20	4.4
Rockford	74,400	110	1.48	33	.44	3.3
Springfield	62,700	65	1.04	33	.53	2.0
Streator	15,000			10	.67	
Urbana	11,100	3	.27			
Waukegan	20,700	26	1.26	0		
Indiana:						
Anderson	33,100			18	.54	
Connersville	12,200	14	1.14	5	.41	2.8
Crawfordsville	10,500			11	1.05	
East Chicago	43,800			37	.84	
Elkhart	26,600			13	.49	
Fort Wayne	95,700			47	.49	
Frankfort	12,800			5	.39	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Indiana—Continued.						
Hammond	48,500			18	0.37	
Huntington	15,600			9	.58	
Kokomo	35,700			30	.84	
Logansport	22,900	2	0.09			
Marion	25,800			10	.39	
Michigan City	19,700			29	1.48	
Mishawaka	16,400			15	.91	
Muncie	41,400			37	.89	
New Albany	[1] 23,000			25	1.09	
Newcastle	16,500			11	.67	
South Bend	78,500	32	.41			
Terre Haute	70,300			50	.71	
Wabash	10,400			4	.38	
Whiting	11,800			9	.76	
Iowa:						
Boone	13,400			7	.52	
Burlington	[1] 24,100	73	3.03	10	.42	7.3
Council Bluffs	39,300			18	.46	
Fort Madison	13,500			13	.96	
Iowa City	11,800	1	.08			
Mason City	24,000	8	.33	0		
Muscatine	16,100			4	.25	
Ottumwa	23,500			10	.43	
Sioux City	82,100	17	.21			
Kansas:						
Coffeyville	13,800	47	3.40	7	.51	6.7
Eldorado	14,600	22	1.50	4	.27	5.5
Emporia	12,300			6	.49	
Fort Scott	10,800	19	1.76	10	.93	1.9
Hutchinson	26,500	38	1.43	19	.72	2.0
Leavenworth	[1] 16,900	1	.06			
Parsons	17,700	39	2.21	16	.90	2.4
Pittsburg	19,500	35	1.79	4	.21	8.7
Topeka	53,200	110	2.07	27	.51	4.1
Wichita	81,200	32	.39	22	.27	1.5
Kentucky:						
Henderson	12,500			14	1.12	
Lexington	44,300			71	1.60	
Owensboro	21,800			32	1.46	
Paducah	20,300	21	1.04			
Louisiana:						
Alexandria	20,100			24	1.20	
Baton Rouge	27,000	38	1.41	22	.82	1.7
Lake Charles	13,800			14	1.01	
Maine:						
Bangor	26,500	50	1.89	26	.98	1.9
Bath	17,200			6	.35	
Biddeford	18,400			12	.65	
Lewiston	34,400	34	.99	16	.47	2.1
Portland	74,200			42	.57	
Sanford	11,500	14	1.22	6	.52	2.3
Waterville	14,200			8	.56	
Maryland:						
Cumberland	33,100	47	1.42	26	.79	1.8
Frederick	12,000	27	2.26	12	1.00	2.2
Massachusetts:						
Adams	[1] 13,000	19	1.47	6	.46	3.2
Amesbury	10,100	9	.89	5	.50	1.8
Arlington	22,100	41	1.85	10	.45	4.1
Athol	10,400	6	.58	0		
Attleboro	21,400	.74	3.46	39	1.83	1.9
Belmont	13,200	14	1.06	11	.84	1.3
Beverly	24,400	20	.82	13	.53	1.5
Brockton	70,600	96	1.36	26	.37	3.7
Brookline	42,400	58	1.37	19	.45	3.1
Chelsea	48,200	82	1.70	40	.83	2.0
Chicopee	41,200	74	1.80	48	1.16	1.5
Clinton	[1] 13,000	15	1.16	4	.31	3.7
Danvers	11,900			25	2.10	
Dedham	11,500	11	.96			
Easthampton	12,500			10	.80	
Everett	43,200	68	1.57	16	.37	4.2
Framingham	18,900	29	1.53	14	.74	2.1
Gardner	18,000			6	.33	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.						
Greenfield	17,800			6	0.34	
Haverhill	58,400	57	0.98	27	.46	2.1
Holyoke	61,300	82	1.34	54	.88	1.5
Lawrence	98,200	131	1.33	54	.55	2.4
Leominster	20,700	42	2.02	13	.63	3.2
Malden	51,300	71	1.38	26	.51	2.7
Marlboro	15,200	20	1.31	8	.53	2.5
Medford	46,400	67	1.44	13	.28	5.2
Melrose	19,400	19	.98	3	.15	6.3
Methuen	16,900	35	2.07	12	.71	2.9
Milford	13,700			14	1.02	
Milton	10,100	13	1.29	3	.30	4.3
Natick	11,400	10	.88			
Newburyport	15,900	8	.50	5	.31	1.6
Newton	48,900	43	.88	18	.37	2.4
North Adams	22,400	15	.67	7	.31	2.1
Northampton	23,100	32	1.38	10	.43	3.2
Norwood	14,800	23	1.56			
Peabody	21,300	26	1.22	4	.19	6.5
Pittsfield	46,200	65	1.41	27	.58	2.4
Quincy	54,900	108	1.97	24	.44	4.5
Salem	[1] 42,500	54	1.27	11	.26	4.9
Saugus	12,200	8	.66	3	.25	2.7
Southbridge	15,000	12	.80	5	.33	2.4
Taunton	38,500	61	1.59	28	.73	2.2
Wakefield	13,800	14	1.02	7	.51	2.0
Waltham	32,300	50	1.55	24	.74	2.1
Watertown	25,400	37	1.45	11	.43	3.4
Webster	14,100	17	1.21	10	.71	1.7
Westfield	19,800	14	.71			
Winchester	11,000	12	1.09			
Michigan:						
Battle Creek	41,200	39	.95			
Bay City	48,700	23	.47	22	.45	1.0
Cadillac	10,400			4	.39	
Hamtramck	75,700	76	1.00	30	.40	2.5
Highland Park	67,600	47	.70	23	.34	2.0
Holland	13,000	22	1.70	4	.31	5.5
Ironwood	17,100	30	1.76	11	.64	2.7
Jackson	56,200	66	1.17	28	.50	2.4
Kalamazoo	52,700	40	.76	25	.47	1.6
Lansing	68,300	108	1.58	20	.29	5.4
Marquette	13,300	16	1.20	8	.60	2.0
Monroe	13,700	21	1.53			
Muskegon	41,900	37	.88	26	.62	1.4
Muskegon Heights	13,100	5	.38			
Pontiac	43,400	97	2.23	51	1.17	1.9
Port Huron	29,200	22	.75	12	.41	1.8
River Rouge	12,400	10	.80	5	.40	2.0
Saginaw	70,900	72	1.02	49	.69	1.5
Minnesota:						
Albert Lea	10,900	2	.18			
Faribault	12,100			19	1.58	
Hibbing	16,900			3	.18	
Mississippi:						
Biloxi	12,300	16	1.30	9	.73	1.8
Missouri:						
Independence	12,500			19	1.52	
Moberly	13,700	6	.44	4	.29	1.5
St. Joseph	78,300			66	.84	
Springfield	41,700			36	.86	
Montana:						
Anaconda	12,400			9	.73	
Butte	42,600			98	2.30	
Great Falls	28,800			14	.49	
Nebraska:						
Lincoln	59,900			27	.45	
Nevada:						
Reno	12,500			2	.16	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
New Hampshire:						
Claremont	10,400	30	2.87	6	0.57	5.0
Concord	22,500			21	.93	
Keene	11,700	15	1.28	8	.68	1.9
Manchester	82,200			68	.83	
Nashua	29,500	25	.85	12	.41	2.1
Portsmouth	14,600			7	.48	
Rochester	10,000			5	.50	
New Jersey:						
Asbury Park	13,400	28	2.08	18	1.34	1.6
Bayonne	86,600	104	1.20	51	.59	2.0
Belleville	18,300	27	1.47			
Bloomfield	25,200	18	.71	6	.24	3.0
Bridgeton	14,400			18	1.25	
Carteret	13,500	16	1.19	4	.30	4.0
Clifton	33,200	58	1.74			
Collingswood	10,500			5	.47	
East Orange	58,300	78	1.34	33	.57	2.4
Englewood	12,400	12	.97	3	.24	4.0
Garfield	23,600	31	1.31	19	.80	1.6
Gloucester City	13,400	12	.89	7	.52	1.7
Hackensack	19,300	23	1.19	10	.52	2.3
Harrison	16,300	37	2.27			
Hoboken	[1] 68,200	113	1.66	53	.78	2.1
Irvington	31,800	42	1.32	19	.60	2.2
Kearny	30,500	29	.95	8	.26	3.6
Lodi	10,000	29	2.89	17	1.69	1.7
Long Branch	13,600	21	1.54	3	.22	7.0
Morristown	12,600	23	1.83	6	.48	3.8
New Brunswick	37,000	61	1.65	26	.70	2.3
Orange	35,000	45	1.29	34	.97	1.3
Passaic	68,000	52	.76	31	.46	1.7
Perth Amboy	46,100	81	1.76	22	.48	3.7
Plainfield	31,000	36	1.16	15	.48	2.4
Rahway	11,800	26	2.20	6	.51	4.3
Red Bank	10,100	14	1.38			
Rutherford	10,600			5	.47	
Summit	11,400	12	1.05	9	.79	1.3
Union	[1] 20,700	13	.63			
West Hoboken	42,200			16	.38	
West New York	37,500	38	1.01	11	.29	3.5
West Orange	17,700	22	1.24			
Westfield	10,300			8	.78	
New York:						
Amsterdam	34,600	72	2.08	20	.58	3.6
Beacon	11,100	24	2.17			
Binghamton	75,300	104	1.38	14	.19	7.4
Cohoes	[1] 23,000	22	.96	12	.52	1.8
Cortland	14,100	19	1.35	6	.42	3.2
Dunkirk	20,300	33	1.62	11	.34	3.0
Elmira	49,200			31	.63	
Freeport	11,500	23	1.99			
Geneva	15,700	20	1.28	7	.45	2.9
Glens Falls	17,300	25	1.45	10	.58	2.5
Gloversville	22,700	20	.88	10	.44	2.0
Herkimer	11,800			4	.34	
Hornell	15,700	15	.96	4	.26	3.7
Hudson	11,800	34	2.87	15	1.27	2.3
Ithaca	18,000	49	2.72	11	.61	4.5
Jamestown	42,400	75	1.77	18	.42	4.2
Johnson City	10,800	11	1.02	5	.46	2.2
Kingston	27,000	64	2.37	38	1.40	1.7
Lackawanna	19,500	72	3.70	4	.21	18.0
Little Falls	13,400	16	1.20	5	.37	3.2
Middletown	19,900			26	1.31	
Mount Vernon	48,200	37	.77	19	.39	1.9
New Rochelle	39,600	35	.88	19	.48	1.8
Newburgh	31,600	76	2.41	38	1.20	2.0
Niagara Falls	60,200	105	1.74	26	.43	4.0
North Tonawanda	17,100			9	.53	
Ogdensburg	[1] 14,600			5	.34	
Olean	23,200	84	3.62	7	.30	12.0
Oneonta	12,600	12	.96	2	.16	6.0
Oswego	23,700	34	1.43	11	.46	3.1

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued						
Plattsburgh	[1] 10,900	19	1.74	5	0.46	3.8
Poughkeepsie	38,300	43	1.12	18	.47	2.4
Rensselaer	10,900	25	2.30			
Rome	29,000	28	.96	19	.65	1.5
Saratoga Springs	[1] 13,200	36	2.73	9	.68	4.0
Troy	[1] 72,000			64	.89	
Watertown	33,400	39	1.11	28	.84	1.4
Watervliet	16,500	31	1.87			
White Plains	22,900	36	1.57	8	.35	4.5
North Carolina:						
Asheville	30,900	479	15.48	138	4.46	3.5
Greensboro	45,500			52	1.14	
New Bern	12,200			12	.98	
Raleigh	29,800			55	1.85	
Rocky Mount	14,700			26	1.77	
Wilmington	36,400			31	.85	
Winston-Salem	65,800	213	3.24	119	1.81	1.8
North Dakota:						
Fargo	25,600	72	2.81	16	.62	4.5
Ohio:						
Alliance	24,400			17	.70	
Ashtabula	24,700			13	.53	
Barberton	22,500	42	1.87	16	.71	2.6
Bucyrus	11,500			8	.70	
Cambridge	13,900	14	1.01	9	.65	1.6
Chillicothe	16,400			7	.43	
Cuyahoga Falls	13,100	38	2.91	10	.77	3.8
East Cleveland	35,700	53	1.49	11	.31	4.8
East Liverpool	21,900			35	1.60	
East Youngstown	15,300			9	.59	
Elyria	23,300			20	.86	
Findlay	18,000	32	1.78	16	.89	2.6
Fostoria	10,100	25	2.47	18	1.78	1.4
Fremont	13,600			11	.81	
Hamilton	41,900	61	1.46	37	.88	1.6
Kenmore	18,200	11	.60	5	.27	2.2
Lakewood	54,000			25	.46	
Lancaster	15,900	9	.57			
Lima	45,700			28	.61	
Lorain	41,400	25	.60			
Mansfield	31,100			16	.51	
Martins Ferry	15,300			15	.98	
Middletown	29,700			16	.54	
New Philadelphia	11,800	6	.51	5	.42	1.2
Niles	16,100			2	.12	
Sandusky	24,200	21	.87	17	.70	1.2
Steubenville	31,300	31	.99	20	.64	1.5
Warren	33,300	14	.42	11	.33	1.3
Zanesville	30,300	47	1.55	25	.83	1.9
Oklahoma:						
Muskogee	31,800			51	1.60	
Oregon:						
Astoria	16,100			14	.87	
Eugene	11,100			10	.90	
Pennsylvania:						
Allentown	89,700			79	.88	
Altoona	65,300	21	.32			
Beaver Falls	13,100	3	.23	2	.15	1.5
Bethlehem	61,200	53	.87	21	.34	2.5
Braddock	21,600			17	.79	
Butler	25,000			11	.44	
Carbondale	19,400			4	.21	
Carlisle	11,300			2	.18	
Carrick	12,500	3	.24	1	.08	3.0
Charleroi	12,400	8	.65	2	.16	4.0
Chester	66,600			47	.71	
Clairton	13,700	10	.73	3	.22	3.3
Connellsville	14,200			7	.49	
Duquesne	20,500	7	.34	4	.19	1.7
Farrell	18,100	2	.11	1	.06	2.0
Harrisburg	82,300			35	.43	
Hazleton	35,400	4	.11	0		
Kingston	17,500	10	.57			
Lancaster	55,900	26	.47	21	.38	1.2

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Pennsylvania—Continued						
Lewistown	10,500	12	1.14			
McKees Rocks	17,900	13	.73	5	0.28	2.6
McKeesport	48,700			30	.62	
Nanticoke	24,300			15	.62	
New Castle	49,000			27	.55	
New Kensington	14,000			8	.57	
Norristown	34,400			18	.52	
Oil City	22,900	13	.57			
Phoenixville	[1] 10,500			8	.76	
Plymouth	[1] 16,500	9	.55			
Pottstown	18,300			9	.49	
Sharon	24,400			11	.45	
Steelton	[1] 13,400	5	.37	4	.30	
Sunbury	16,600	5	.30			
Uniontown	[1] 15,700	4	.25			
Warren	15,000	68	4.54	8	.53	8.5
Washington	22,700			27	1.19	
West Chester	[1] 11,700			5	.43	
Wilkes-Barre	77,000	46	.60	34	.44	1.4
Woodlawn	17,700			8	.45	
York	48,800			30	.61	
Rhode Island:						
Cranston	33,300	7	.21	5	.15	1.4
Cumberland	[1] 10,100			4	.40	
Newport	31,700			23	.73	
Pawtucket	70,100			30	.43	
Warwick	[1] 13,500			18	1.34	
Westerly	10,500	6	.57			
South Carolina:						
Columbia	40,300	33	.82			
Greenville	26,600			27	1.02	
South Dakota:						
Sioux Falls	30,400			12	.40	
Tennessee:						
Knoxville	92,200			124	1.35	
Texas:						
Beaumont	48,700			29	.59	
Denison	18,700			12	.64	
Galveston	47,600			48	1.01	
Port Arthur	30,000			6	.20	
Texarkana	12,300			26	2.12	
Waco	43,000			29	.67	
Utah:						
Ogden	36,100	180	4.98	2	.06	90.0
Vermont:						
Barre	[1] 10,000			19	1.90	
Burlington	23,900			8	.34	
Virginia:						
Alexandria	18,400			18	.98	
Charlottesville	11,100			9	.81	
Danville	22,700	56	2.47	20	.88	2.8
Lynchburg	30,300	43	1.43	29	.96	1.5
Newport News	43,400			38	.88	
Petersburg	35,000	81	2.31	38	1.09	2.1
Portsmouth	58,200			59	1.01	
Roanoke	56,900			48	.84	
Washington:						
Aberdeen	16,000			1	.06	
Bellingham	26,000			20	.77	
Bremerton	11,700	11	.94	5	.43	2.2
Everett	29,000	26	.90	19	.66	1.4
Vancouver	14,200	20	1.41	12	.85	1.7
Walla Walla	[1] 15,500			11	.71	
Yakima	22,200	162	7.30	35	1.58	4.6
West Virginia:						
Charleston	47,300			51	1.08	
Clarksburg	29,900			28	.94	
Fairmont	20,400	8	.39			
Martinsburg	13,400			15	1.12	
Morgantown	13,500	12	.89	9	.67	1.3
Wheeling	[1] 56,200	99	1.76	41	.73	2.4

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Wisconsin:						
Beloit	24,100			12	0.50	
Eau Claire	22,100	11	0.50	6	.27	1.8
Fond du Lac	25,600	8	.31	5	.20	1.6
Green Bay	33,700			15	.45	
Janesville	20,300	31	1.52	13	.64	2.4
Kenosha	48,900	58	1.19	18	.37	3.2
La Crosse	30,400	44	1.45	18	.59	2.4
Madison	45,200	57	1.26	22	.49	2.6
Marinette	13,600	18	1.32	10	.73	1.8
Oshkosh	33,200	40	1.20	18	.54	2.2
Racine	66,000	48	.73	24	.36	2.0
Sheboygan	33,100	39	1.18	21	.64	1.9
Wausau	19,900	26	1.31	6	.30	4.3
Wyoming:						
Casper	20,000			9	.45	

TUBERCULOSIS (PULMONARY)

Alabama:						
Anniston	20,000			19	0.95	
Dothan	14,000	9	0.64	5	.36	1.8
Mobile	65,100			62	.95	
Montgomery	45,900			26	.57	
Arizona:						
Douglas	11,500			20	1.74	
Phoenix	35,300			276	7.82	
Tucson	26,000			287	11.04	
Arkansas:						
Fort Smith	31,100			22	.71	
Hot Springs	11,700	1	.09	0		
Little Rock	72,600			97	1.34	
California:						
Alameda	31,300	28	.89	10	.32	2.8
Alhambra	11,000	30	2.73	12	1.09	2.5
Bakersfield	22,900	27	1.18			
Berkeley	64,600	88	1.36	26	.40	3.4
Chico	11,900	3	.25			
Eureka	13,400			23	1.71	
Fresno	56,700			20	.35	
Glendale	20,000			16	.80	
Long Beach	83,100	51	.61	39	.47	1.3
Modesto	11,700			12	1.03	
Pasadena	55,100			65	1.18	
Pomona	15,000	26	1.73	11	.73	2.4
Sacramento	71,100	96	1.35	81	1.14	1.2
San Bernardino	22,100			100	4.53	
San Diego	96,400	285	2.96	146	1.51	2.0
San Jose	42,900	34	.79	21	.49	1.6
Santa Ana	18,800			16	.85	
Santa Cruz	[1] 10,900			6	.55	
Santa Monica	18,700			18	.96	
Vallejo	25,600			7	.27	
Venice	13,800			5	.36	
Colorado:						
Boulder	11,700	64	5.48			
Greeley	12,200			8	.65	
Pueblo	43,700			30	.69	
Trinidad	11,000			15	1.36	
Connecticut:						
Bristol	23,900	31	1.30	10	.42	3.1
Fairfield	14,000	20	1.43	8	.57	2.5
Greenwich	24,700	39	1.58	12	.48	3.2
Manchester	20,600	19	.92	12	.58	1.6
Milford	12,900			2	.16	
New Britain	66,500			30	.45	
New London	28,500	18	.63	5	.18	3.6
Norwich	23,000	38	1.65	32	1.39	1.2
Stonington	10,700	6	.56	2	.19	3.0
West Hartford	10,700	7	.65	4	.37	1.7
Florida:						
Tampa	67,600			83	1.23	
West Palm Beach	12,900	7	.54	4	.31	1.7

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Georgia:						
Albany	13,000			4	0.31	
Athens	18,600	101	5.43	20	1.08	5.0
Lagrange	22,300	53	2.37	29	1.30	1.8
Rome	13,800			14	1.02	
Savannah	91,200			134	1.47	
Valdosta	12,200	13	1.06			
Idaho:						
Pocatello	17,700	20	1.13	4	.23	5.0
Illinois:						
Alton	26,400	57	2.16			
Berwyn	18,000	10	.56	7	.39	1.4
Bloomington	30,100	65	2.16	14	.46	4.6
Blue Island	12,900	4	.31	3	.23	1.3
Canton	11,000	4	.36			
Centralia	13,800	8	.58			
Champaign	17,900			3	.17	
Collinsville	10,800	24	2.22	6	.56	4.0
Danville	36,400			17	.47	
East Moline	11,200	5	.45	2	.18	2.5
East St. Louis	70,600			49	.69	
Elgin	28,100	32	1.14	4	.14	8.0
Evanston	42,700	36	.84	7	.16	5.1
Freeport	20,500	10	.40	9	.44	1.1
Herrin	12,900	14	1.09	11	.85	1.3
Jacksonville	15,900	53	3.34	38	2.39	1.4
Kewanee	19,400	14	.72	11	.57	1.3
La Salle	13,800	16	1.16	7	.51	2.3
Mattoon	14,500	4	.28	0		
Maywood	13,900	11	.79	4	.29	2.7
Murphysboro	12,200			9	.74	
Oak Park	49,300	33	.67	21	.43	1.6
Pekin	13,100	24	1.83	2	.15	12.0
Peoria	80,600			40	.50	
Quincy	37,500	23	.61	13	.35	1.8
Rock Island	39,200	25	.64	5	.13	5.0
Rockford	74,400			27	.36	
Streator	15,000			8	.53	
Urbana	11,100	2	.18			
Waukegan	20,700	1	.05	0		
Indiana:						
Anderson	33,100			15	.45	
Clinton	13,200			3	.23	
Connersville	12,200	12	.98	4	.33	3.0
Crawfordsville	10,500			5	.48	
Elkhart	26,600			11	.41	
Elwood	[1] 10,800			6	.56	
Fort Wayne	95,700			39	.41	
Hammond	48,500			16	.33	
Huntington	15,600			3	.19	
Jeffersonville	[1] 10,100	4	.40			
Kokomo	35,700			22	.62	
La Fayette	23,600			27	1.15	
Laporte	17,100			3	.18	
Marion	25,800			7	.27	
Michigan City	19,700			23	1.17	
Muncie	41,400			31	.75	
New Albany	[1] 23,000			23	1.00	
Newcastle	16,500			9	.55	
Richmond	29,000			10	.34	
Terre Haute	70,300	3	.04			
Wabash	10,400			1	.10	
Whiting	11,800	2	.17	0		
Iowa:						
Boone	13,400			3	.22	
Cedar Rapids	51,500			8	.16	
Council Bluffs	39,300			13	.33	
Dubuque	39,400			24	.61	
Marshalltown	16,800	1	.06			
Mason City	24,000			4	.17	
Muscatine	16,100			3	.19	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Kansas:						
Coffeyville	13,800	47	3.40	0		
Emporia	12,300			4	0.32	
Fort Scott	10,800	17	1.57	8	.74	2.1
Lawrence	12,500	25	2.00	9	.72	2.8
Pittsburg	19,500	32	1.64	4	.21	8.0
Topeka	53,200	101	1.90	23	.43	4.4
Wichita	81,200			16	.20	
Kentucky:						
Covington	58,100			77	1.33	
Henderson	12,500	5	.40	0		
Lexington	44,300			66	1.49	
Newport	[1] 29,300			31	1.06	
Louisiana:						
Alexandria	20,100			23	1.15	
Baton Rouge	27,000	37	1.37	21	.78	1.8
Lake Charles	13,800			12	.87	
Shreveport	56,200			62	1.10	
Maine:						
Auburn	17,900			7	.39	
Bath	17,200	6	.35			
Biddeford	18,400	13	.71	10	.54	1.3
Lewiston	34,400	31	.90	13	.38	2.4
Portland	74,200	71	.96	35	.47	2.0
Sanford	11,500	11	.96	3	.26	3.7
South Portland	10,100	2	.20			
Waterville	14,200			7	.49	
Maryland:						
Frederick	12,000	8	.67	6	.50	1.3
Massachusetts:						
Adams	[1] 13,000	17	1.31	5	.39	3.4
Amesbury	10,100	6	.59	2	.20	3.0
Arlington	22,100	38	1.72	9	.41	4.2
Athol	10,400	2	.19	0		
Attleboro	21,400	67	3.14	34	1.59	2.0
Belmont	13,200	13	.99	9	.68	1.4
Beverly	24,400	17	.70	13	.53	1.3
Braintree	11,700			51	4.34	
Brockton	70,600	88	1.25	22	.31	4.0
Brookline	42,400	45	1.06	12	.28	3.7
Chelsea	48,200	75	1.56	35	.73	2.1
Chicopee	41,200	62	1.50	31	.75	2.0
Clinton	[1] 13,000	11	.85	1	.08	11.0
Dedham	11,500			3	.26	
Easthampton	12,500			9	.72	
Everett	43,200	56	1.30	13	.30	4.3
Framingham	18,900	24	1.27	11	.58	2.2
Gardner	18,000	38	2.11	0		
Greenfield	17,800	13	.73	5	.28	2.6
Haverhill	58,400	45	.77	23	.39	2.0
Holyoke	61,300	75	1.22	45	.73	1.7
Lawrence	98,200	104	1.06	43	.44	2.4
Leominster	20,700	41	1.98	11	.53	3.7
Marlboro	15,000	18	1.18	6	.39	3.0
Medford	46,400	56	1.21	0		
Melrose	19,400	13	.67	3	.15	4.3
Methuen	16,900	30	1.77	11	.65	2.7
Milford	13,700	12	.88	10	.73	1.2
Milton	10,100	12	1.19	2	.20	6.0
Newburyport	15,900	7	.44	4	.25	1.7
Newton	48,900	35	.72	17	.35	2.1
North Adams	22,400	12	.54	6	.27	2.0
Northampton	23,100	28	1.21	7	.30	4.0
Northbridge	10,800			7	.65	
Norwood	14,800	20	1.35	7	.47	3.0
Palmer	10,500	12	1.14	1	.10	12.0
Peabody	21,300	19	.89	3	.14	6.3
Pittsfield	46,200	59	1.28	24	.52	2.5
Plymouth	13,500	11	.82	2	.15	5.5
Quincy	54,900	80	1.46	17	.31	4.7
Salem	[1] 42,500	50	1.18	10	.24	5.0
Saugus	12,200	7	.57	3	.25	2.3
Southbridge	15,000	11	.73	3	.20	3.7
Taunton	38,500	55	1.43	22	.57	2.5
Wakefield	13,800	13	.94	6	.44	2.2

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.						
Waltham	32,300	40	1.24	17	0.53	2.4
Watertown	25,400	32	1.26	9	.35	3.6
Webster	14,100	12	.85	9	.64	1.3
West Springfield	15,400			5	.32	
Westfield	19,800	13	.66	1	.05	13.0
Winchester	11,000	10	.91			
Winthrop	17,900	10	.56	0		
Wolburn	17,200			13	.76	
Michigan:						
Bay City	48,700	23	.47	21	.43	1.1
Benton Harbor	13,600	22	1.61	8	.59	2.7
Cadillac	10,400			3	.29	
Hamtramck	75,700			* 26	.34	
Holland	13,000	10	.77	3	.23	3.3
Ishpeming	[1] 10,500	7	.67	2	.19	3.5
Jackson	56,200	65	1.16	26	.46	2.5
Kalamazoo	52,700	33	.63	22	.42	1.5
Lansing	68,300	86	1.26	0		
Marquette	13,300	14	1.05	7	.53	2.0
Monroe	13,700	20	1.45	2	.15	10.0
Mount Clemens	10,300	8	.78	1	.10	8.0
Muskegon Heights	13,100	4	.30	0		
Port Huron	29,200			8	.27	
Saginaw	70,900			44	.62	
Sault Ste Marie	[1] 12,100	13	1.07	4	.33	3.2
Minnesota:						
Austin	11,600	1	.09			
Brainerd	10,100			2	.20	
Faribault	12,100			15	1.24	
Hibbing	16,900			2	.12	
Mankato	13,400			6	.45	
St. Cloud	18,300			6	.33	
Virginia	15,700			5	.32	
Winona	19,400	12	.62	6	.31	2.0
Mississippi:						
Biloxi	12,300	15	1.22	9	.73	1.7
Missouri:						
Independence	12,500			17	1.36	
Moberly	13,700			2	.15	
St. Joseph	78,300			44	.56	
Springfield	41,700			32	.77	
Montana:						
Anaconda	12,400			5	.40	
Great Falls	28,800	11	.38	7	.24	1.6
Helena	12,000			19	1.58	
Nebraska:						
North Platte	13,100			6	.46	
Nevada:						
Reno	12,500			1	.08	
New Hampshire:						
Concord	22,500	21	.93	17	.76	1.2
Dover	[1] 13,000			4	.31	
Keene	11,700	7	.60			
Manchester	82,200			36	.44	
Nashua	29,500			4	.14	
Portsmouth	14,600			5	.34	
Rochester	10,000			4	.40	
New Jersey:						
Bayonne	86,600			44	.51	
Carteret	13,500	14	1.04	4	.30	3.5
Clifton	33,200	55	1.65	18	.57	3.1
Dover	10,900	5	.46	4	.37	1.2
East Orange	58,300	67	1.15	30	.51	2.2
Garfield	23,600	26	1.10	14	.59	1.9
Gloucester City	13,400	10	.75	5	.37	2.0
Hackensack	19,300	20	1.03	6	.31	3.3
Harrison	16,300	35	2.15			
Hoboken	[1] 68,200	18	.26			
Irvington	31,800	41	1.29	17	.53	2.4
Lodi	10,000	20	1.90	16	1.59	1.2
Long Branch	13,600	17	1.25	3	.22	5.7
Montclair	32,200	65	2.02	25	.78	2.6
Morristown	12,600	10	.80	0		
Orange	35,004	34	.97	26	.74	1.3

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
New Jersey—Continued.						
Passaic	68,000	43	0.63	26	0.38	1.7
Phillipsburg	18,300	8	.44	3	.16	2.7
Plainfield	31,000	31	1.00	12	.39	2.6
Rahway	11,800	15	1.27	4	.34	3.7
Red Bank	10,100	7	.69			
Ridgefield Park	10,500	17	1.63	7	.67	2.4
Rutherford	10,600			3	.28	
Summit	11,400			9	.79	
Union	20,700	4	.19			
West Hoboken	42,200	51	1.21	10	.24	5.1
West New York	37,500			9	.24	
West Orange	17,700	18	1.02	16	.90	1.1
New York:						
Amsterdam	34,600	67	1.94	13	.38	5.2
Batavia	14,300	14	.98	8	.56	1.7
Beacon	11,100	22	1.99	4	.36	5.5
Cohoes	[1] 23,000	12	.52	8	.35	1.5
Corning	16,800	17	1.01	8	.48	2.1
Cortland	14,100	15	1.06	2	.14	7.5
Dunkirk	20,300	29	1.43	4	.20	7.2
Elmira	49,200	81	1.65	23	.47	3.5
Endicott	16,900	19	1.12	1	.06	19.0
Freeport	11,500	13	1.13	11	.95	1.2
Geneva	15,700			6	.38	
Hornell	15,700	9	.57			
Hudson	11,800			13	1.10	
Ithaca	18,000	26	1.44	7	.39	3.7
Jamestown	42,400	49	1.15	14	.33	3.5
Johnson City	10,800	9	.83	2	.18	4.5
Lackawanna	19,500	60	3.08	0		
Lockport	22,400	19	.85	7	.31	2.7
Mount Vernon	48,200	33	.68	15	.31	2.2
New Rochelle	39,600	34	.86	13	.33	2.6
Niagara Falls	60,200	95	1.58	17	.28	5.6
North Tonawanda	17,100			7	.41	
Ogdensburg	[1] 14,600	7	.48			
Olean	23,200	56	2.42	5	.22	11.2
Oneonta	12,600	7	.56	2	.16	3.5
Oswego	23,700	32	1.35	11	.46	2.9
Peekskill	16,100	33	2.05	12	.75	2.7
Plattsburg	[1] 10,900	19	1.74	3	.28	
Poughkeepsie	38,300	40	1.05	15	.39	
Rensselaer	10,900	21	1.93	0		
Rome	29,000	22	.76	15	.52	1.5
Salamanca	10,600			7	.66	
Troy	[1] 72,000	160	2.22	56	.78	2.9
Watertown	33,400			26	.78	
Watervliet	16,500	30	1.81			
White Plains	22,900	35	1.53	7	.31	5.0
North Carolina:						
Greensboro	45,500	61	1.34	43	.94	1.4
New Bern	12,200			9	.74	
Raleigh	29,800			50	1.68	
Rocky Mount	14,700			21	1.43	
Salisbury	17,000			13	.76	
Winston-Salem	65,800	193	2.93	105	1.60	1.8
North Dakota:						
Fargo	25,600	53	2.07	11	.43	4.8
Ohio:						
Alliance	24,400			14	.57	
Ashtabula	24,700			12	.49	
Bellaire	16,000			10	.62	
Bucyrus	11,500			6	.52	
Cambridge	13,900	12	.87	7	.51	1.7
Cleveland Heights	20,900	31	1.48	6	.29	5.2
Conneaut	10,400	12	1.15	6	.57	2.0
East Cleveland	35,700	53	1.49	9	.25	5.9
East Liverpool	21,900			26	1.19	
Elyria	23,300	15	.64	14	.60	1.1
Fostoria	10,100	18	1.78	14	1.38	1.3
Fremont	13,600			8	.59	
Hamilton	41,900	52	1.24	35	.84	1.5
Lakewood	54,000			20	.37	
Lima	45,700			18	.39	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Ohio—Continued.						
Mansfield	31,100			14	0.45	
Marietta	15,200			9	.59	
Martins Ferry	15,300			11	.72	
Middletown	29,700	47	1.58			
New Philadelphia	11,800	3	.25	1	.08	3.0
Newark	30,300			21	.69	
Norwood	29,000	30	1.03	9	.31	3.3
Piqua	15,800			8	.51	
Salem	10,900			3	.27	
Sandusky	24,200	20	.82	16	.66	1.2
Springfield	67,300			64	.95	
Steubenville	31,300			16	.51	
Warren	33,300	14	.42	9	.27	1.6
Zanesville	30,300	47	1.55	20	.66	2.3
Oklahoma:						
Muskogee	31,800			43	1.35	
Oregon:						
Astoria	16,100	1	.06			
Pennsylvania:						
Ambridge	16,200			2	.12	
Berwick	14,000	4	.29			
Bethlehem	61,200			15	.24	
Braddock	21,600	21	.97	13	.60	1.6
Canonsburg	13,000			5	.39	
Carbondale	19,400			3	.15	
Carnegie	12,200	10	.82	2	.16	5.0
Carrick	12,500	2	.16			
Charleroi	12,400			2	.16	
Chester	66,600			37	.56	
Clairton	13,700	4	.29	3	.22	1.3
Coatesville	16,100	28	1.74	9	.56	3.1
Dickson	11,800	4	.34	2	.17	2.0
Donora	16,500			5	.30	
Dubois	14,200	2	.14			
Duquesne	20,500			4	.19	
Harrisburg	82,300			32	.39	
Homestead	21,300	24	1.13			
Jeannette	11,500	7	.61	5	.43	1.4
Lancaster	55,900			17	.30	
Lebanon	25,100	10	.40	0		
Lewistown	10,500			5	.47	
KcKeesport	48,700	32	.66	27	.55	1.2
Monessen	20,700			12	.58	
Mount Carmel	[1] 17,500	5	.29			
North Braddock	16,400	13	.79	8	.49	1.6
Olyphant	11,000	9	.82			
Pottstown	18,300			6	.33	
Swissvale	12,500			3	.24	
Uniontown	[1] 15,700	2	.13			
Vandergrift	10,600	6	.57	4	.38	1.5
Washington	22,700			25	1.10	
West Chester	[1] 11,700			3	.26	
Wilkes-Barre	77,000			20	.26	
Woodlawn	17,700			5	.28	
Rhode Island:						
Central Falls	24,800	14	.56			
Cumberland	[1] 10,000			1	.10	
Newport	31,700			21	.66	
Pawtucket	70,100			24	.34	
Warwick	[1] 13,500			14	1.04	
South Carolina:						
Greenville	26,600			23	.87	
South Dakota:						
Sioux Falls	30,400			7	.23	
Tennessee:						
Knoxville	92,200			102	1.11	
Texas:						
Beaumont	48,700			22	.45	
Cleburne	13,900			8	.57	
Denison	18,700			5	.27	
Galveston	47,600			39	.82	
Port Arthur	30,000			3	.10	
San Angelo	[1] 10,000			82	8.16	
Texarkana	12,300			20	1.63	

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Texas—Continued.						
Tyler	12,900			9	0.70	
Waco	43,000			17	.40	
Utah:						
Provo	11,000			2	.18	
Vermont:						
Barre	[1] 10,000			13	1.30	
Burlington	23,900			7	.29	
Virginia:						
Charlottesville	11,100			6	.54	
Danville	22,700	56	2.47	19	.84	2.9
Lynchburg	30,300	43	1.42	20	.66	2.1
Petersburg	35,000	79	2.26	36	1.03	2.2
Portsmouth	58,200			53	.91	
Roanoke	56,900	64	1.13	37	.65	1.7
Washington:						
Bremerton	11,700	8	.69	4	.34	2.0
Everett	29,000			7	.24	
Vancouver	14,200	18	1.27	10	.71	1.8
Walla Walla	[1] 15,500	32	2.06	10	.65	3.2
West Virginia:						
Clarksburg	29,900			23	.77	
Martinsburg	13,400			11	.82	
Morgantown	13,500			6	.44	
Wheeling	[1] 56,200	92	1.64	33	.59	2.8
Wisconsin:						
Appleton	20,900	9	.43	2	.10	4.5
Beloit	24,100	25	1.04	7	.29	3.6
Fond du Lac	25,600			5	.20	
Green Bay	33,700			11	.33	
Janesville	20,300	31	1.52	10	.49	3.1
Madison	45,200			13	.29	
Manitowoc	19,700			16	.81	
Sheboygan	33,100			12	.36	
Superior	[1] 39,700			27	.68	
Wausau	19,900	15	.75	5	.25	3.0
West Allis	17,000	31	1.82	9	.53	3.4
Wyoming:						
Casper	20,000			7	.35	

TYPHOID FEVER

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston	20,000	7	16	33	1.65	6	0.30	18.2
Dothan	14,000	1	3	19	1.35	4	.28	21.1
Florence	12,300			11	.89	1	.08	9.1
Mobile	65,100	6	40	52	.80	15	.23	28.8
Montgomery	45,900	6	24			7	.15	
Arizona:								
Phoenix	35,300	1	2	8	.23	6	.17	75.0
Tucson	26,000	6	10			2	.08	
Arkansas:								
Fort Smith	31,100	4	43	28	.90	6	.19	21.4
Hot Springs	11,700	3	8	5	.43	1	.09	20.0
Little Rock	72,600	6	52	135	1.86	14	.19	10.4
California:								
Alameda	31,300	7	6	2	.06	0		
Alhambra	11,000	1	7	13	1.18	1	.09	7.7
Bakersfield	22,900	6	1			1	.04	
Berkeley	64,600	7	15	14	.22	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TYPHOID FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
California—Continued.								
Chico	11,900	1	0	4	0.34	0		
Eureka	13,400	6	2	6	.45	1	0.07	16.7
Fresno	56,700	5	9	4	.07	2	.04	50.0
Glendale	20,000	3	4	5	.25	0		
Long Beach	83,100	7	15	35	.42	2	.02	5.7
Modesto	11,700	1	2	3	.26	1	.09	33.3
Pasadena	55,100	7	8	11	.20	1	.02	9.1
Richmond	21,500	4	2	2	.09	0		
Riverside	21,300	6	11	7	.33	1	.05	14.3
Sacramento	71,100	7	47	38	.53	4	.06	10.5
San Bernardino	22,100	6	7	13	.59	1	.05	7.7
San Diego	96,400	7	11	9	.09	2	.02	22.2
San Jose	42,900	5	6	2	.05	0		
Santa Ana	18,800	4	3	546	29.11	29	1.55	5.3
Santa Barbara	23,200	5	5	3	.13	1	.04	33.3
Santa Cruz	[1] 10,900	6	3	2	.18	1	.09	50.0
Stockton	46,100	4	38	84	1.82	6	.13	7.1
Venice	13,800	3	2	1	.07	0		
Colorado:								
Boulder	11,700	3	7	14	1.20	0		
Colorado Springs	[1] 30,100	7	15	22	.73	3	.10	13.6
Greeley	12,200	1	8			1	.08	
Pueblo	43,700	4	32	15	.34	2	.05	13.3
Trinidad	11,000	7	10	5	.45	2	.18	40.0
Connecticut:								
Bristol	23,900	7	4	3	.13	1	.04	33.3
Fairfield	14,000	3	2	2	.14	0		
Greenwich	24,700	7	3	11	.44	1	.04	9.1
Manchester	20,600	6	3	10	.49	0		
Meriden	36,000	5	5	14	.39			
Milford	12,900	4	3	2	.16	0		
New Britain	66,500	6	12	9	.14	1	.02	11.1
New London	28,500	7	5	2	.07	0		
Norwich	23,000	7	5			1	.04	
Stonington	10,700			3	.28	1	.09	33.3
West Hartford	10,700	1	2	1	.09	0		
Florida:								
Miami	40,700	4	17	24	.59	10	.25	41.7
Orlando	14,800			8	.54			
St. Petersburg	26,500	1	8	4	.15	1	.04	25.0
Tampa	67,600	2	38	29	.43	21	.31	72.4
West Palm Beach	12,900	1	3			3	.23	
Georgia:								
Albany	13,000	3	11	9	.69			
Athens	18,600	3	25	20	1.08	2	.11	10.0
Brunswick	16,400	7	18	12	.73	2	.12	16.7
Lagrange	22,300			23	1.03	7	.31	30.4
Macon	57,300	7	51	36	.63	6	.10	16.7
Rome	13,800	5	21	29	2.10	4	.29	13.8
Savannah	91,200	5	59	44	.48	5	.05	11.4
Valdosta	12,200			10	.82			
Idaho:								
Boise	22,900	6	5	4	.17			
Pocatello	17,700	6	5			1	.06	
Illinois:								
Alton	26,400	6	6	4	.15			
Bloomington	30,100	4	4	4	.13	1	.03	25.0
Blue Island	12,900	3	2	5	.39	1	.08	20.0
Centralia	13,800	6	9	4	.29	0		
Champaign	17,900	6	4	18	1.01	0		
Cicero	59,100	7	3	3	.05	0		
Collinsville	10,800			8	.74	1	.09	12.5
Danville	36,400	4	15	8	.22	7	.19	87.5
Decatur	49,400	3	19	9	.18	2	.04	22.2
East St. Louis	70,600	6	13	13	.18	2	.03	15.4
Elgin	28,100	7	6	7	.25	0		
Evanston	42,700	7	4	5	.12	3	.07	60.0
Freeport	20,500	4	2	2	.10			
Galesburg	24,600	7	17	16	.65	1	.04	6.2
Herrin	12,900	1	9	6	.47	0		
Jacksonville	15,900	6	28	13	.82	2	.13	15.4

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TYPHOID FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Illinois—Continued.								
Joliet	40,200	4	41	38	0.95	7	0.17	18.4
Kewanee	19,400	4	14	2	.10	0		
La Salle	13,800	5	4	1	.07	0		
Mattoon	14,500	5	9	2	.14	0		
Maywood	13,900	7	1	1	.07	0		
Moline	33,300	7	14	5	.15	1	.03	20.0
Murphysboro	12,200	2	5	6	.49	2	.16	33.3
Oak Park	49,300	7	4	15	.30	3	.06	20.0
Ottawa	11,400	4	1	1	.09	0		
Pekin	13,100	7	3	3	.23	0		
Peoria	80,600	6	8	9	.11	1	.01	11.1
Quincy	37,500	7	15	14	.37	0		
Rock Island	39,200	6	10	7	.18	3	.08	42.9
Rockford	74,400	7	10	9	.12	1	.01	11.1
Springfield	62,700	6	16	28	.45	3	.05	10.7
Streator	15,000	4	3	4	.27	0		
Urbana	11,100	5	4	5	.45			
Waukegan	20,700	4	19	7	.34	3	15	42.9
West Frankfort	11,400			9	.79			
Indiana:								
Anderson	33,100	7	18	5	.15	0		
Connersville	12,200			2	.16	0		
East Chicago	43,800	4	14	7	.16	3	.07	42.9
Elkhart	26,600	4	10			1	.04	
Elwood	[1] 10,800	5	4	3	.28	0		
Fort Wayne	95,700	7	33	37	.39	6	.06	16.2
Frankfort	12,800	6	2			2	.16	
Hammond	48,500	5	23	49	1.01	4	.08	8.2
Huntington	15,600	5	10	9	.58	0		
Kokomo	35,700	7	11	9	.25	1	.03	11.1
La Fayette	23,600	7	9	2	.08	1	.04	50.0
Logansport	22,900	7	7	15	.66	0		
Marion	25,800	5	3	3	.12	0		
Michigan City	19,700	4	3	5	.25	0		
Mishawaka	16,400	5	2	5	.30	1	.06	20.0
Muncie	41,400	6	17	12	.29	1	.02	8.3
New Albany	[1] 23,000	5	4			1	.04	
Richmond	29,000	7	5	3	.10	0		
South Bend	78,500	6	11			5	.06	
Terre Haute	70,300	5	9			7	.10	
Iowa:								
Boone	13,400					1	.01	
Burlington	[1] 24,100	5	5	3	.12	1	.04	33.3
Clinton	[1] 24,200			2	.08			
Davenport	62,600	6	6	1	.02			
Dubuque	39,400	5	2	4	.10	2	.05	50.0
Fort Madison	13,500			4	.30	1	.07	25.0
Iowa City	11,800			1	.08	0		
Keokuk	14,600			5	.34			
Marshalltown	16,800			1	.06			
Mason City	24,000	6	3			1	.04	
Muscatine	16,100	4	5	2	.12	0		
Waterloo	40,600	2	33	8	.20	0		
Kansas:								
Coffeyville	13,800	6	17	16	1.16	1	.07	6.2
Eldorado	14,600	4	13	7	.48	0		
Emporia	12,300	1	6	18	1.46	1	.08	5.6
Fort Scott	10,800	7	6	5	.46	1	.09	20.0
Hutchinson	26,500	5	13	13	.49	2	.08	15.4
Lawrence	12,500	6	10	3	.24	0		
Leavenworth	[1] 16,900	7	4	1	.06			
Parsons	17,700	3	5	4	.23	0		
Pittsburg	19,500	5	12	13	.67	2	.10	15.4
Topeka	53,200	6	24	12	.23	2	.04	16.7
Wichita	81,200	7	50	28	.34	4	.05	14.3
Kentucky:								
Covington	58,100	5	30	5	.09	4	.07	80.0
Henderson	12,500	2	5	5	.40	1	.08	20.0
Lexington	44,300	7	50	4	.09	3	.07	75.0
Newport	[1] 29,300	3	20	8	.27	2	.07	25.0
Owensboro	21,800	4	22	22	1.01	6	.27	27.3
Paducah	20,300	5	13	12	.59			

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TYPHOID FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Louisiana:								
Alexandria	20,100	2	8	23	1.15	8	0.40	34.8
Baton Rouge	27,000	4	15			6	.22	
Lake Charles	13,800	2	5	8	.58	1	.07	12.5
Shreveport	56,200	2	46	17	.30	9	.16	52.9
Maine:								
Auburn	17,900	5	1	6	.34	0		
Bangor	26,500	5	11	16	.60	1	.04	6.2
Bath	17,200	4	3	64	3.72	5	.29	7.8
Biddeford	18,400	4	5	8	.43	1	.05	12.5
Lewiston	34,400	4	10	8	.23	0		
Portland	74,200	7	34	48	.65	5	.07	10.4
Sanford	11,500	6	2	4	.35	2	.17	50.0
South Portland	10,100			2	.20			
Waterville	14,200	6	5	5	.35	1	.07	20.0
Maryland:								
Cumberland	33,100	7	24	7	.21	1	.03	14.3
Frederick	12,000			5	.42	0		
Massachusetts:								
Adams	[1] 13,000	7	11	1	.08	0		
Amesbury	10,100	5	3	3	.30	0		
Arlington	22,100	7	5	5	.23	0		
Attleboro	21,400	7	4	2	.09	0		
Belmont	13,200	4	2	3	.23	0		
Beverly	24,400	7	8	2	.08	1	.04	50.0
Braintree	11,700	4	1	2	.17	0		
Brockton	70,600	7	11	2	.03	0		
Brookline	42,400	7	5	5	.12	1	.02	20.0
Chelsea	48,200	7	16	27	.56	0		
Chicopee	41,200	7	3	7	.17	0		
Clinton	[1] 13,000	7	2	1	.08	0		
Dedham	11,500	5	1	2	.17			
Easthampton	12,500	6	0	1	.08	0		
Everett	43,200	7	10	12	.28	1	.02	8.3
Framingham	18,900	7	3	1	.05	0		
Gardner	18,000	7	4	10	.55	0		
Greenfield	17,800	7	3	2	.11	0		
Haverhill	58,400	7	12	5	.09	2	.03	40.0
Holyoke	61,300	7	6	7	.11	0		
Lawrence	98,200	7	37	17	.17	2	.02	11.8
Leominster	20,700	6	3	5	.24	0		
Malden	51,300	7	8	12	.23	0		
Marlboro	15,200	6	5	5	.33	1	.07	20.0
Medford	46,400	7	6	9	.19	0		
Melrose	19,400	7	3	2	.10	0		
Methuen	16,900	6	2	3	.18	0		
Milford	13,700	7	1	3	.22	0		
Natick	11,400	7	3	3	.26			
Newburyport	15,900	7	8	2	.13	0		
Newton	48,900	7	9	10	.20	2	.04	20.0
North Adams	22,400	7	6	2	.09	0		
Northampton	23,100	7	5	8	.35	0		
Norwood	14,800	4	2	1	.07	0		
Palmer	10,500	1	0	7	.67	0		
Peabody	21,300	7	4			1	.05	
Pittsfield	46,200	7	9	32	.69	1	.02	3.1
Plymouth	13,500	5	7	5	.37	2	.15	40.0
Quincy	54,900	7	9	7	.13	0		
Salem	[1] 42,500	7	3	4	.09	0		
Saugus	12,200	5	2	2	.16	0		
Southbridge	15,000	7	8	2	.13	0		
Taunton	38,500	5	11	4	.10	0		
Wakefield	13,800	4	4	7	.51	1	.07	14.3
Waltham	32,300	7	10	5	.15	1	.03	20.0
Watertown	25,400	7	3	3	.12	1	.04	33.3
Webster	14,100	6	2	1	.07	0		
West Springfield	15,400	1	2	2	.13	0		
Westfield	19,800	7	3	2	.10	1	.05	50.0
Winthrop	17,900	7	2	1	.06	0		
Woburn	17,200	7	5	1	.06	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TYPHOID FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Michigan:								
Ann Arbor	21,700	7	14	2	0.09	1	0.05	50.0
Bay City	48,700	7	54	82	1.69	11	.23	13.4
Benton Harbor	13,600	7	4			1	.07	
Cadillac	10,400	3	4	2	.19	0		
Hamtramck	75,700	4	3	2	.03	1	.01	50.0
Highland Park	67,600	7	15	4	.06	0		
Ironwood	17,100	7	3	10	.59	2	.12	20.0
Jackson	56,200	7	11	6	.11	3	.05	50.0
Kalamazoo	52,700	7	20	9	.17	3	.06	33.3
Lansing	68,300	6	26	15	.22	1	.01	6.7
Marquette	13,300	6	10	3	.23	1	.08	33.3
Monroe	13,700	2	3	6	.44	1	.07	16.7
Muskegon	41,900	6	22	12	.29	0		
Muskegon Heights	13,100	1	2	2	.15	0		
Pontiac	43,400	7	12	6	.14	1	.02	16.7
Port Huron	29,200	6	12	7	.24	1	.03	14.3
River Rouge	12,400	1	14	8	.64	0		
Saginaw	70,900	5	44	33	.47	13	.18	39.4
Minnesota:								
Austin	11,600	3	2	1	.09			
Faribault	12,100	4	1	3	.25	0		
St. Cloud	18,300	3	1	2	.11	1	.05	50.0
Winona	19,400	6	1	2	.10	0		
Mississippi:								
Biloxi	12,300	3	7	28	2.28	4	.33	14.3
Missouri:								
Independence	12,500	1	4			1	.08	
Joplin	[1] 29,900	6	18	11	.37			
Moberly	13,700	2	10	6	.44	0		
St. Joseph	78,300	7	15	11	.14	1	.01	9.1
Springfield	41,700	4	27	17	.41	6	.14	35.3
Montana:								
Great Falls	28,800	7	20	12	.42	1	.03	8.3
Nebraska:								
Grand Island	15,300	6	3	12	.78			
Lincoln	59,900	7	12	5	.08	1	.02	20.0
North Platte	13,100			3	.23	0		
Nevada:								
Reno	12,500	7	12	5	.40	0		
New Hampshire:								
Claremont	10,400	1	3	3	.29	1	.10	33.3
Concord	22,500	7	8	1	.04	0		
Dover	[1] 13,000	6	5	3	.23	0		
Keene	11,700	5	2			1	.09	
Manchester	82,200	6	13			1	.01	
Nashua	29,500	3	1			1	.03	
Portsmouth	14,600	7	4	2	.14	0		
Rochester	10,000					1	.10	
New Jersey:								
Asbury Park	13,400	7	3	6	.45	0		
Bayonne	86,600	6	4	16	.18	3	.03	18.7
Belleville	18,300	7	2	5	.27			
Bloomfield	25,200	6	3	4	.16	0		
Bridgeton	14,400	6	4	6	.42	0		
Carteret	13,500	1	3			1	.07	
Clifton	33,200	4	3	15	.45	0		
Collingswood	10,500			2	.19	1	.09	50.0
East Orange	58,300	7	9	19	.33	2	.03	10.5
Englewood	12,400	7	4	15	1.21	1	.08	6.7
Garfield	23,600	3	0	4	.17	0		
Gloucester City	13,400	3	3	2	.15	0		
Hackensack	19,300	7	2			1	.05	
Harrison	16,300	4	2	4	.25			
Hoboken	[1] 68,200	5	4	7	.10	3	.04	42.9
Irvington	31,800	5	3	7	.22	1	.03	14.3
Kearny	30,500	6	1	2	.07	0		
Lodi	10,000			2	.20	0		
Long Branch	13,600	7	7	3	.22	0		
Montclair	32,200	7	4	7	.22	0		
Morristown	12,600	7	5	7	.56	0		
New Brunswick	37,000	7	5	4	.11	3	.08	75.0

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TYPHOID FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New Jersey—Continued.								
Orange	35,000	6	2	2	0.06	0		
Passaic	68,000	7	5	8	.12	3	0.04	37.5
Perth Amboy	46,100	7	6	16	.35	1	.02	6.2
Phillipsburg	18,300	4	3	4	.22	1	.05	25.0
Plainfield	31,000	7	7	7	.23	1	.03	14.3
Rahway	11,800	7	6	6	.51	2	.17	33.3
Red Bank	10,100			1	.10			
Ridgefield Park	10,500	1	0	6	.57	0		
Rutherford	10,600	1	1	5	.47	2	.19	40.0
Summit	11,400	4	4	6	.53	0		
Union	[1] 20,700	4	2	4	.19			
West Hoboken	42,200	6	3	3	.07	0		
West Orange	17,700	5	2	4	.23	1	.06	25.0
New York:								
Amsterdam	34,600	4	5	17	.49	1	.03	5.9
Batavia	14,300	1	2	1	.07	0		
Beacon	11,100	3	4	1	.09	0		
Binghamton	75,300	7	12	38	.50	5	.07	13.2
Cohoes	[1] 23,000	6	4	6	.26	1	.04	16.7
Corning	16,800	5	6	9	.54	0		
Cortland	14,100	7	9	1	.07	0		
Dunkirk	20,300	7	3	6	.30	2	.10	33.3
Elmira	49,200	5	32	13	.26	0		
Endicott	16,900	1	0	2	.12	0		
Freeport	11,500			3	.26	0		
Geneva	15,700	5	5	6	.38	1	.06	16.7
Glens Falls	17,300	6	3	4	.23	1	.06	25.0
Gloversville	22,700	7	1	6	.26	2	.09	33.3
Hornell	15,700	6	3	5	.32	1	.06	20.0
Hudson	11,800	5	5			5	.42	
Ithaca	18,000	7	11	11	.61	2	.11	18.2
Jamestown	42,400	7	16	4	.09	0		
Johnson City	10,800			15	1.39	0		
Kingston	27,000	6	25	20	.74	0		
Lackawanna	19,500	7	17	4	.21	0		
Little Falls	13,400	7	2			1	.07	
Lockport	22,400	4	7	4	.18	2	.09	50.0
Middletown	19,900	7	3	13	.65	0		
Mount Vernon	48,200	7	6	21	.44	1	.02	4.8
New Rochelle	39,600	6	7	22	.56	1	.03	4.5
Newburgh	31,600	7	12	4	.13	0		
Niagara Falls	60,200	7	15	15	.25	3	.05	20.0
North Tonawanda	17,100	7	13	6	.35	0		
Ogdensburg	14,600			2	.14	1	.07	50.0
Olean	23,200	7	8	7	.30	1	.04	14.3
Oneonta	12,600	1	7	3	.24	2	.16	66.7
Oswego	23,700	4	11	3	.13	0		
Peekskill	16,100	7	2	2	.12	0		
Plattsburgh	[1] 10,900	6	7	13	1.19	0		
Poughkeepsie	38,300	7	6	17	.44	4	.10	23.5
Rensselaer	10,900	2	3	2	.18	0		
Rome	29,000	7	8	8	.28	0		
Saratoga Springs	[1] 13,200	7	9	6	.46	1	.08	16.7
Troy	[1] 72,000	7	30	20	.28	2	.03	10.0
Watertown	33,400	7	23	22	.66	1	.03	4.5
Watervliet	16,500	4	6	4	.24	0		
White Plains	22,900	7	3	24	1.05	6	.26	25.0
North Carolina:								
Asheville	30,900	7	19	19	.61	5	.16	26.3
Greensboro	45,500			31	.68	2	.04	6.5
High Point	22,300			28	1.26			
New Bern	12,200	1	13	3	.25	1	.08	33.3
Raleigh	29,800	7	12	14	.47	5	.17	35.7
Rocky Mount	14,700	4	9	3	.20	1	.07	33.3
Salisbury	17,000			3	.18	2	.12	66.7
Wilmington	36,400	7	39	16	.44	2	.05	12.5
Winston-Salem	65,800	6	79	28	.43	4	.06	14.3
North Dakota:								
Fargo	25,600	6	5	11	.43	1	.04	9.1

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TYPHOID FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio:								
Alliance	24,400	3	4			1	0.04	
Ashtabula	24,700	7	17	2	0.08	0		
Barberton	22,500	6	4	9	.40	1	.04	11.1
Bellaire	16,000	4	16	9	.56	1	.06	11.1
Bucyrus	11,500	4	17	4	.35	0		
Cambridge	13,900	5	7	6	.43	1	.07	16.7
Cleveland Heights	20,900	2	2	4	.19	1	.05	25.0
Conneaut	10,400	1	0	3	.29	0		
Cuyahoga Falls	13,100	3	7	10	.77	1	.08	10.0
East Cleveland	35,700	5	4	5	.14	1	.03	20.0
East Liverpool	21,900			7	.32	1	.05	14.3
East Youngstown	15,300	4	2	3	.20	0		
Elyria	23,300	7	5	2	.09	1	.04	50.0
Fostoria	10,100	3	14	3	.30	1	.10	33.3
Fremont	13,600	7	11	14	1.03	1	.07	7.1
Hamilton	41,900	7	8	7	.17	3	.07	42.9
Lancaster	15,900	3	6	1	.06			
Lima	45,700	7	22	16	.35	2	.04	12.5
Lorain	41,400	7	15	6	.14	0		
Mansfield	31,100	7	11	12	.39	0		
Marietta	15,200					1	.07	
Martins Ferry	15,300	5	3			1	.07	
Middletown	29,700	7	10	39	1.31	2	.07	5.1
Newark	30,300	6	16	3	.10	2	.07	66.7
Niles	16,100	4	8	3	.19	0		
Norwood	29,000	7	2	3	.10	0		
Piqua	15,800	7	12	4	.25	0		
Salem	10,900	4	4	2	.18	0		
Sandusky	24,200	7	11	11	.45	4	.16	36.4
Springfield	67,300	7	13	31	.46	5	.07	16.1
Steubenville	31,300	7	16	7	.22	1	.03	14.3
Warren	33,300	7	21	7	.21	0		
Zanesville	30,300	6	14	7	.23	1	.03	14.3
Oklahoma:								
Chickasha	[1] 10,200	3	13	4	.39	0		
Muskogee	31,800	3	21	27	.85	4	.13	14.8
Sapulpa	13,900			5	.36	0		
Oregon:								
Astoria	16,100	7	2			1	.06	
Eugene	11,100	7	7	25	2.25	4	.36	16.0
Pennsylvania:								
Allentown	89,700	3	44	81	.90	11	.12	13.6
Altoona	65,300	7	15	11	.17	0		
Ambridge	16,200	3	2	1	.06	0		
Beaver Falls	13,100	4	7	7	.54	2	.15	28.6
Berwick	14,000	2	3	5	.36			
Bethlehem	61,200	6	8	23	.38	0		
Braddock	21,600	7	11	1	.05	0		
Bradford	15,700	6	4	3	.19			
Butler	25,000	7	13	4	.16	0		
Canonsburg	13,000	3	12	2	.15	1	.08	50.0
Carbondale	19,400	5	1	2	.10	1	.05	50.0
Carlisle	11,300	7	2	2	.18	0		
Carnegie	12,200	4	6	3	.25	0		
Carrick	12,500	4	2	1	.08	0		
Chambersburg	13,800	6	6	10	.72	1	.07	10.0
Chester	66,600	5	27	14	.21	3	.05	21.4
Clairton	13,700	1	1	1	.07	0		
Coatesville	16,100	7	12	2	.12	0		
Connellsville	14,200	6	4	29	2.04	3	.21	10.3
Dickson	11,800	3	0	1	.08	0		
Dubois	14,200	4	5	3	.21			
Duquesne	20,500	3	2	2	.10	0		
Harrisburg	82,300	7	20	19	.23	3	.04	15.8
Hazleton	35,400	5	5	6	.17	1	.03	16.7
Homestead	21,300	7	18	21	.99			
Jeannette	11,500	4	6	17	1.47			
Kingston	17,500	1	2	1	.06			
Lancaster	55,900	7	22	21	.38	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

TYPHOID FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy: Number of years	Estimated expectancy: Cases	1924: Cases reported	1924: Cases per 1,000 inhabitants	1924: Deaths registered	1924: Deaths per 1,000 inhabitants	1924: Fatalities per 100 cases
Pennsylvania—Continued.								
Lebanon	25,100			6	0.24	2	0.08	33.3
Lewistown	10,500	3	5	6	.57	1	.09	16.7
McKeesport	48,700	7	12	6	.12	4	.08	66.7
Nanticoke	24,300	4	1	7	.29	1	.04	14.3
New Castle	49,000	7	23			6	.12	
New Kensington	14,000	2	9	2	.14	0		
Norristown	34,400	7	11	16	.47	4	.12	25.0
Oil City	22,900	7	6	3	.13			
Phoenixville	[1] 10,500	3	2			1	.10	
Pittston	19,500	5	2			1	.05	
Pottstown	18,300	1	1	3	.16	0		
Sharon	24,400	5	9	8	.33	1	.04	12.5
Shenandoah	[1] 24,700	3	5	2	.08	0		
Sunbury	16,600	6	5	3	.18			
Swissvale	12,500	4	10	9	.72	0		
Uniontown	[1] 15,700	5	9	15	.96			
Vandergrift	10,600			1	.09	0		
Warren	15,000	7	5	4	.27	1	.07	25.0
Washington	22,700	7	29			2	.09	
West Chester	[1] 11,700	7	5			2	.17	
Wilkes-Barre	77,000	3	20	11	.14	1	.01	9.1
Windber	10,100			1	.10			
Woodlawn	17,700	4	5	1	.06	0		
York	48,800	6	38	16	.33	4	.08	25.0
Rhode Island:								
Central Falls	24,800	4	2	2	.08	0		
Cranston	33,300	7	3			1	.03	
Newport	31,700	7	3	6	.19	1	.03	16.7
Pawtucket	70,100	6	11	4	.06	2	.03	50.0
Warwick	[1] 13,500					1	.07	
South Carolina:								
Columbia	40,300	5	35	57	1.41			
Greenville	26,600	6	16	16	.60	3	.11	18.7
Sumter	10,200	1	6	25	2.46			
South Dakota:								
Aberdeen	16,200	3	8	1	.06			
Sioux Falls	30,400	7	7	4	.13	2	.07	50.0
Watertown	10,500					1	.10	
Tennessee:								
Knoxville	92,200	5	46	276	2.99	32	.35	11.6
Texas:								
Amarillo	17,400	6	12	6	.35			
Beaumont	48,700	5	10			3	.06	
Cleburne	13,900	5	10	28	2.01	8	.57	28.6
Denison	18,700					3	.16	
Galveston	47,600	7	32	35	.73	1	.02	2.9
Paris	16,800	1	5	8	.48	0		
Port Arthur	30,000			39	1.30	3	.10	7.7
Tyler	12,900	6	6	6	.47	1	.08	16.7
Waco	43,000	6	18	12	.28	1	.02	8.3
Utah:								
Ogden	36,100	6	11	22	.61	3	.08	13.6
Vermont:								
Bennington	10,600	1	2	2	.19			
Burlington	23,900	6	6	1	.04	0		
Virginia:								
Alexandria	18,400	6	31	4	.22	2	.11	50.0
Danville	22,700	6	8	3	.13	1	.04	33.3
Lynchburg	30,300	6	19	12	.40	3	.10	25.0
Newport News	43,400	6	18	6	.14	1	.02	16.7
Petersburg	35,000	7	29	18	.51	3	.09	16.7
Portsmouth	58,200	7	35	55	.95	6	.10	10.9
Roanoke	56,900	6	42	39	.69	9	.16	23.1
Washington:								
Aberdeen	16,000	6	3	5	.31	0		
Bremerton	11,700	1	1	3	.26	0		
Everett	29,000	7	5	22	.76	2	.07	9.1
Vancouver	14,200	5	5	4	.28	1	.07	25.0
Walla Walla	[1] 15,500	3	9	19	1.23	0		
Yakima	22,200	7	13	7	.32	5	.23	71.4
West Virginia:								
Charleston	47,300	7	52	42	.89	12	.25	28.6
Clarksburg	29,900	2	12	9	.30	2	.07	22.2

[1] Population Jan 1, 1920.

Reported prevalence for the year 1924—Continued

TYPHOID FEVER—Continued

City	Estimated population July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
West Virginia—Continued.								
Fairmont	20,400	7	25	53	2.60			
Martinsburg	13,400	5	15	17	1.27	3	0.22	17.6
Morgantown	13,500			7	.52	1	.07	14.3
Wheeling	[1] 56,200	6	55	119	2.12	15	.27	12.6
Wisconsin:								
Appleton	20,900	3	4	10	.48	0		
Eau Claire	22,100	7	7	3	.14	0		
Fond du Lac	25,600	6	6	2	.08	0		
Green Bay	33,700	7	7	3	.09	1	.03	33.3
Janesville	20,300	6	2			1	.05	
Kenosha	48,900	7	6	1	.02	0		
La Crosse	30,400	7	5	3	.10	0		
Madison	45,200	7	1	8	.18	2	.04	25.0
Manitowoc	19,700	5	2	1	.05	0		
Marinette	13,600	7	3	4	.29	0		
Oshkosh	33,200	7	6	4	.12	0		
Racine	66,000	6	7	7	.11	0		
Sheboygan	33,100	6	14	4	.12	0		
Superior	[1] 39,700	6	18			2	.05	
Wausau	19,900	7	3	9	.45	0		
Wyoming:								
Casper	20,000			9	.45	2	.10	22.2

TYPHUS FEVER

Cases	Cases reported, 1924	Deaths registered, 1924	Cases	Cases reported, 1924	Deaths registered, 1924
Alabama:			Georgia:		
Mobile	2	1	Lagrange	4	0
California:			Texas:		
Alhambra	1	0	Waco	4	0

WHOOPING COUGH

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:							
Anniston	20,000	14	11	0.55	3	0.15	3.7
Dothan	14,000		3	.21	0		
Florence	12,300		10	.16	2	.16	5.0
Mobile	65,100				3	.05	
Montgomery	45,900	45			5	.11	
Arizona:							
Phoenix	35,300		4	.11	0		
Tucson	26,000		14	.54	5	.19	2.8
Fort Smith	31,100	118	168	5.40	1	.03	168.0
Arkansas:							
Little Rock	72,600	11	30	.41	3	.04	10.0
California:							
Alameda	31,300	54	34	1.09	0		
Alhambra	11,000		24	2.18	2	.18	12.0
Berkeley	64,600	194	89	1.38	1	.02	89.0

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

WHOOPING COUGH—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
California—Continued.							
Chico	11,900		13	1.09			
Eureka	13,400	45	27	2.01	0		
Fresno	56,700		30	.53	0		
Glendale	20,000	42	52	2.61	0		
Long Beach	83,100	55	133	1.60	1	0.01	133.0
Modesto	11,700		12	1.03	0		
Pasadena	55,100	273	121	2.20	0		
Riverside	21,300	62	36	1.69	0		
Sacramento	71,100	95	14	.20	2	.03	7.0
San Bernardino	22,100	47	44	2.00	2	.09	22.0
San Diego	96,400	502	145	1.50	2	.02	72.5
San Jose	42,900	71	12	.28	0		
Santa Ana	18,800	2	57	3.04	1	.05	57.0
Santa Barbara	23,200		5	.22	0		
Santa Cruz	[1] 10,900		1	.09	0		
Santa Monica	18,700	26			1	.05	
Stockton	46,100	34	50	1.08	0		
Venice	13,800	4	5	.36	0		
Colorado:							
Boulder	11,700	30	147	12.58	0		
Colorado Springs	[1] 30,100	109	108	3.59	3	.10	36.0
Greeley	12,200		47	3.84	0		
Pueblo	43,700	5	18	.41	1	.02	18.0
Connecticut:							
Bristol	23,900	25	17	.71	0		
Fairfield	14,000	12	48	3.44	0		
Greenwich	24,700	123	188	1.60	1	.04	188.0
Manchester	20,600	2	27	1.31	0		
Meriden	36,000	51	99	2.75			
Milford	12,900	31	17	1.32	0		
New Britain	66,500	114	60	.90	7	.11	8.6
New London	28,500	108	131	4.60	0		
Norwich	23,000	17	10	.44	0		
Stonington	10,700		50	4.67	0		
West Hartford	10,700		86	8.02	0		
Florida:							
Miami	40,700	16			1	.02	
Orlando	14,800		3	.20	0		
Tampa	67,600	14	12	.18	3	.04	4.0
West Palm Beach	12,900		10	.78	0		
Georgia:							
Albany	13,000		1	.08	0		
Athens	18,600	12	38	2.04	2	.11	19.0
Brunswick	16,400	22	26	1.59	1	.06	26.0
Lagrange	22,300		13	.58	3	.13	4.3
Macon	57,300	130	675	11.78	1	.02	675.0
Rome	13,800	5	20	1.45	2	.15	10.0
Savannah	91,200	30	24	.26	1	.01	24.0
Idaho:							
Boise	22,900		3	.13			
Pocatello	17,700	9	20	1.13	0		
Illinois:							
Alton	26,400	79	30	1.14			
Berwyn	18,000	23	40	2.22	0		
Bloomington	30,100	120	70	2.32	0		
Blue Island	12,900	22	7	.54	0		
Canton	11,000		3	.27			
Centralia	13,800		32	2.32	0		
Champaign	17,900	51	36	2.02	2	.11	18.0
Chicago Heights	21,700		1	.05	0		
Cicero	59,100	78	159	2.69	1	.02	159.0
Danville	36,400		75	2.06	1	.03	75.0
Decatur	49,400		79	1.60	2	.04	39.5
East Moline	11,200		4	.36	0		
East St. Louis	70,600	37	22	.31	4	.06	5.5
Elgin	28,100	54	279	9.92	0		
Evanston	42,700	346	222	5.20	2	.05	111.0
Freeport	20,500		11	.54	0		
Galesburg	24,600	135	75	3.04	0		
Jacksonville	15,900	20	22	1.38	0		
Joliet	46,200		3	.07			
Kewanee	19,400		43	2.21	0		
La Salle	13,800	17	10	.73	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

WHOOPING COUGH—Continued

City	Estimated population July 1, 1924	Average, 1922–23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Illinois—Continued.							
Mattoon	14,500	78	42	2.89	0		
Maywood	13,900	63	11	.79	0		
Moline	33,300	120	20	.60	0		
Murphysboro	12,200		2	.16	0		
Oak Park	49,300	468	268	5.43	1	0.02	268.0
Ottawa	11,400	9	1	.09	0		
Pekin	13,100	15	29	2.21	0		
Peoria	80,600	103	71	.88	0		
Quincy	37,500	90	113	3.02	0		
Rock Island	39,200	161	42	1.07	0		
Rockford	74,400	158	161	2.17	2	.03	80.5
Springfield	62,700	269	87	1.39	1	.02	87.0
Streator	15,000	15	5	.33	0		
Urbana	11,100	23	91	8.16			
Waukegan	20,700		23	1.11	0		
West Frankfort	11,400		2	.18			
Indiana:							
Anderson	33,100		105	3.17	2	.06	52.5
Connersville	12,200				1	.08	
Crawfordsville	10,500	5	20	1.91	0		
East Chicago	43,800	22	22	.50	6	.14	3.7
Fort Wayne	95,700	114	127	1.33	1	.01	127.0
Frankfort	12,800	6	2	.16	0		
Hammond	48,500		15	.31	0		
Kokomo	35,700	7	4	.11	1	.03	4.0
La Fayette	23,600	5	5	.21	0		
Marion	25,800	20	3	.12	0		
Mishawaka	16,400	17	6	.37	1	.06	6.0
Muncie	41,400	149	207	5.00	1	.02	207.0
New Albany	[1] 23,000				1	.04	
Newcastle	16,500	2	6	.36	1	.06	6.0
Richmond	29,000	3	3	.10	1	.03	3.0
South Bend	78,500	68	53	.68	0		
Terre Haute	70,300		129	1.84	4	.06	32.2
Iowa:							
Boone	13,400		7	.52	0		
Burlington	[1] 24,100	37	77	3.20	0		
Cedar Rapids	51,500		5	.10	0		
Clinton	[1] 24,200		14	.58			
Council Bluffs	39,300	7	28	.71	1	.03	28.0
Davenport	62,600	16	21	.34	0		
Dubuque	39,400	6	29	.74	1	.03	29.0
Fort Madison	13,500		15	1.11	2	.15	7.5
Iowa City	11,800	1	13	1.10	0		
Keokuk	14,600		30	2.05			
Marshalltown	16,800		17	1.01			
Muscatine	16,100	35	15	.93	0		
Sioux City	82,100	38	15	.18			
Waterloo	40,600		159	3.91	0		
Kansas:							
Coffeyville	13,800	11	71	5.14	0		
Eldorado	14,600	78	7	.48	0		
Emporia	12,300		2	.16	1	.08	2.0
Fort Scott	10,800	15	10	.92	1	.09	10.0
Hutchinson	26,500		23	.87	0		
Lawrence	12,500	27	5	.40	0		
Leavenworth	[1] 16,900	17	21	1.24			
Parsons	17,700	8	21	1.19	0		
Pittsburg	19,500	1	13	.67	4	.21	3.2
Topeka	53,200	500	162	3.04	0		
Wichita	81,200	254	287	3.53	0		
Kentucky:							
Covington	58,100	26	10	.17	0		
Henderson	12,500	9	24	1.92	0		
Lexington	44,300	104	61	1.38	2	.05	30.5
Newport	[1] 29,300	12	20	.68	1	.03	20.0
Owensboro	21,800		16	.73	5	.23	3.2
Paducah	20,300	55	21	1.04			
Louisiana:							
Alexandria	20,100		1	.05	0		
Baton Rouge	27,000		190	7.04	2	.07	95.0
Lake Charles	13,800		2	.14	0		
Shreveport	56,200		1	.02	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

WHOOPING COUGH—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Maine:							
Auburn	17,900	90	39	2.18	0		
Bangor	26,500	91	5	.19	0		
Bath	17,200	32	16	.93	0		
Biddeford	18,400	13	28	1.52	0		
Lewiston	34,400	160	48	1.40	1	0.03	48.0
Portland	74,200	149	162	2.18	3	.04	54.0
South Portland	10,100		2	.20			
Waterville	14,200	34	39	2.74	0		
Maryland:							
Cumberland	33,100	20	77	2.33	6	.18	12.8
Frederick	12,000		8	.67	1	.08	8.0
Massachusetts:							
Amesbury	10,100		25	2.48	0		
Arlington	22,100	53	21	.95	0		
Attleboro	21,400	21	67	3.14	3	.14	22.3
Belmont	13,200	99	82	6.23	0		
Beverly	24,400	40	10	.41	0		
Braintree	11,700	61	2	.17	0		
Brockton	70,600	232	95	1.35	1	.01	95.0
Brookline	42,400	251	30	.71	0		
Chelsea	48,200	48	49	1.02	0		
Chicopee	41,200	15	25	.61	5	.12	5.0
Clinton	[1] 13,000	18	3	.23	0		
Danvers	11,900	9	10	.84	1	.08	10.0
Dedham	11,500	18	4	.35			
Everett	43,200	133	20	.46	0		
Framingham	18,900	60	4	.21	0		
Gardner	18,000	28	4	.22	0		
Greenfield	17,800	65	22	1.24	0		
Haverhill	58,400	154	137	2.35	3	.05	45.7
Holyoke	61,300	79	29	.47	5	.08	5.8
Lawrence	98,200	200	117	1.19	7	.07	16.7
Leominster	20,700	45	27	1.30	0		
Malden	51,300	96	42	.82	1	.02	42.0
Marlboro	15,200		7	.46	0		
Medford	46,400	84	28	.60	0		
Melrose	19,400	42	7	.36	0		
Methuen	16,900	88	70	4.14	3	.18	23.3
Milford	13,700	8	14	1.02	0		
Milton	10,100		6	.60	0		
Natick	11,400	25	7	.61			
Newburyport	15,900	31	27	1.70	0		
Newton	48,900	435	97	1.98	2	.04	48.5
Northampton	23,000	48	5	.22	0		
Northbridge	10,800	16	16	1.48	0		
Norwood	14,800	22	3	.20	0		
Palmer	10,500				1	.10	
Pittsfield	46,200	29	64	1.38	4	.09	16.0
Quincy	54,900	205	86	1.57	2	.04	43.0
Salem	42,500	94	15	.35	0		
Saugus	12,200	43	2	.16	0		
Southbridge	15,000	12	4	.27	0		
Taunton	38,500	44	1	.03	0		
Wakefield	13,800	16	15	1.09	0		
Waltham	32,300	97	50	1.55	0		
Watertown	25,400	60	50	1.97	0		
Webster	14,100		2	.14	0		
West Springfield	15,400		4	.26	0		
Westfield	19,800	15	3	.15	0		
Winchester	11,000	40	16	1.45			
Winthrop	17,900	91	22	1.23	0		
Woburn	17,200	26	10	.58	0		
Michigan:							
Ann Arbor	21,700	53	39	1.80	1	.05	39.0
Battle Creek	41,100	152	108	2.62	0		
Bay City	48,700	95	62	1.27	0		
Benton Harbor	13,600	6	7	.51	1	.07	7.0
Hamtramck	75,700	22	29	.38	2	.03	14.5
Highland Park	67,000	219	85	1.26	0		
Holland	13,000	50	22	1.70	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

WHOOPING COUGH—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Michigan—Continued.							
Ironwood	17,100	17	39	2.28	0		
Ishpeming	[1] 10,500	20	2	.19	0		
Jackson	56,200	175	63	1.12	0		
Kalamazoo	52,700	144	262	4.97	1	0.02	262.0
Lansing	68,300	261	105	1.54	0		
Marquette	13,300		13	.98	0		
Mount Clemens	10,300		6	.58	0		
Muskegon	41,900	45	24	.57	1	.02	24.0
Muskegon Heights	13,100		2	.15	0		
Pontiac	43,400	222	54	1.24	2	.05	27.0
Port Huron	29,200	168	41	1.40	1	.03	41.0
River Rouge	12,400		2	.16	0		
Saginaw	70,900	125	184	2.59	2	.03	92.0
Sault Ste. Marie	[1] 12,100	5	18	1.49	0		
Minnesota:							
Faribault	12,100	2	2	.17	0		
Winona	19,400	59	127	6.55	4	.21	31.7
Mississippi:							
Biloxi	12,300	10	14	1.14	1	.08	14.0
Missouri:							
Hannibal	19,800		4	.20			
Independence	12,500		30	2.39	1	.08	30.0
Joplin	[1] 29,900		17	.57			
Moberly	13,700	3	34	2.49	1	.07	34.0
St. Joseph	78,300	48	33	.42	0		
Springfield	41,700		16	.38	10	.24	1.6
Montana:							
Great Falls	28,800	18	101	3.50	12	.42	8.4
Nebraska:							
Grand Island	15,300	1	5	.33			
Lincoln	59,900	222	154	2.57	4	.07	38.5
North Platte	13,100		14	1.07	1	.08	14.0
Nevada:							
Reno	12,500	8	12	.96	0		
New Hampshire:							
Claremont	10,400		25	2.39	1	.10	25.0
Concord	22,500	5	6	.27	0		
Dover	[1] 13,000	28	4	.31	0		
Keene	11,700	4	9	.77	0		
Manchester	82,200	19			3	.04	
Nashua	29,500	5	4	.14	2	.07	2.0
Portsmouth	14,600	69	31	2.12	0		
New Jersey:							
Asbury Park	13,400	30	38	2.83	0		
Bayonne	86,600		15	.17	10	.12	1.5
Belleville	18,300	35	30	1.64			
Bloomfield	25,200	122	145	5.75	0		
Bridgeton	14,400	3	1	.07	0		
Clifton	33,200	14	48	1.44	4	.12	12.0
Collingswood	10,500		33	3.13	0		
Dover	10,900		63	5.79	0		
East Orange	58,300	311	350	6.01	0		
Englewood	12,400	69	143	11.52	0		
Garfield	23,600		17	.72	0		
Gloucester City	13,400		11	.82	0		
Hackensack	19,300	41	104	5.38	0		
Harrison	16,300	30	19	1.17			
Hoboken	[1] 68,200	25	6	.09	0		
Irvington	31,800		183	5.76	0		
Kearny	30,500	163	96	3.15	0		
Lodi	10,000		14	1.39	0		
Long Branch	13,600	16	115	8.44	1	.07	115.0
Montclair	32,200	91	154	4.79	0		
Morristown	12,600	26	24	1.91	0		
Orange	35,000	96	373	10.66	1	.03	373.0
Passaic	68,000	97	91	1.34	0		
Perth Amboy	46,100	12	7	.15	0		
Plainfield	31,000	70	34	1.10	3	.10	11.3
Rahway	11,800	4	9	.76	0		
Red Bank	10,100		18	1.78			
Ridgefield Park	10,500		33	3.16	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

WHOOPING COUGH—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
New Jersey—Continued.							
Rutherford	10,600		57	5.36	0		
Summit	11,400	52	126	11.04	0		
Union	[1] 20,700	2	2	.10			
West Hoboken	42,200	11	11	.26	1	0.02	11.0
West New York	37,500	1	8	.21	1	.03	8.0
West Orange	17,700	95	117	6.61	1	.06	117.0
New York:							
Amsterdam	34,600	22	228	6.60	2	.06	114.0
Batavia	14,300		50	3.49	0		
Beacon	11,100		26	2.35	0		
Binghamton	75,300	423	144	1.91	3	.04	48.0
Cohoes	[1] 23,000	8	35	1.52	0		
Corning	16,800	34	30	1.79	0		
Cortland	14,100	14	7	.50	0		
Dunkirk	20,300	54	87	4.28	1	.05	87.0
Elmira	49,200		317	6.44	1	.02	317.0
Endicott	16,900		76	4.50	1	.06	76.0
Freeport	11,500		40	3.47	3	.26	13.3
Geneva	15,700		39	2.49	0		
Glens Falls	17,300	68	20	1.16	0		
Gloversville	22,700	22	88	3.87	2	.09	44.0
Herkimer	11,800	60	32	2.71	1	.08	32.0
Hornell	15,700	189	39	2.49	0		
Hudson	11,800	37	27	2.28	4	.34	6.7
Ilion	11,800		15	1.27			
Ithaca	18,000	110	135	7.49	1	.06	135.0
Jamestown	42,400	194	311	7.33	2	.05	155.5
Johnson City	10,800		9	.83	0		
Kingston	27,000		62	2.29	0		
Lackawanna	19,500	46	113	5.80	0		
Little Falls	13,400	25	5	.37	0		
Lockport	22,400	43	41	1.83	1	.04	41.0
Middletown	19,900	55	125	6.29	0		
Mount Vernon	48,200	85	269	5.58	5	.10	53.8
New Rochelle	39,600	62	147	3.71	2	.05	73.5
Newburgh	31,600	28	24	.76	0		
Niagara Falls	60,200	96	170	2.83	6	.10	28.3
North Tonawanda	17,100	27	36	2.10	1	.06	36.0
Ogdensburg	[1] 14,600		3	.21	1	.07	3.0
Olean	23,200	186	149	6.43	3	.13	49.7
Oneonta	12,600		8	.64	1	.08	8.0
Oswego	23,700	85	80	3.37	0		
Peekskill	16,100	36	102	6.35	1	.06	102.0
Plattsburgh	[1] 10,900	35	28	2.57	1	.09	28.0
Poughkeepsie	38,300	95	102	2.67	2	.05	51.0
Rensselaer	10,900	14	18	1.66	1	.09	18.0
Rome	29,000	19	30	1.03	1	.03	30.0
Saratoga Springs	[1] 13,200	103	23	1.74	0		
Troy	[1] 72,000	76	90	1.25	1	.01	90.0
Watertown	33,400	178	112	3.35	1	.03	112.0
Watervliet	16,500	6	42	2.54	0		
White Plains	22,900	103	179	7.83	1	.04	179.0
North Carolina:							
Asheville	30,900	131	70	2.26	0		
Greensboro	45,500	167	362	7.95	8	.78	45.2
High Point	22,300		229	10.28			
New Bern	12,200		39	3.19	1	.08	39.0
Raleigh	29,800	283	167	5.61	1	.03	167.0
Rocky Mount	14,700		370	25.20	4	.27	92.5
Salisbury	17,000		240	14.12	2	.12	120.0
Wilmington	36,400	290	66	1.81	0		
Winston-Salem	65,800	366	305	4.63	4	.06	76.2
North Dakota:							
Fargo	25,600		53	2.07	0		
Ohio:							
Alliance	24,400		9	.37	1	.04	9.0
Ashtabula	24,700	77	2	.08	0		
Barberton	22,500		10	.44	0		
Bellaire	16,000	51	9	.56	2	.12	4.5
Bucyrus	11,500	59	33	2.87	0		
Cambridge	13,900	7	11	.79	2	.14	5.5
Chillicothe	16,400	9	5	.30	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

WHOOPING COUGH—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Ohio—Continued							
Cleveland Heights	20,900	108	258	12.33	1	0.05	258.0
Conneaut	10,400		1	.10	0		
Cuyahoga Falls	13,100	42	22	1.68	0		
East Cleveland	35,700	87	180	5.04	0		
East Liverpool	21,900				1	.05	
East Youngstown	15,300	14	32	2.09	1	.07	32.0
Elyria	23,300	58	118	5.07	0		
Findlay	18,000	48	201	11.15	0		
Fostoria	10,100		2	.20	0		
Fremont	13,600	14	11	.81	0		
Hamilton	41,900		9	.21	1	.02	9.0
Kenmore	18,200	56	179	9.82	1	.05	179.0
Lakewood	54,000		97	1.79	0		
Lancaster	15,900		2	.13			
Lima	45,700	44	22	.48	1	.02	22.0
Lorain	41,400	192	90	2.17	0		
Mansfield	31,100	116	124	3.99	0		
Marietta	15,200		74	4.86	3	.20	24.7
Martins Ferry	15,300				1	.07	
Middletown	29,700				5	.17	
New Philadelphia	11,800		1	.08	0		
Newark	30,300	78	58	1.91	1	.03	58.0
Niles	16,100	30	13	.81	1	.06	13.0
Norwood	29,000	58	49	1.69	0		
Piqua	15,800	22	3	.19	0		
Salem	10,900	120	24	2.19	1	.09	24.0
Sandusky	24,200	72	64	2.64	1	.04	64.0
Springfield	67,300	126	75	1.11	0		
Steubenville	31,300		9	.29	3	.10	3.0
Warren	33,300	23	100	3.00	1	.03	100.0
Zanesville	30,300	5	18	.59	8	.26	2.2
Oklahoma:							
Muskogee	31,800		18	.57	1	.03	18.0
Sapulpa	13,900		20	1.44	2	.14	10.0
Pennsylvania:							
Allentown	89,700		257	2.86	5	.06	51.4
Altoona	65,300	98	76	1.16	0		
Ambridge	16,200	55	7	.43	0		
Beaver Falls	13,100	8	18	1.38	0		
Bethlehem	61,200	48	132	2.16	0		
Braddock	21,600	30	83	3.85	8	.37	10.4
Bradford	15,700		86	5.46			
Butler	25,000	71	17	.68	0		
Canonsburg	13,000		3	.23	0		
Carlisle	11,300	64	20	1.77	0		
Carnegie	12,200	23	8	.65	0		
Chambersburg	13,800		3	.22	0		
Chester	66,600	83	42	.63	0		
Clairton	13,700		15	1.09	0		
Coatesville	16,100	7	38	2.36	0		
Connellsville	14,200	9	8	.56	0		
Donora	16,500	5	53	3.21	5	.30	10.6
Dubois	14,200		13	.92			
Duquesne	20,500		16	.78	3	.15	5.3
Ellwood City	11,300		17	1.50	1	.09	17.0
Farrell	18,100	12	87	4.80	2	.11	43.5
Greensburg	15,900		7	.44	0		
Harrisburg	82,300	225	116	1.41	5	.06	23.2
Hazleton	35,400	40	44	1.24	0		
Homestead	21,300	13	66	3.10			
Jeannette	11,500	4	5	.43	0		
Kingston	17,500		2	.11			
Lancaster	55,900	144	129	2.31	0		
Lebanon	25,100		8	.32	0		
Lewistown	10,500		7	.66	0		
McKees Rocks	17,900		19	1.06	0		
McKeesport	48,700	48	51	1.05	0		
Monessen	20,700	38	52	2.52	2	.10	26.0
Nanticoke	24,300	3	3	.12	0		
New Castle	49,000	45	44	.90	1	.02	44.0
New Kensington	14,000		1	.07	0		
Norristown	34,400	91	48	1.40	0		

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

WHOOPING COUGH—Continued

City	Estimated population July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Pennsylvania—Continued							
North Braddock	16,400	46	38	2.32	3	0.18	12.7
Oil City	22,900	249	25	1.09			
Olyphant	11,000		2	.18			
Phoenixville	[1] 10,500	36	24	2.29	0		
Pottstown	18,300		45	2.46	1	.05	45.0
Sharon	24,400	22	24	.98	0		
Shenandoah	[1] 24,700	45	5	.20	0		
Steelton	[1] 13,400	24	8	.60	0		
Sunbury	16,600	11	74	4.45			
Swissvale	12,500	66	14	1.12	0		
Uniontown	[1] 15,700	20	16	1.02			
Vandergrift	10,600		6	.57	2	.19	3.0
Warren	15,000	58	4	.27	0		
Washington	22,700	87	60	2.64	0		
West Chester	[1] 11,700	15	73	6.23	0		
Wilkes-Barre	[1] 77,000		43	.56	0		
Windber	10,100		5	.49	0		
Woodlawn	17,700	21	33	1.86	1	.06	33.0
York	48,800		62	1.27	0		
Rhode Island:							
Cranston	33,300	8	8	.24	0		
Cumberland	[1] 10,100				1	.10	
Newport	31,700	3			4	.13	
Pautucket	70,100		29	.41	2	.03	14.5
Warwick	[1] 13,500				2	.15	
Westerly	10,500		8	.76			
South Carolina:							
Columbia	40,300	81	69	1.71			
Greenville	26,600	82	140	5.27	3	.11	46.7
Sumter	10,200		3	.30			
South Dakota:							
Aberdeen	16,200	23	45	2.78			
Sioux Falls	30,400	14	10	.33	0		
Tennessee:							
Knoxville	92,200		22	.24	5	.05	4.4
Texas:							
Amarillo	17,400	23	200	11.52			
Galveston	47,600		2	.04	0		
Waco	43,000				4	.09	
Utah:							
Ogden	36,100	113	124	3.43	0		
Provo	11,000		21	1.90	1	.09	21.0
Vermont:							
Barre	[1] 10,000	40	21	2.10	0		
Bennington	10,600		89	8.42	1	.09	89.0
Burlington	23,900	135	21	.88	1	.04	21.0
Virginia:							
Alexandria	18,400	11	15	.82	1	.05	15.0
Charlottesville	11,100		6	.54	3	.27	2.0
Danville	22,700	18	88	3.88	3	.13	29.3
Lynchburg	30,300	213	302	9.96	2	.07	151.0
Newport News	43,400	49	289	6.66	1	.02	289.0
Petersburg	35,000	25	135	3.86	3	.09	45.0
Portsmouth	58,200				6	.10	
Roanoke	56,900		89	1.57	18	.32	4.9
Washington:							
Bellingham	26,100	4	4	.15	0		
Bremerton	11,700		64	5.44	0		
Walla Walla	[1] 15,500	1	13	.84	0		
Yakima	22,200	148	12	.54	1	.05	12.0
West Virginia:							
Charleston	47,300	58	73	1.54	1	.02	73.0
Clarksburg	29,900	170	438	14.63	5	.17	87.6
Fairmont	20,400	35	23	1.13			
Martinsburg	13,400				1	.07	
Morgantown	13,500		12	.89	1	.07	12.0
Wheeling	[1] 56,200	64	54	.96	0		
Wisconsin:							
Appleton	20,900	21	24	1.15	0		
Ashland	11,300		2	.18			
Beloit	24,100	118	100	4.14	0		
Eau Claire	22,100	26	135	6.11	2	.09	67.5

[1] Population Jan. 1, 1920.

Reported prevalence for the year 1924—Continued

WHOOPING COUGH—Continued

City	Estimated population July 1, 1924	Average, 1922–23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Wisconsin—Continued.							
Fond du Lac	25,600	25	2	0.08	0		
Green Bay	33,700	25	38	1.13	0		
Janesville	20,300	47	142	6.98	2	0.10	71.0
Kenosha	48,900	334	106	2.17	0		
La Crosse	30,400	79	172	5.65	1	.03	172.0
Madison	45,200	166	492	10.88	1	.02	492.0
Manitowac	19,700		32	1.63	0		
Marinette	13,600	93	23	1.69	1	.07	23.0
Oshkosh	33,200	76	8	.24	0		
Racine	66,000	286	52	.79	1	.02	52.0
Sheboygan	33,100	19	6	.18	0		
Wausau	19,900	52	130	6.54	0		
West Allis	17,000	27	20	1.17	0		
Wyoming:							
Casper	[1] 20,000		53	2.65	1	.05	53.0

[1] Population Jan. 1, 1920.

DEATHS DURING WEEK ENDED OCTOBER 17, 1925

Summary of information received by telegraph from industrial insurance companies for week ended October 17, 1925, and corresponding week of 1924. (From the Weekly Health Index, October 20, 1925, issued by the Bureau of the Census, Department of Commerce)

	Week ended Oct. 17, 1925	Corresponding week, 1924
Policies in force	61,481,129	57,322,862
Number of death claims	9,300	8,719
Death claims per 1,000 policies in force, annual rate	7.9	7.9

Deaths from all causes in certain large cities of the United States during the week ended October 17, 1925, infant mortality, annual death rate, and comparison with corresponding week of 1924. (From the Weekly Health Index, October 20, 1925, issued by the Bureau of the Census, Department of Commerce)

City	Week ended Oct. 17, 1925		Annual death rate per 1,000 corresponding week, 1924	Deaths under 1 year		Infant mortality rate week ended Oct. 17, 1925 [2]
	Total deaths	Death rate [1]		Week ended Oct. 17, 1925	Corresponding week, 1924	
Total (66 cities)	6,610	11.9	11.3	859	735	[3] 70
Akron	45			9	4	100
Albany [4]	29	12.6	12.8	3	2	65
Atlanta	76			7	7	
Baltimore [4]	222	14.5	13.6	35	29	105
Birmingham	44	11.2	16.1	10	3	
Boston	186	12.4	14.0	22	27	58
Bridgeport	33			4	2	64
Buffalo	150	14.1	10.7	20	17	81
Cambridge	19	8.8	13.5	1	3	17

[1] Annual rate per 1,000 population.
[2] Deaths under 1 year per 1,000 births—an annual rate based on deaths under 1 year for the week and estimated births for 1924. Cities left blank are not in the registration area for births.
[3] Data for 61 cities.
[4] Deaths for week ended Friday, Oct. 16, 1925.

Deaths from all causes in certain large cities of the United States during the week ended October 17, 1925, infant mortality, annual death rate, and comparison with corresponding week of 1924—Continued

City	Week ended Oct. 17, 1925		Annual death rate per 1,000 corresponding week, 1924	Deaths under 1 year		Infant mortality rate, week ended Oct. 17, 1925
	Total deaths	Death rate		Week ended Oct. 17, 1925	Corresponding week, 1924	
Camden	25	10.1	13.2	4	4	64
Canton	17	8.3	12.7	5	1	105
Chicago [4]	587	10.2	10.1	83	70	73
Cincinnati	120	15.3	15.5	12	13	71
Cleveland	166	9.2	8.4	23	23	57
Columbus	76	14.2	13.2	8	5	73
Dallas	45	12.1	9.7	10	11	----------
Denver	65	12.1	14.3	5	12	----------
Des Moines	37	12.9	10.8	3	2	51
Detroit	276	11.6	9.9	53	26	91
Duluth	22	10.4	3.8	0	1	0
Erie	25	----------	----------	7	3	136
Fall River [4]	26	11.2	12.9	1	7	15
Flint	16	6.4	4.6	6	1	95
Fort Worth	37	12.7	10.9	5	5	----------
Grand Rapids	34	11.6	9.8	4	4	63
Houston	47	14.9	12.1	5	9	----------
Indianapolis	100	14.5	10.1	11	8	78
Jersey City	66	10.9	12.2	12	7	85
Kansas City, Kans	20	8.4	12.8	3	5	60
Kansas City, Mo	72	10.2	12.6	10	12	----------
Los Angeles	181	----------	----------	28	22	77
Louisville	70	14.1	15.7	7	17	59
Lowell	30	13.4	17.1	4	4	66
Lynn	22	11.0	12.1	5	1	129
Memphis	63	18.8	21.8	9	5	----------
Milwaukee	106	11.0	9.9	19	10	88
Minneapolis	89	10.9	9.5	8	6	43
Nashville [4]	39	14.9	16.9	4	5	----------
New Bedford	31	12.0	7.9	8	2	132
New Haven	44	12.8	11.9	1	8	13
New Orleans	131	16.5	16.8	20	17	----------
New York	1,323	11.3	10.3	160	130	64
Bronx borough	150	8.7	7.8	8	13	28
Brooklyn borough	424	9.9	9.8	63	55	65
Manhattan borough	589	13.6	11.9	74	49	77
Queens borough	117	10.6	8.7	13	10	60
Richmond borough	43	16.8	15.2	2	3	36
Newark, N. J	96	11.1	10.4	9	10	41
Norfolk	34	----------	----------	3	0	55
Oakland	37	7.6	8.0	2	3	23
Oklahoma City	20	----------	----------	1	2	----------
Omaha	48	11.8	10.5	5	6	51
Paterson	34	12.5	7.8	3	3	50
Philadelphia	478	12.6	11.2	60	55	75
Pittsburgh	165	13.6	14.7	19	20	63
Portland, Oreg	51	9.4	10.9	3	4	30
Providence	52	11.1	10.5	6	4	48
Richmond	43	12.0	15.6	4	7	48
Rochester	74	11.6	12.7	13	7	104
St. Louis	195	12.4	11.4	25	16	----------
St. Paul	60	12.7	12.6	6	2	51
Salt Lake City [4]	34	13.5	9.7	6	4	90
San Antonio	56	14.7	12.8	9	7	----------
San Diego	37	18.2	15.7	5	3	117
San Francisco	131	12.3	12.5	10	11	58
Schenectady	18	9.2	6.2	2	2	56
Seattle	55	----------	----------	6	3	58
Somerville	21	10.7	10.9	3	4	79
Spokane	30	14.4	10.0	2	0	45
Springfield, Mass	34	11.6	7.0	4	1	59
Syracuse	46	12.5	11.9	4	5	50
Tacoma	22	11.0	8.1	3	2	70
Toledo	74	13.4	10.8	11	8	99
Trenton	43	17.0	12.9	4	7	66
Washington, D. C	160	16.8	12.8	18	17	101
Waterbury	25	----------	----------	5	3	107
Wilmington, Del	31	13.2	12.6	6	5	136
Worcester	43	11.3	10.1	5	1	57
Yonkers	18	8.4	10.9	2	3	44
Youngstown	27	8.8	11.4	11	6	135

[4] Deaths for week ended Friday, Oct. 16, 1925.

PREVALENCE OF DISEASE

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring

UNITED STATES

CURRENT WEEKLY STATE REPORTS

These reports are preliminary and the figures are subject to change when later returns are received by the State health officers

Reports for Week Ended October 24, 1925

ALABAMA

	Cases
Cerebrospinal meningitis	1
Dengue	20
Diphtheria	65
Influenza	21
Malaria	57
Measles	8
Mumps	16
Pellagra	12
Pneumonia	16
Poliomyelitis	2
Scarlet fever	21
Smallpox	3
Tetanus	2
Trachoma	1
Tuberculosis	43
Typhoid fever	36
Whooping cough	14

ARIZONA

Diphtheria	1
Measles	1
Scarlet fever	7
Trachoma	2
Tuberculosis	40
Typhoid fever	3

ARKANSAS

Chicken pox	6
Diphtheria	12
Hookworm disease	1
Influenza	23
Malaria	68
Measles	3
Mumps	4
Pellagra	5
Scarlet fever	5
Tuberculosis	4
Typhoid fever	30
Whooping cough	6

CALIFORNIA

	Cases
Anthrax—San Joaquin County	1
Cerebrospinal meningitis:	
Glendale	1
Los Angeles	1
San Francisco	1
Diphtheria	87
Influenza	16
Lethargic encephalitis:	
Oakland	1
Los Angeles	1
Measles	13
Poliomyelitis:	
Alameda	1
Fresno	1
Oakland	1
Rio Vista	3
Sacramento	1
San Diego	1
Venice	1
Scarlet fever	93
Smallpox:	
Los Angeles	14
Oakland	10
Sacramento	5
Scattering	6
Typhoid fever	14

COLORADO

(Exclusive of Denver)

Chicken pox	16
Diphtheria	30
Impetigo contagiosa	1
Influenza	1
Measles	2
Mumps	6
Pneumonia	1
Scarlet fever	10
Typhoid fever	14
Whooping cough	11

CONNECTICUT	Cases
Chicken pox	13
Diphtheria	36
Dysentery (bacillary)	1
German measles	1
Influenza	1
Measles	29
Mumps	54
Paratyphoid fever	1
Pneumonia (broncho)	17
Pneumonia (lobar)	30
Poliomyelitis	1
Scarlet fever	26
Septic sore throat	1
Tetanus	2
Tuberculosis (all forms)	32
Typhoid fever	10
Whooping cough	37

DELAWARE	
Chicken pox	1
Diphtheria	4
Scarlet fever	1
Tuberculosis (pulmonary)	1
Typhoid fever	21
Whooping cough	1

FLORIDA	
Diphtheria	30
Influenza	1
Malaria	6
Mumps	7
Paratyphoid fever	1
Pneumonia	2
Poliomyelitis	1
Scarlet fever	5
Tuberculosis	20
Typhoid fever	15
Whooping cough	25

GEORGIA	
Chicken pox	2
Conjunctivitis	7
Dengue	1
Diphtheria	35
Dysentery	30
Hookworm disease	7
Influenza	42
Malaria	40
Measles	2
Mumps	9
Paratyphoid fever	1
Pellagra	2
Pneumonia	10
Poliomyelitis	2
Scarlet fever	14
Septic sore throat	28
Smallpox	2
Trachoma	3
Tuberculosis	11
Typhoid fever	35
Typhus fever	3
Whooping cough	18

ILLINOIS	
Cerebrospinal meningitis:	
Franklin County	1
Stark County	1

ILLINOIS—continued	Cases
Diphtheria:	
Cook County	56
St. Clair County	5
Scattering	43
Influenza	80
Lethargic encephalitis:	
Macoupin County	1
St Clair County	1
Vermilion	1
Measles	116
Pneumonia	180
Poliomyelitis:	
Cook County	2
Fulton County	1
La Salle County	1
Livingston County	1
McDonough County	1
Rock Island County	2
Tazewell County	1
Winnebago County	6
Scarlet fever	198
Tuberculosis	282
Typhoid fever:	
Cook County	2
Clay County	5
Crawford County	11
Marion County	7
Washington County	5
Scattering	55
Whooping cough	83

INDIANA	
Chicken pox	21
Diphtheria	88
Influenza	46
Measles	27
Pneumonia	9
Poliomyelitis	2
Scarlet fever	115
Smallpox	9
Tuberculosis	33
Typhoid fever	31
Whooping cough	33

IOWA	
Actinomycosis	1
Cerebrospinal memingitis	1
Chicken pox	15
Diphtheria	39
Impetigo contagiosa	1
Measles	4
Mumps	7
Pneumonia	1
Poliomyelitis	9
Scabies	2
Scarlet fever	41
Smallpox	8
Tetanus	1
Typhoid fever	7
Whooping cough	9

KANSAS	
Chicken pox	39
Diphtheria	58
German measles	2
Lethargic encephalitis—Lawrence	1
Measles	2

KANSAS—continued	Cases
Mumps	5
Pneumonia	11
Poliomyelitis:	
Alma	1
Decatur County	1
Harveyville	1
Moline	1
Wathena	1
Scarlet fever	35
Tetanus	1
Tuberculosis	40
Typhoid fever	21
Whooping cough	32

LOUISIANA

Diphtheria	17
Lethargic encephalitis	2
Malaria	8
Pneumonia	39
Scarlet fever	7
Smallpox	2
Tuberculosis	22
Typhoid fever	36
Whooping cough	37

MAINE

Chicken pox	1
Diphtheria	9
Mumps	4
Pneumonia	13
Scarlet fever	30
Tuberculosis	2
Typhoid fever	6
Whooping cough	18

MARYLAND [1]

Chicken pox	29
Diphtheria	34
Dysentery	9
German measles	1
Influenza	20
Malaria	2
Measles	17
Mumps	17
Paratyphoid fever	12
Pneumonia (broncho)	24
Pneumonia (lobar)	36
Poliomyelitis	19
Scarlet fever	30
Septic sore throat	1
Tuberculosis	65
Typhoid fever	63
Vincent's angina	3
Whooping cough	53

MASSACHUSETTS

Cerebrospinal meningitis	2
Chicken pox	79
Conjunctivitis (suppurative)	9
Diphtheria	78
German measles	15
Influenza	7
Lethargic encephalitis	8
Malaria	1
Measles	331

[1] Week ended Friday.

MASSACHUSETTS—continued	Cases
Mumps	27
Ophthalmia neonatorum	23
Pneumonia (lobar)	65
Poliomyelitis	10
Scarlet fever	133
Septic sore throat	1
Trachoma	1
Tuberculosis (pulmonary)	96
Tuberculosis (other forms)	35
Typhoid fever	17
Whooping cough	167

MICHIGAN

Diphtheria	130
Measles	53
Pneumonia	81
Scarlet fever	176
Smallpox	1
Tuberculosis	195
Typhoid fever	54
Whooping cough	89

MINNESOTA

Chicken pox	69
Diphtheria	72
Measles	3
Pneumonia	2
Poliomyelitis	17
Scarlet fever	149
Tuberculosis	44
Typhoid fever	13
Whooping cough	23

MISSISSIPPI

Diphtheria	34
Scarlet fever	7
Smallpox	3
Typhoid fever	17

MISSOURI

Chicken pox	16
Diphtheria	86
Influenza	7
Measles	2
Mumps	13
Ophthalmia neonatorum	1
Pneumonia	1
Poliomyelitis	2
Scarlet fever	97
Tuberculosis	43
Typhoid fever	35
Whooping cough	16

MONTANA

Chicken pox	24
Diphtheria	6
Mumps	44
Poliomyelitis:	
Anaconda	1
Great Falls	1
Westby	1
Scarlet fever	27
Smallpox	3
Tuberculosis	7
Typhoid fever	11
Whooping cough	3

NEBRASKA	Cases
Chicken pox	5
Diphtheria	21
Measles	4
Mumps	1
Poliomyelitis	16
Scarlet fever	20
Septic sore throat	1
Smallpox	2
Typhoid fever	1
Whooping cough	15

NEW JERSEY	
Cerebrospinal meningitis	2
Chicken pox	108
Diphtheria	116
Influenza	8
Measles	43
Pneumonia	92
Poliomyelitis	3
Scarlet fever	104
Typhoid fever	31
Whooping cough	47

NEW MEXICO	
Chicken pox	3
Conjunctivitis (suppurative)	3
Diphtheria	4
Mumps	2
Pneumonia	1
Scarlet fever	11
Tuberculosis	34
Typhoid fever:	
Albuquerque	3
Scattering	9
Vincent's angina	2
Whooping cough	4

NEW YORK (Exclusive of New York City)	
Cerebrospinal meningitis	1
Diphtheria	91
Influenza	5
Lethargic encephalitis	2
Measles	153
Pneumonia	178
Poliomyelitis	21
Scarlet fever	113
Typhoid fever	48
Whooping cough	135

NORTH CAROLINA	
Chicken pox	22
Diphtheria	241
German measles	2
Measles	12
Poliomyelitis	1
Scarlet fever	101
Septic sore throat	3
Smallpox	7
Typhoid fever	24
Whooping cough	34

OKLAHOMA (Exclusive of Tulsa and Oklahoma City)	
Chicken pox	4
Diphtheria	54
Influenza	59

OKLAHOMA—continued	Cases
Malaria	49
Measles	2
Pneumonia	25
Poliomyelitis—Pittsburgh	1
Scarlet fever	30
Smallpox	3
Typhoid fever	83
Whooping cough	11

OREGON	
Chicken pox	44
Diphtheria:	
Portland	17
Scattering	15
Influenza	1
Measles	1
Mumps	14
Pneumonia	[1] 5
Scarlet fever	41
Smallpox	9
Tuberculosis	10
Typhoid fever	8
Whooping cough	12

SOUTH DAKOTA	
Chicken pox	2
Diphtheria	2
Mumps	8
Pneumonia	4
Poliomyelitis	2
Scarlet fever	12
Smallpox	1
Typhoid fever	4
Whooping cough	5

TEXAS	
Cerebrospinal meningitis	1
Dengue	1
Diphtheria	28
Mumps	5
Paratyphoid fever	2
Poliomyelitis	1
Scarlet fever	14
Tuberculosis	88
Typhoid fever	7
Whooping cough	9

UTAH	
Chicken pox	15
Diphtheria	5
Measles	2
Mumps	4
Pneumonia	5
Poliomyelitis—Salt Lake City	1
Scarlet fever	1
Tuberculosis	4
Typhoid fever	10
Whooping cough	13

VERMONT	
Chicken pox	47
Diphtheria	2
Mumps	5
Poliomyelitis	5
Scarlet fever	5
Typhoid fever	1
Whooping cough	51

[1] Deaths.

VIRGINIA

	Cases
Poliomyelitis—Middlesex County	1

WASHINGTON

Chicken pox	84
Diphtheria	33
German measles	5
Mumps	14
Poliomyelitis:	
Pierce County	2
Seattle	1
Tacoma	4
Scarlet fever	44
Smallpox	25
Tuberculosis	47
Typhoid fever	20
Whooping cough	14

WISCONSIN

Milwaukee:	
Chicken pox	52
Diphtheria	33
Influenza	2
Mumps	2
Pneumonia	9
Scarlet fever	9
Tuberculosis	10
Whooping cough	16

WISCONSIN—continued

	Cases
Scattering:	
Chicken pox	37
Diphtheria	29
German measles	4
Influenza	15
Measles	48
Mumps	10
Pneumonia	5
Poliomyelitis	7
Scarlet fever	50
Smallpox	2
Tuberculosis	22
Typhoid fever	6
Whooping cough	65

WYOMING

Chicken pox	8
Diphtheria	1
Pneumonia	2
Scabies	3
Scarlet fever	3
Smallpox	6
Typhoid fever	1
Whooping cough	1

Reports for Week Ended October 17, 1925

DISTRICT OF COLUMBIA

	Cases
Chicken pox	4
Diphtheria	12
Measles	3
Pneumonia	16
Poliomyelitis	1
Scarlet fever	23
Tuberculosis	17
Typhoid fever	3

NEBRASKA

Chicken pox	3
Diphtheria	12
German measles	1
Poliomyelitis	11
Scarlet fever	32
Tuberculosis	2

NEBRASKA—continued

	Cases
Typhoid fever	1
Whooping cough	4

NORTH DAKOTA

Chicken pox	6
Diphtheria	6
German measles	1
Measles	3
Mumps	20
Pneumonia	7
Poliomyelitis	3
Scarlet fever	26
Smallpox	3
Trachoma	6
Tuberculosis	2
Typhoid fever	1
Whooping cough	17

SUMMARY OF MONTHLY REPORTS FROM STATES

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State	Cerebrospinal meningitis	Diphtheria	Influenza	Malaria	Measles	Pellagra	Poliomyelitis	Scarlet fever	Smallpox	Typhoid fever
September, 1925										
Alabama	3	144	18	508		32	8	90	25	281
Arkansas	3	23	72	547	2	41	3	10	1	197
Delaware		11		1	2			1		18
Idaho	1	16		0		0	2	11		22
Illinois	5	273	62	6	151	3	77	377	20	297
Indiana	0	102	64	0		0	8	125		176
Iowa	5	69		1	7		61	48	19	32
Louisiana	1	75	36	118	0	44	3	20	4	242
Maryland	3	119	32	11	47	1	10	55		286
Michigan		224	8	1	71		20	353	17	153
Minnesota	3	358	4		8		299	360	8	47
New York	18	571	76	37	288		191	347	1	426
Ohio	13	369	17	7	100		77	387	41	436
Oklahoma		66	57	347	10	17	5	54	10	459
Rhode Island	0	25	0		21	0	9	22	11	17
Vermont		19	0	0	11	0	15	34	0	4
West Virginia	1	93	34		17		1	127	9	256
Wisconsin	5	160	81	0	197	0	109	202	25	60

Number of Cases of Certain Communicable Diseases Reported for the Month of August, 1925, by State Health Officers

State	Chickenpox	Diphtheria	Measles	Mumps	Scarlet fever	Smallpox	Tuberculosis	Typhoid fever	Whooping cough
Alabama		91			76	80		527	
Arizona	5		2	1	8		20	21	13
Arkansas	33	10	18	43	17	7	[1] 59	281	50
California	127	289	64	212	179	135	748	150	605
Colorado [2]									
Connecticut	16	64	47	7	71		218	43	323
Delaware		7	8				8	16	
District of Columbia [2]									
Florida	1	57	2	15	5	5	108	75	36
Georgia	15	72	2	37	22	18	109	430	87
Idaho		6			14			9	
Illinois	84	266	169	60	261	29	825	298	767
Indiana		97			103			219	
Iowa	7	21	1	9	28	12			11
Kansas	13	35	11	35	91	8	158	171	272
Kentucky [2]									
Louisiana	1	47	3	2	25	12	[1] 137	262	68
Maine	7	31	22	26	27		[1] 37	26	45
Maryland	15	66	65	39	30		260	256	373
Massachusetts	62	200	338	34	179		496	69	600
Michigan	93	200	109	30	269	29		114	788
Minnesota	124	306	13		285	11	225	45	145
Mississippi	251	124	108	564	40	67	362	737	510
Missouri	7	137	25	37	223	3	224	242	179
Montana	9	13	3	26	34	13	48	40	53
Nebraska		13			20			10	
Nevada [2]									
New Hampshire [4]									
New Jersey	55	211	138		116	2	371	101	390
New Mexico [2]									
New York	244	570	469	141	273	1	1,519	355	1,051
North Carolina [2]									
North Dakota	7	11	8	10	76	2	17	6	162
Ohio	113	246	117	43	232	88	493	357	863
Oklahoma	2	34	4	6	52	5	89	543	98
Oregon	15	62	5	12	30	11	80	48	51
Pennsylvania	141	551	540	72	465	1	491	330	1,208
Rhode Island		14			15	4		23	
South Carolina		221	5	7	29	15	[1] 217	393	250

[1] Pulmonary only.
[2] Report not received at time of going to press.
[3] Reports received weekly.
[4] Reports received annually.

Number of Cases of Certain Communicable Diseases Reported for the Month of August, 1925 by State Health Officers—Continued

State	Chicken-pox	Diph-theria	Measles	Mumps	Scarlet fever	Small-pox	Tuber-culosis	Typhoid fever	Whoop-ing cough
South Dakota	20	18	7	1	84	1	9	31	15
Tennessee [3]									
Texas [3]									
Utah	42	34	23	8	18		[1] 6	41	353
Vermont	22	5	21	25	15		20	8	52
Virginia	25	158	111		71	7	[1] 211	394	373
Washington	31	65	4	49	33	37	117	48	135
West Virginia	15	57	21		84	30	36	294	49
Wisconsin	96	166	310	96	171	41	155	22	690
Wyoming	3	6	2	8	23	1	1	9	12

Case Rates per 1,000 Population (Annual Basis) for the Month of August, 1925

State	Chicken-pox	Diph-theria	Measles	Mumps	Scarlet fever	Small-pox	Tuber-culosis	Typhoid fever	Whoop-ing cough
Alabama		0.43			0.36	0.38		2.51	
Arizona	0.14		0.06	0.03	.23		0.58	.61	0.38
Arkansas	.21	.06	.11	.27	.11	.04	[1] .37	1.79	.32
California	.37	.85	.19	.62	.52	.40	2.19	.44	1.77
Colorado [2]									
Connecticut	.12	.49	.36	.05	.55		1.68	.33	2.48
Delaware		.35	.40				.40	.80	
District of Columbia [2]									
Florida	.01	.61	.02	.16	.05	.05	1.17	.81	.39
Georgia	.06	.28	.01	.14	.08	.07	.42	1.66	.33
Idaho		.14			.33			.22	
Illinois	.14	.45	.29	.10	.44	.05	1.39	.50	1.30
Indiana		.37			.40			.84	
Iowa	.03	.10	.00	.04	.13	.06			.05
Kansas	.08	.23	.07	.23	.59	.05	1.03	1.11	1.77
Kentucky [3]									
Louisiana	.01	.29	.02	.01	.16	.08	[1] .86	1.64	.43
Maine	.11	.47	.33	.39	.41		[1] .56	.39	.68
Maryland	.11	.51	.50	.30	.23		1.99	1.96	2.86
Massachusetts	.18	.57	.96	.10	.51		1.42	.20	1.71
Michigan	.26	.57	.31	.09	.76	.08		.32	2.23
Minnesota	.57	1.41	.06		1.31	.05	1.03	.21	.67
Mississippi	1.65	.82	.71	3.71	.26	.44	2.38	4.85	3.35
Missouri	.02	.47	.08	.13	.76	.01	.76	.82	.61
Montana	.16	.24	.05	.47	.62	.24	.87	.73	.96
Nebraska		.11			.17			.09	
Nevada [2]									
New Hampshire [4]									
New Jersey	.18	.71	0.46		.39	.01	1.25	.34	1.31
New Mexico									
New York	.26	.60	.50	.15	.29	.00	1.61	.38	1.11
North Carolina [3]									
North Dakota	.12	.19	.14	.17	1.30	.03	.29	.10	2.78
Ohio	.21	.46	.22	.08	.43	.16	.92	.67	1.61
Oklahoma	.01	.18	.02	.03	.27	.03	.47	2.86	.52
Oregon	.21	.86	.07	.17	.42	.15	1.11	.67	.71
Pennsylvania	.18	.70	.68	.09	.59	.00	.62	.42	1.53
Rhode Island		.26			.28	.07		.42	
South Carolina		1.46	.03	.05	.19	.10	[1] 1.44	2.60	1.65
South Dakota	.35	.32	.12	.02	1.48	.02	.16	.55	.27
Tennessee [3]									
Texas [3]									
Utah	1.00	.81	.55	.19	.43		[1] .14	.98	8.44
Vermont	.73	.17	.70	.84	.50		.67	.27	1.74
Virginia	.12	.76	.53		.34	.03	[1] 1.01	1.89	1.79
Washington	.25	.52	.03	.39	.26	.29	.93	.38	1.08
West Virginia	.11	.42	.15		.62	.22	.26	2.16	.36
Wisconsin	.40	.70	1.30	.40	.72	.17	.65	.09	2.90
Wyoming	.16	.32	.11	.42	1.22	.05	.05	.48	.64

[1] Pulmonary only.
[2] Report not received at time of going to press.
[3] Reports received weekly.
[4] Reports received annually.

PLAGUE-ERADICATIVE MEASURES IN THE UNITED STATES

The following items were taken from the reports of plague-eradicative measures from the cities named:

Los Angeles, Calif.

Week ended Oct. 10, 1925:

Number of rats trapped	2,787
Number of rats found to be plague infected	0
Number of squirrels examined	693
Number of squirrels found to be plague infected	0
Number of mice trapped	4,393
Number of mice found to be plague infected	0

Date of discovery of last plague-infected rodent, Oct. 2, 1925.
Date of last human case, Jan. 15, 1925.

Oakland, Calif.

(Including other East Bay communities)

Week ended Oct. 10, 1925:

Number of rats trapped	717
Number of rats found to be plague infected	0

Totals:

Number of rats trapped Jan. 1 to Oct. 10, 1925	70,830
Number of rats found to be plague infected	21
Number of squirrels examined May 1 to Aug. 1, 1925	7,277
Number of squirrels found to be plague infected	0

Date of discovery of last plague-infected rat, Mar. 4, 1925.
Date of last human case, Sept. 10, 1919.

RECIPROCAL NOTIFICATIONS

Notifications regarding communicable diseases sent during the month of September, 1925, to other State health departments by departments of health of certain States

Referred by—	Diphtheria	Poliomyelitis	Scarlet fever	Smallpox	Typhoid fever	Tuberculosis	Whooping cough
Connecticut		1			1		
Illinois		2		2	11	1	1
Massachusetts				1	3		
Minnesota					8	34	
New York	1	3	3		10		
Rhode Island					2		

GENERAL CURRENT SUMMARY AND WEEKLY REPORTS FROM CITIES

Diphtheria.—For the week ended October 10, 1925, 36 States reported 1,619 cases of diphtheria. For the week ended October 11, 1924, the same States reported 1,922 cases of this disease. One hundred and two cities, situated in all parts of the country and having an aggregate population of about 23,000,000, reported 675 cases of diphtheria for the week ended October 10, 1925. Last year for the corresponding week they reported 770 cases. The estimated expectancy for these cities was 931 cases. The estimated expectancy is based on the experience of the last nine years, excluding epidemics.

Measles.—Thirty-three States reported 468 cases of measles for the week ended October 10, 1925, and 509 cases of this disease for the week ended October 11, 1924. One hundred and two cities reported 231 cases of measles for the week this year, and 113 cases last year.

Poliomyelitis.—The health officers of 36 States reported 215 cases of poliomyelitis for the week ended October 10, 1925. The same States reported 254 cases for the week ended October 11, 1924.

Scarlet fever.—Scarlet fever was reported for the week as follows: Thirty-six States—this year, 1,256 cases; last year, 1,900 cases. One hundred and two cities—this year, 497 cases; last year, 724 cases; estimated expectancy, 500 cases.

Smallpox.—For the week ended October 10, 1925, 36 States reported 92 cases of smallpox. Last year for the corresponding week they reported 242 cases. One hundred and two cities reported smallpox for the week as follows: 1925, 30 cases; 1924, 72 cases; estimated expectancy, 20 cases.

Typhoid fever.—One thousand and one cases of typhoid fever were reported for the week ended October 10, 1925, by 35 States. For the corresponding week of 1924, the same States reported 693 cases of this disease. One hundred and two cities reported 168 cases of typhoid fever for the week this year and 200 cases for the corresponding week last year. The estimated expectancy for these cities was 167 cases.

Influenza and pneumonia.—Deaths from influenza and pneumonia were reported by 102 cities for the week as follows: 1925, 296; 1924, 371.

City reports for week ended October 10, 1925

The "estimated expectancy" given for diphtheria, poliomyelitis, scarlet fever, smallpox, and typhoid fever is the result of an attempt to ascertain from previous occurrence how many cases of the disease under consideration may be expected to occur during a certain week in the absence of epidemics. It is based on reports to the Public Health Service during the past nine years. It is in most instances the median number of cases reported in the corresponding week of the preceding years. When the reports include several epidemics or when for other reasons the median is unsatisfactory, the epidemic periods are excluded and the estimated expectancy is the mean number of cases reported for the week during nonepidemic years.

If reports have not been received for the full nine years, data are used for as many years as possible, but no year earlier than 1915 is included. In obtaining the estimated expectancy, the figures are smoothed when necessary to avoid abrupt deviations from the usual trend. For some of the diseases given in the table the available data were not sufficient to make it practicable to compute the estimated expectancy.

Division, State, and city	Population July 1, 1923, estimated	Chicken pox, cases reported	Diphtheria		Influenza		Measles, cases reported	Mumps, cases reported	Pneumonia, deaths reported
			Cases, estimated expectancy	Cases reported	Cases reported	Deaths reported			
NEW ENGLAND									
Maine:									
Portland	73,129	0	2	1	0	0	0	1	0
New Hampshire:									
Concord	22,408	0	0	0	0	0	0	0	0
Manchester	81,383	0	4	0	0	0	0	0	1
Nashua	29,234	0	1	0	0	0	0	0	0
Vermont:									
Barre	[1] 10,008	0	0	0	0	0	0	0	0
Burlington	23,613	0	1	0	0	0	0	1	0
Massachusetts:									
Boston	770,400	0	44	15	0	0	21	5	11
Fall River	120,912	1	4	10	0	0	22	0	1
Springfield	144,227	1	4	0	0	0	0	0	0
Worcester	191,927	5	6	6	0	0	94	0	2
Rhode Island:									
Pawtucket	68,799	0	2	1	0	0	0	0	1
Providence	242,378	0	8	3	0	0	4	0	2
Connecticut:									
Bridgeport	[1] 143,555	0	8	3	0	0	12	0	1
Hartford	[1] 138,036	0	6	0	0	0	0	0	2
New Haven	172,967	0	3	1	2	0	2	0	4
MIDDLE ATLANTIC									
New York:									
Buffalo	536,718	5	21	6	0	0	2	1	8
New York	5,927,625	-------	122	-------	-------	-------	-------	-------	-------
Rochester	317,867	8	5	16	0	0	1	0	2
Syracuse	184,511	1	8	3	0	0	0	3	6
New Jersey:									
Camden	124,157	4	6	3	0	0	0	0	0
Newark	438,699	6	12	11	1	0	5	1	7
Trenton	127,390	0	4	2	1	1	0	0	2
Pennsylvania:									
Philadelphia	1,922,788	12	44	75	0	0	7	2	32
Pittsburgh	615,442	0	27	13	0	-------	2	0	-------
Reading	110,917	3	3	1	0	0	3	0	0
Scranton	140,636	0	4	0	0	-------	2	0	-------
EAST NORTH CENTRAL									
Ohio:									
Cincinnati	406,312	5	14	9	0	0	1	0	7
Cleveland	888,519	12	40	61	0	0	8	0	8
Columbus	261,082	2	7	6	0	0	1	0	2
Toledo	268,338	16	12	15	0	0	0	0	5
Indiana:									
Fort Wayne	93,573	2	4	0	0	0	0	0	2
Indianapolis	342,718	2	20	10	0	0	2	0	5
South Bend	76,709	3	1	5	0	0	0	0	2
Terre Haute	68,939	0	2	1	0	0	0	0	0
Illinois:									
Chicago	2,886,121	15	136	53	4	3	9	2	23
Springfield	61,833	0	2	1	0	0	0	0	0
Michigan:									
Detroit	995,668	9	62	40	4	0	9	2	21
Flint	117,968	0	11	2	0	0	0	0	0
Grand Rapids	145,947	0	5	0	0	0	3	0	2

[1] Population Jan. 1, 1920.

City reports for week ended October 10, 1925—Continued

Division, State, and city	Population July 1, 1923, estimated	Chicken pox, cases reported	Diphtheria		Influenza		Measles, cases reported	Mumps, cases reported	Pneumonia, deaths reported
			Cases, estimated expectancy	Cases reported	Cases reported	Deaths reported			
EAST NORTH CENTRAL—continued									
Wisconsin:									
Madison	42,519	0	1	3	0	0	1	0	0
Milwaukee	484,595	8	18	27	2	1	1	4	12
Racine	64,393	0	1	1	0	0	0	0	1
Superior	[1] 39,671	0	1	0	0	0	0	0	2
WEST NORTH CENTRAL									
Minnesota:									
Duluth	106,289	2	5	1	0	0	0	0	1
Minneapolis	409,125	4	27	25	0	0	0	0	4
St. Paul	241,891	2	18	18	0	0	0	1	5
Iowa:									
Davenport	61,262	1	2	10	0	-------	0	0	-------
Sioux City	79,662	1	2	3	0	-------	0	1	-------
Waterloo	39,667	-------	0	0	0	-------	0	-------	-------
Missouri:									
Kansas City	351,819	6	13	8	3	2	1	1	4
St. Joseph	78,232	0	3	0	0	0	0	0	1
St. Louis	803,853	0	49	39	0	0	0	0	-------
North Dakota:									
Fargo	24,841	0	0	0	0	0	0	1	0
Grand Forks	14,547	1	0	0	0	-------	0	0	-------
South Dakota:									
Aberdeen	15,829	0	0	0	0	-------	0	6	-------
Sioux Falls	29,206	1	1	3	0	0	0	0	0
Nebraska:									
Lincoln	58,761	1	1	0	0	0	0	0	0
Omaha	204,382	0	14	2	0	0	1	0	4
Kansas:									
Topeka	52,555	0	2	0	0	0	1	0	1
Wichita	79,261	2	2	1	0	0	0	0	1
SOUTH ATLANTIC									
Delaware:									
Wilmington	117,728	0	2	1	0	0	0	0	0
Maryland:									
Baltimore	773,580	4	23	18	2	1	7	8	15
Cumberland	32,361	0	0	12	1	0	0	0	0
Frederick	11,301	0	0	0	0	0	0	0	0
District of Columbia:									
Washington	[1] 437,571	3	12	0	0	0	0	0	4
Virginia:									
Lynchburg	30,277	0	1	2	0	0	0	0	0
Norfolk	159,089	0	3	1	0	0	0	0	1
Richmond	181,044	0	17	29	0	0	0	0	3
Roanoke	55,502	0	4	15	0	0	0	0	1
West Virginia:									
Charleston	45,597	1	2	1	0	0	0	0	1
Huntington	57,918	0	4	1	0	0	0	0	1
Wheeling	[1] 56,208	0	3	0	0	0	0	0	1
North Carolina:									
Raleigh	29,171	0	5	5	0	0	0	0	0
Wilmington	35,719	0	1	1	0	0	0	0	1
Winston-Salem	56,230	1	4	0	0	0	0	0	0
South Carolina:									
Charleston	71,245	0	1	2	0	0	0	0	2
Columbia	39,688	0	2	1	0	0	0	0	0
Greenville	25,789	0	1	1	0	0	0	0	0
Georgia:									
Atlanta	222,963	1	8	3	9	0	0	0	4
Brunswick	15,937	0	0	0	0	0	0	0	0
Savannah	89,448	0	3	1	5	0	1	0	2
Florida:									
St. Petersburg	24,403	-------	0	-------	-------	-------	-------	-------	-------
Tampa	56,050	0	2	0	0	0	0	0	2
EAST SOUTH CENTRAL									
Kentucky:									
Covington	57,877	0	2	3	0	0	0	0	3
Louisville	257,671	1	11	2	2	0	0	0	6

[1] Population Jan. 1, 1920.

City reports for week ended October 10, 1925—Continued

Division, State, and city	Population July 1, 1923, estimated	Chicken pox, cases reported	Diphtheria		Influenza		Measles, cases reported	Mumps, cases reported	Pneumonia, deaths reported
			Cases, estimated expectancy	Cases reported	Cases reported	Deaths reported			
EAST SOUTH CENTRAL—continued									
Tennessee:									
Memphis	170,067	0	13	2	0	0	0	0	3
Nashville	121,128	0	4	7	0	0	2	0	2
Alabama:									
Birmingham	195,901	0	8	2	0	0	0	0	7
Mobile	63,858	0	2	0	0	0	0	0	0
Montgomery	45,383	0	2	1	2	0	0	18	-------
WEST SOUTH CENTRAL									
Arkansas:									
Fort Smith	30,635	0	2	1	0	-------	0	0	-------
Little Rock	70,916	0	2	1	0	-------	0	0	-------
Louisiana:									
New Orleans	404,575	0	10	5	2	2	0	0	7
Shreveport	54,590	0	1	0	0	0	0	0	0
Oklahoma:									
Oklahoma	101,150	1	2	2	0	0	0	0	1
Texas:									
Dallas	177,274	0	9	5	0	1	0	0	3
Galveston	46,877	0	0	1	0	0	0	0	1
Houston	154,970	-------	3	4	0	0	0	-------	2
San Antonio	184,727	0	1	1	0	0	0	0	0
MOUNTAIN									
Montana:									
Billings	16,927	2	0	0	0	0	0	3	0
Great Falls	27,787	2	1	0	0	0	1	31	0
Helena	[1] 12,037	0	0	0	0	0	0	0	1
Missoula	[1] 12,668	4	0	0	0	0	0	0	0
Idaho:									
Boise	22,806	0	1	0	0	0	0	0	0
Colorado:									
Denver	272,031	7	13	6	0	1	2	2	4
Pueblo	43,519	-------	4	9	0	0	0	-------	0
New Mexico:									
Albuquerque	16,648	0	1	0	0	0	0	2	0
Arizona:									
Phoenix	33,899	-------	-------	0	0	0	0	-------	0
Utah:									
Salt Lake City	126,241	6	3	6	0	0	1	4	5
Nevada:									
Reno	12,429	0	0	0	0	0	0	0	0
PACIFIC									
Washington:									
Seattle	[1] 315,685	10	7	2	0	-------	1	9	-------
Spokane	104,573	5	4	2	0	-------	0	0	-------
Tacoma	101,731	0	3	4	0	0	0	0	3
Oregon:									
Portland	273,621	5	6	21	0	0	0	3	5
California:									
Los Angeles	666,853	9	34	20	6	0	1	4	5
Sacramento	69,950	2	2	0	0	0	0	0	3
San Francisco	539,038	25	17	9	0	0	2	3	3

[1] Population Jan. 1, 1920.

City reports for week ended October 10, 1925—Continued

Division, State, and city	Scarlet fever		Smallpox			Tuberculosis, deaths reported	Typhoid fever			Whooping cough, cases reported	Deaths, all causes
	Cases, estimated expectancy	Cases reported	Cases, estimated expectancy	Cases reported	Deaths reported		Cases, estimated expectancy	Cases reported	Deaths reported		
NEW ENGLAND											
Maine:											
Portland	1	1	0	0	0	0	1	2	0	0	19
New Hampshire:											
Concord	0	1	0	0	0	0	0	0	0	0	3
Manchester	1	0	0	0	0	0	0	0	0	0	16
Nashua	1	0	0	0	0	1	0	4	0	0	8
Vermont:											
Barre	0	0	0	0	0	2	0	0	0	0	4
Burlington	1	2	0	0	0	1	0	0	0	0	9
Massachusetts:											
Boston	19	18	0	0	0	11	4	5	2	53	214
Fall River	1	2	0	0	0	0	3	0	0	2	26
Springfield	4	6	0	0	0	2	0	0	1	1	32
Worcester	6	6	0	0	0	1	1	0	0	8	41
Rhode Island:											
Pawtucket	1	0	0	0	0	0	1	0	0	0	27
Providence	4	3	0	0	0	5	1	0	0	1	55
Connecticut:											
Bridgeport	3	1	0	0	0	0	0	0	0	4	21
Hartford	3	2	0	0	0	0	2	0	0	1	34
New Haven	3	4	0	0	0	1	3	0	0	7	46
MIDDLE ATLANTIC											
New York:											
Buffalo	12	13	0	0	0	9	2	5	2	14	131
New York	50	------	0	------	------	(1)	34	------	------	------	------
Rochester	5	3	1	0	0	3	1	7	0	5	52
Syracuse	5	2	0	0	0	2	2	0	0	6	37
New Jersey:											
Camden	1	4	0	0	0	0	1	2	0	4	25
Newark	7	6	0	0	0	7	3	3	0	12	90
Trenton	1	1	0	0	0	4	1	2	0	0	37
Pennsylvania:											
Philadelphia	31	36	1	0	0	30	14	7	1	28	426
Pittsburgh	21	26	0	0	------	------	4	1	------	0	------
Reading	1	2	0	0	0	1	1	1	0	12	29
Scranton	1	1	0	0	------	------	0	0	------	0	------
EAST NORTH CENTRAL											
Ohio:											
Cincinnati	9	9	0	0	0	7	2	1	1	6	122
Cleveland	18	11	0	0	0	10	4	3	0	25	150
Columbus	6	4	0	0	0	4	2	1	1	3	70
Toledo	8	8	0	0	0	2	4	0	0	1	64
Indiana:											
Fort Wayne	1	0	0	0	0	1	1	0	0	0	25
Indianapolis	6	2	0	1	0	9	2	5	2	13	85
South Bend	2	2	0	0	0	1	0	0	0	2	20
Terre Haute	1	8	0	0	0	0	1	0	0	1	21
Illinois:											
Chicago	64	47	1	1	0	32	7	4	0	36	528
Springfield	2	1	0	0	0	1	2	2	0	4	15
Michigan:											
Detroit	39	51	3	0	0	22	6	4	2	50	265
Flint	6	4	0	0	0	0	0	4	0	5	15
Grand Rapids	5	12	1	0	0	2	0	2	0	17	30
Wisconsin:											
Madison	1	0	0	0	0	0	0	0	0	2	7
Milwaukee	19	5	1	0	0	4	1	1	0	30	102
Racine	3	0	1	0	0	0	0	3	1	3	10
Superior	1	1	0	0	0	0	1	0	0	0	9
WEST NORTH CENTRAL											
Minnesota:											
Duluth	3	9	0	0	0	0	0	1	0	2	23
Minneapolis	18	19	1	0	0	3	1	1	0	0	73
St. Paul	9	9	3	1	0	3	2	1	0	6	53

[1] Pulmonary tuberculosis only.

City reports for week ended October 10, 1925—Continued

Division, State, and city	Scarlet fever		Smallpox			Tuberculosis, deaths reported	Typhoid fever			Whooping cough, cases reported	Deaths, all causes
	Cases, estimated expectancy	Cases reported	Cases, estimated expectancy	Cases reported	Deaths reported		Cases, estimated expectancy	Cases reported	Deaths reported		
WEST NORTH CENTRAL—contd.											
Iowa:											
Davenport	1	1	0	0	-------	-------	0	0	-------	0	-------
Sioux City	2	1	0	0	-------	-------	0	0	-------	0	-------
Waterloo	2	1	0	0	-------	-------	0	0	-------	0	-------
Missouri:											
Kansas City	6	2	0	0	0	5	3	4	0	16	90
St. Joseph	3	3	0	0	0	0	0	0	0	0	28
St. Louis	23	8	0	0	0	11	5	5	0	5	176
North Dakota:											
Fargo	1	0	0	0	0	0	0	0	0	1	11
Grand Forks	1	0	0	0	-------	-------	0	0	-------	0	-------
South Dakota:											
Aberdeen	0	3	0	0	-------	-------	0	0	-------	2	-------
Sioux Falls	1	7	0	0	0	0	0	0	0	0	11
Nebraska:											
Lincoln	1	2	1	0	0	0	0	0	0	5	22
Omaha	3	2	0	4	0	3	1	0	0	1	51
Kansas:											
Topeka	1	1	0	0	0	1	1	1	0	5	14
Wichita	2	3	0	0	0	2	2	3	0	0	18
SOUTH ATLANTIC											
Delaware:											
Wilmington	1	1	0	0	0	1	2	1	0	1	19
Maryland:											
Baltimore	9	3	0	-------	-------	9	10	11	0	28	173
Cumberland	0	1	0	0	0	1	0	1	0	0	17
Frederick	1	0	0	0	0	0	1	0	0	0	1
District of Columbia:											
Washington	9	11	0	0	0	7	4	2	0	15	100
Virginia:											
Lynchburg	0	7	0	0	0	1	1	0	0	0	11
Norfolk	1	0	0	0	0	7	1	1	0	0	-------
Richmond	6	7	0	0	0	3	2	1	0	2	43
Roanoke	2	0	0	0	0	1	2	1	0	0	16
West Virginia:											
Charleston	1	3	0	0	0	0	1	2	0	1	19
Huntington	1	2	0	0	0	1	1	3	0	0	18
Wheeling	2	7	0	0	0	1	2	3	1	0	14
North Carolina:											
Raleigh	2	2	0	0	0	0	0	0	0	0	-------
Wilmington	1	1	0	0	0	0	0	0	0	1	14
Winston-Salem	2	4	0	2	0	2	1	0	0	1	25
South Carolina:											
Charleston	1	0	0	0	0	3	2	4	2	0	18
Columbia	0	0	0	0	-------	-------	1	0	-------	0	-------
Greenville	1	0	0	0	0	0	0	0	0	0	10
Georgia:											
Atlanta	7	1	1	1	0	4	2	0	1	1	63
Brunswick	0	0	0	0	0	0	0	0	0	0	1
Savannah	1	0	0	0	0	6	2	0	1	0	29
Florida:											
St. Petersburg	0	-------	0	-------	-------	-------	0	-------	-------	-------	-------
Tampa	0	0	0	0	0	1	0	0	0	0	25
EAST SOUTH CENTRAL											
Kentucky:											
Covington	1	0	0	0	0	0	1	0	0	0	20
Louisville	3	9	1	0	0	6	4	7	3	6	68
Tennessee:											
Memphis	3	2	1	0	0	2	3	17	3	2	49
Nashville	4	5	0	2	0	2	3	2	0	0	28
Alabama:											
Birmingham	5	6	0	1	0	3	4	2	1	2	47
Mobile	1	1	0	0	0	1	0	3	1	0	13
Montgomery	1	0	0	0	0	0	0	0	0	2	-------
WEST SOUTH CENTRAL											
Arkansas:											
Fort Smith	1	2	0	0	-------	-------	1	0	-------	0	-------
Little Rock	1	0	0	0	-------	-------	1	1	-------	0	-------

City reports for week ended October 10, 1925—Continued

Division, State, and city	Scarlet fever		Smallpox			Tuberculosis, deaths reported	Typhoid fever			Whooping cough, cases reported	Deaths, all causes
	Cases, estimated expectancy	Cases reported	Cases, estimated expectancy	Cases reported	Deaths reported		Cases, estimated expectancy	Cases reported	Deaths reported		
WEST SOUTH CENTRAL—contd.											
Louisiana:											
New Orleans	3	8	0	0	0	14	5	7	2	14	158
Shreveport	0	1	0	0	0	1	0	1	1	0	16
Oklahoma:											
Oklahoma	2	1	0	0	0	1	2	5	0	0	17
Texas:											
Dallas	3	1	0	0	0	2	2	1	0	13	42
Galveston	0	0	0	0	0	1	0	2	0	1	13
Houston	0	0	0	0	0	2	0	1	0	-------	37
San Antonio	0	2	0	0	0	8	0	0	1	0	50
MOUNTAIN											
Montana:											
Billings	1	0	0	0	0	0	0	0	0	0	8
Great Falls	1	0	0	1	0	0	0	3	0	3	6
Helena	0	1	0	0	0	2	0	0	0	0	11
Missoula	0	0	0	0	0	0	0	0	0	4	5
Idaho:											
Boise	0	0	0	0	0	0	0	0	0	0	4
Colorado:											
Denver	5	7	0	0	0	4	4	2	0	11	73
Pueblo	1	0	0	0	0	0	1	3	0	-------	7
New Mexico:											
Albuquerque	0	1	0	0	0	5	2	2	0	0	12
Arizona:											
Phoenix	-------	0	-------	0	0	2	-------	0	0	-------	12
Utah:											
Salt Lake City	2	8	0	0	0	1	3	4	1	7	32
Nevada:											
Reno	1	0	0	0	0	0	0	1	0	0	8
PACIFIC											
Washington:											
Seattle	6	4	1	0	-------	-------	2	1	-------	3	-------
Spokane	5	3	2	1	-------	-------	1	0	-------	0	-------
Tacoma	2	0	0	3	0	3	1	0	0	0	30
Oregon:											
Portland	5	5	2	0	0	3	2	3	0	0	-------
California:											
Los Angeles	9	16	0	8	0	21	5	2	0	6	182
Sacramento	1	0	0	2	0	3	1	0	0	0	20
San Francisco	6	14	1	2	0	13	2	0	0	13	133

Division, State, and city	Cerebrospinal meningitis		Lethargic encephalitis		Pellagra		Poliomyelitis (infantile paralysis)		
	Case	Deaths	Cases	Deaths	Cases	Deaths	Cases, estimated expectancy	Cases	Deaths
NEW ENGLAND									
Massachusetts:									
Boston	0	0	2	4	0	0	2	0	1
Springfield	0	0	0	0	0	0	0	1	0
Worcester	0	0	1	0	0	0	0	0	0
Connecticut:									
Hartford	1	0	0	0	0	0	1	0	0
New Haven	0	0	1	0	0	0	0	0	0
MIDDLE ATLANTIC									
New York:									
Rochester	1	0	0	0	0	0	1	2	1
New Jersey:									
Newark	0	0	1	0	0	0	1	1	0
Trenton	0	0	0	0	0	0	0	1	0
Pennsylvania:									
Philadelphia	0	0	0	0	0	0	1	2	0

City reports for week ended October 19, 1925—Continued

Division, State, and city	Cerebrospinal meningitis		Lethargic encephalitis		Pellagra		Poliomyelitis (infantile paralysis)		
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases, estimated expectancy	Cases	Deaths
EAST NORTH CENTRAL									
Ohio:									
Cincinnati	0	0	0	0	0	0	0	1	0
Cleveland	1	0	0	0	0	0	1	6	0
Toledo	0	0	0	0	0	0	0	1	0
Indiana:									
Indianapolis	1	1	0	0	0	0	0	0	0
Illinois:									
Chicago	1	0	0	1	0	0	5	4	0
Springfield	0	0	0	0	0	0	0	1	1
Michigan:									
Detroit	2	0	0	0	0	0	1	1	1
Wisconsin:									
Milwaukee	0	0	0	0	0	0	0	1	0
WEST NORTH CENTRAL									
Minnesota:									
Minneapolis	0	0	0	0	0	0	0	3	1
St. Paul	0	0	0	0	0	0	1	1	0
Iowa:									
Davenport	0	0	0	0	0	0	0	1	0
Missouri:									
Kansas City	0	0	1	1	0	0	1	1	1
St. Louis	0	0	0	0	0	0	1	2	1
North Dakota:									
Fargo	0	0	0	0	0	0	0	2	1
Nebraska:									
Lincoln	0	0	0	0	0	0	0	1	0
Omaha	0	0	0	0	0	0	0	3	1
Kansas:									
Topeka	0	0	0	0	0	0	1	1	0
Wichita	0	0	0	0	0	0	0	1	0
SOUTH ATLANTIC									
Maryland:									
Baltimore	1	0	1	1	1	0	2	0	0
District of Columbia:									
Washington	0	0	1	0	0	0	1	3	1
Virginia:									
Richmond	0	0	0	0	0	1	1	0	0
North Carolina:									
Raleigh	0	0	0	0	0	1	0	0	0
South Carolina:									
Charleston	0	0	0	0	0	1	0	1	0
Georgia:									
Atlanta	0	0	0	0	1	2	0	0	0
Savannah [1]	0	0	0	0	0	0	0	1	0
EAST SOUTH CENTRAL									
Kentucky:									
Louisville	0	0	0	0	0	0	0	2	1
Tennessee:									
Memphis	0	0	0	0	2	0	0	0	0
Alabama: [1]									
Mobile	0	0	0	0	0	1	0	0	0
WEST SOUTH CENTRAL									
Texas:									
San Antonio	0	1	0	0	0	1	0	0	0
PACIFIC									
Washington:									
Seattle	0	0	0	0	0	0	1	2	0
Tacoma	0	0	0	0	0	0	0	1	0
Oregon:									
Portland	0	0	0	0	0	0	0	1	0
California:									
Los Angeles	0	0	0	0	1	0	1	3	1
San Francisco	1	1	0	0	3	1	0	2	0

[1] *Dengue.*—Savannah, Ga., 1 case, 1 death; Birmingham, Ala., 1 case.

The following table gives the rates per hundred thousand population for 104 cities for the 10-week period ended October 10, 1925. The population figures used in computing the rates were estimated as of July 1, 1923, as this is the latest date for which estimates are available. The 104 cities reporting cases had an estimated aggregate population of nearly 29,000,000, and the 96 cities reporting deaths had more than 28,000,000 population. The number of cities included in each group and the aggregate populations are shown in a separate table below.

Summary of weekly reports from cities, August 2 to October 10, 1925—Annual rates per 100,000 population [1]

DIPHTHERIA CASE RATES

	Week ended—									
	Aug. 8	Aug. 15	Aug. 22	Aug. 29	Sept. 5	Sept. 12	Sept. 19	Sept. 26	Oct. 3	Oct. 10
104 cities	[2] 87	80	70	[3] 75	[4] 72	96	99	[2] 102	[5] 121	[9] 154
New England	82	92	52	42	45	77	144	84	77	99
Middle Atlantic	83	78	73	63	62	89	83	81	[6] 84	[10] 155
East North Central	101	72	55	72	61	75	81	113	[7] 140	164
West North Central	107	113	102	118	102	145	149	155	195	207
South Atlantic	55	73	63	[3] 72	112	127	94	116	[8] 225	[11] 191
East South Central	29	34	63	40	34	80	80	63	69	97
West South Central	23	51	60	97	32	125	60	79	65	83
Mountain	[2] 68	162	76	172	315	200	224	[2] 195	134	200
Pacific	148	84	104	110	[4] 80	78	136	107	107	107

MEASLES CASE RATES

104 cities	[2] 53	48	31	[3] 28	[4] 22	23	30	[2] 36	[5] 40	[9] 53
New England	132	129	97	89	52	94	112	184	250	385
Middle Atlantic	69	57	38	34	25	25	34	32	[6] 32	[10] 24
East North Central	47	37	19	22	21	17	24	24	[7] 26	26
West North Central	11	30	6	4	6	4	10	6	8	6
South Atlantic	45	43	35	[3] 25	24	23	16	30	[8] 25	[11] 16
East South Central	11	17	6	11	0	0	6	11	11	11
West South Central	0	9	9	0	0	5	5	0	0	0
Mountain	[2] 20	19	29	29	0	10	10	[2] 29	10	38
Pacific	29	20	12	6	[4] 28	9	15	20	3	12

SCARLET FEVER CASE RATES

104 cities	[2] 53	59	53	[3] 40	[4] 56	54	63	[2] 66	[5] 87	[9] 113
New England	102	84	92	70	47	65	62	47	89	109
Middle Atlantic	33	36	23	27	30	31	47	49	[6] 49	[10] 111
East North Central	52	58	58	48	62	61	62	70	[7] 104	117
West North Central	120	137	147	112	125	114	151	147	195	135
South Atlantic	22	41	43	[3] 41	59	57	39	65	[8] 69	[11] 98
East South Central	63	40	34	29	143	120	57	80	80	132
West South Central	56	70	51	19	37	32	42	14	51	65
Mountain	[2] 39	95	67	29	76	38	166	[2] 88	181	153
Pacific	64	87	44	70	[4] 52	38	[4] 67	81	93	107

[1] The figures given in this table are rates per 100,000 population, annual basis, and not the number of cases reported. Populations used are estimated as of July 1, 1923.
[2] Helena, Mont., not included.
[3] Greenville, S. C., not included.
[4] Spokane, Wash., not included.
[5] Pittsburgh, Pa., Superior, Wis., and St. Petersburg, Fla., not included.
[6] Pittsburgh, Pa., not included.
[7] Superior, Wis., not included.
[8] St. Petersburg, Fla., not included.
[9] New York, N. Y., and St. Petersburg, Fla., not included.
[10] New York, N. Y., not included.
[11] St. Petersburg, Fla., not included.

Summary of weekly reports from cities, August 2 to October 10, 1925—Annual rates per 100,000 population—Continued

SMALLPOX CASE RATES

	Week ended—									
	Aug. 8	Aug. 15	Aug. 22	Aug. 29	Sept. 5	Sept. 12	Sept. 19	Sept. 26	Oct. 3	Oct. 10
104 cities	[2] 9	7	6	[3] 8	[4] 5	6	7	[2] 6	[5] 2	[9] 7
New England	0	0	0	0	0	0	0	0	0	0
Middle Atlantic	0	0	0	1	0	0	0	0	[6] 0	[10] 0
East North Central	6	3	2	8	5	2	2	2	[7] 0	1
West North Central	9	11	6	4	4	4	4	2	2	10
South Atlantic	2	2	4	[3] 12	2	12	12	6	[8] 0	[11] 6
East South Central	51	23	40	57	11	23	40	34	0	17
West South Central	14	9	5	14	5	5	5	0	0	0
Mountain	[2] 20	10	10	10	10	19	0	[2] 39	10	10
Pacific	67	67	44	29	[4] 40	44	49	41	26	46

TYPHOID FEVER CASE RATES

104 cities	[2] 41	48	57	[3] 47	[4] 40	42	51	[2] 45	[5] 40	[9] 38
New England	27	40	32	27	30	35	30	22	47	17
Middle Atlantic	23	33	45	30	29	27	35	34	[6] 33	[10] 33
East North Central	21	19	31	28	19	22	19	31	[7] 18	22
West North Central	43	58	48	35	21	62	58	17	35	33
South Atlantic	59	91	110	[3] 94	61	51	110	93	[8] 54	[11] 55
East South Central	274	217	183	177	183	246	212	217	143	177
West South Central	130	102	134	111	176	74	167	102	97	60
Mountain	[2] 107	105	105	115	29	138	88	[2] 98	115	124
Pacific	17	44	64	55	[4] 31	29	29	23	29	9

INFLUENZA DEATH RATES

96 cities	[2] 3	2	2	[3] 4	[4] 3	5	5	[2] 3	[5] 5	[9] 3
New England	5	0	0	0	0	2	0	0	0	0
Middle Atlantic	2	2	2	3	3	3	6	3	[6] 3	[10] 1
East North Central	3	3	1	4	3	7	4	5	[7] 7	3
West North Central	0	0	0	2	2	0	7	4	7	4
South Atlantic	6	0	0	[3] 2	2	0	2	2	[8] 4	[11] 2
East South Central	6	6	11	6	0	6	6	0	17	0
West South Central	5	0	10	15	5	5	10	0	20	15
Mountain	[2] 0	10	10	10	19	29	20	[2] 10	0	10
Pacific	0	0	8	0	[4] 0	4	0	4	0	0

PNEUMONIA DEATH RATES

96 cities	[2] 56	63	55	[3] 64	[4] 73	64	62	[2] 57	[5] 62	[9] 67
New England	37	30	40	42	55	52	70	55	32	60
Middle Atlantic	65	73	65	65	84	68	62	66	[6] 63	[10] 68
East North Central	38	51	43	54	64	49	47	42	[7] 47	65
West North Central	53	44	31	53	33	37	46	28	37	46
South Atlantic	73	81	63	[3] 84	57	64	86	91	[8] 87	[11] 76
East South Central	69	63	80	69	143	154	86	46	109	120
West South Central	71	87	82	112	76	87	82	51	66	66
Mountain	[2] 29	57	67	76	86	38	117	[2] 78	143	95
Pacific	78	96	53	69	[4] 106	102	69	57	98	57

[2] Helena, Mont., not included.
[3] Greenville, S. C., not included.
[4] Spokane, Wash., not included.
[5] Pittsburgh, Pa., Superior, Wis., and St. Petersburg, Fla., not included.
[6] Pittsburgh, Pa., not included.
[7] Superior, Wis., not included.
[8] St. Petersburg, Fla., not included.
[9] New York, N. Y., and St. Petersburg, Fla., not included.
[10] New York, N. Y., not included.
[11] St. Petersburg, Fla., not included.

Number of cities included in summary of weekly reports and aggregate population of cities in each group, estimated as of July 1, 1923

Group of cities	Number of cities reporting cases	Number of cities reporting deaths	Aggregate population of cities reporting cases	Aggregate population of cities reporting deaths
Total	104	96	28,842,382	28,084,966
New England	12	12	2,098,746	2,098,746
Middle Atlantic	10	10	10,304,114	10,304,114
East North Central	16	16	6,976,567	6,976,567
West North Central	14	11	2,515,330	2,381,454
South Atlantic	22	22	2,566,901	2,566,901
East South Central	7	7	911,885	911,885
West South Central	8	6	1,124,564	1,023,013
Mountain	9	9	546,445	546,445
Pacific	6	3	1,797,830	1,275,841

FOREIGN AND INSULAR

THE FAR EAST

Reports for two weeks ended October 3, 1925.—The following reports were transmitted by the far eastern bureau of the health section of the League of Nations, located at Singapore, to the headquarters at Geneva:

WEEK ENDED SEPTEMBER 26, 1925

Port	Plague		Cholera		Smallpox	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Calcutta		0		4	2	0
Bombay		0		0	1	
Madras		0		1	7	6
Rangoon		14		1	0	0
Karachi		1		0	4	1
Negapatam		0		1	0	0
Singapore	0	0	0	0	0	0
Port Swettenham	0	0	0	0	0	0
Penang	0	0	0	0	0	0
Batavia	0	0	0	0	0	0
Soerabaya	0	0	0	0	0	0
Samarang	0	0	0	0	4	3
Belawan Deli	0	0	0	0	0	0
Macassar	0	0	0	0	0	0
Sandakan (North Borneo)	0	0	0	0	0	0
Kuching (Sarawak)	0	0	0	0	13	1
Bangkok	1	1	0	0	0	0
Saigon and Cholon	0	0	0	0	0	0
Hongkong	0	0	0	0	0	0
Shanghai	0	0	6	4	0	0
Manila	0	0	73	19	0	0
Colombo	0	0	0	0	0	0
Nagasaki	0	0	0	0	0	0
Yokohama	0	0	3		0	0
Simonoseki	0	0	0	0	0	0
Moji	0	0	0	0	0	0
Kobe	0	0	0		0	0
Osaka	0	0	2		0	0
Keelung (Formosa)	0	0	0	0	0	0
Fusan	0	0	0	0	0	0
Adelaide	0	0	0	0	0	0
Brisbane	0	0	0	0	0	0
Fremantle	0	0	0	0	0	0
Melbourne	0	0	0	0	0	0
Sydney	0	0	0	0	0	0
Suez	0	0	0	0	0	0
Alexandria	0	0	0	0	0	0
Port Said	0	0	0	0	0	0
Mombasa (Kenya)	0	0	0	0	0	0
Massowah	0	0	0	0	0	0
Djibuti	0	0	0	0	0	0
Lourenco Marques	0	0	0	0	0	0
Durban	0	0	0	0	0	0
Cape Town	0	0	0	0	0	0
Mauritius	1	1	0	0	0	0
Seychelles	0	0	0	0	0	0

WEEK ENDED OCTOBER 3, 1925

Calcutta		0		6	0	0
Bombay		1		0	1	
Madras		0		0	12	3
Rangoon		8		0	0	0
Karachi		1		0	4	1
Negapatam		0		0	0	0

WEEK ENDED OCTOBER 3, 1925—Continued

Port	Plague		Cholera		Smallpox	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Singapore	0	0	0	0	0	0
Port Swettenham	0	0	0	0	0	0
Penang	0	0	0	0	0	0
Batavia	0	0	0	0	0	0
Soerabaya	0	0	0	0	0	0
Samarang	0	0	0	0	0	0
Belawan Deli	0	0	0	0	0	0
Macassar	0	0	0	0	0	0
Sandakan (North Borneo)	0	0	0	0	0	0
Kuching (Sarawak)	0	0	0	0	5	0
Bangkok	0	0	0	0	0	0
Saigon and Cholon	0	0	0	0	0	0
Hongkong	0	0	0	0	0	0
Shanghai	0	0	3	3	0	0
Manila	0	0	64	26	0	0
Colombo	1	1	0	0	0	0
Nagasaki	0	0	0	0	0	0
Yokohama	0	0	2	-------	0	0
Simonoseki	0	0	0	0	0	0
Moji	0	0	0	0	0	0
Kobe	0	0	4	-------	0	0
Osaka	0	0	1	-------	0	0
Keelung (Formosa)	0	0	0	0	0	0
Fusan	0	0	0	0	0	0
Adelaide	0	0	0	0	0	0
Brisbane	0	0	0	0	0	0
Fremantle	0	0	0	0	0	0
Melbourne	0	0	0	0	0	0
Sydney	0	0	0	0	0	0
Suez	0	0	0	0	0	0
Alexandria	0	0	0	0	0	0
Port Said	0	1	0	0	0	0
Mombasa (Kenya)	0	0	0	0	0	0
Massowah	0	0	0	0	0	0
Djibuti	0	0	0	0	0	0
Lourenco Marques	0	0	0	0	0	0
Durban	0	0	0	0	0	0
Cape Town	0	0	0	0	0	0
Mauritius	0	0	0	0	0	0
Seychelles	0	0	0	0	0	0
Dairen	0	0	0	0	0	0

CUBA

Communicable diseases—Habana—September, 1925.—During September, 1925, communicable diseases were reported at Habana, Cuba, as follows:

Disease	New cases	Deaths	Remaining under treatment Sept. 30, 1925	Disease	New cases	Deaths	Remaining under treatment Sept. 30, 1925
Dengue	3	-------	3	Measles	40	-------	15
Diphtheria	14	1	3	Scarlet fever	17	-------	8
Leprosy	-------	-------	10	Paratyphoid fever	1	-------	-------
Malaria [1]	87	2	16	Typhoid fever [1]	30	6	21

[1] Many cases were from the interior.

ESTHONIA

Communicable diseases—July, 1925.—During the month of July, 1925, communicable diseases were reported in the Republic of Esthonia as follows: Diphtheria, 33 cases; scarlet fever, 20; tuberculosis, 127; typhoid fever, 70, with paratyphoid fever 11 cases. One case of leprosy was reported.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER

Reports Received During Week Ended October 30, 1925[1]

CHOLERA

Place	Date	Cases	Deaths	Remarks
Ceylon	July 12-Aug. 8	8	6	
China:				
Nanking	Sept. 6-12			Sporadic cases.
India				Aug. 16-29, 1925: Cases, 3,636; deaths, 2,012.
Calcutta	Sept. 6-12	5	5	
Madras	Sept. 6-19	13	5	
Rangoon	Aug. 30-Sept. 5	1		
Siam:				
Bangkok	Aug. 23-29	1	1	

PLAGUE

Place	Date	Cases	Deaths	Remarks
Brazil:				
Bahia	Sept. 6-12	1	1	
British East Africa:				
Uganda—				
Entebbe	June 1-30	63	59	
Ceylon:				
Colombo	Aug. 30-Sept. 5	3	3	
China:				
Nanking	Sept. 6-12			Prevalent.
Greece:				
Athens	Sept. 1-30	19	5	
India				Aug. 16-29, 1925: Cases, 2,676; deaths, 1,717.
Bombay	Aug. 16-Sept. 12	7	6	
Karachi	Sept. 6-19	2	2	
Madras Presidency	Aug. 16-29	53	11	
Rangoon	Aug. 30-Sept. 12	43	35	
Java:				
Batavia	Aug. 29-Sept. 4	24	34	
Besoeki Residency	Aug. 4-12			Epidemic in capital, and in five native villages.
Cheribon	Aug. 16-22	1	1	
Soerabaya	do	1	1	
Soerakarta Residency	Aug. 5-12			Epidemic at Klaten.
Nigeria	June 1-30		2	

SMALLPOX

Place	Date	Cases	Deaths	Remarks
Algeria:				
Algiers	Sept. 1-10	4		
British East Africa:				
Kenya—				
Mombasa	Aug. 9-Sept. 5	16	6	
Tanganyika Territory	Aug. 9-15	1,181	427	
Uganda—				
Entebbe	June 1-30	1		
Canada:				
British Columbia—				
Vancouver	Sept. 28-Oct. 4	1		
Ontario—				
Toronto	Oct. 4-10	1		

[1] From medical officers of the Public Health Service, American consuls, and other sources.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received During Week Ended October 30, 1925—Continued

SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
China:				
Antung	Sept. 7-13	4		
Manchuria—				
Dairen	Aug. 24-30	1		
Nanking	Sept. 6-12			Present.
Chosen	May 1-31	596	143	
Egypt	July 2-Aug. 4	45	15	
France	July 1-31	49		
Germany:				
Stuttgart	Sept. 13-19	1		For the State of Baden.
Gold Coast	June 1-30	742	70	
Do	July 1-31	159	36	
Great Britain:				
England and Wales	Sept. 27-Oct. 3	28		
Newcastle-on-Tyne	do	2		
Greece	July 1-31	2		
Athens	Sept. 1-30	8		
India				Aug. 16-29, 1925: Cases, 3,124; deaths, 772.
Bombay	Aug. 16-Sept. 5	7	6	
Calcutta	Sept. 6-12	2	2	
Karachi	Sept. 6-19	2	[illegible]	
Madras	do	33	8	
Rangoon	Aug. 30-Sept. 12	1	1	
Indo-China:				
Saigon	Aug. 24-30	12	2	Including 100 square kilometers of surrounding country.
Italy	July 5-Aug. 1	20		
Japan:				
Taiwan	July 1-31	1		
Java:				
Rembang Residency	Aug. 8			Epidemic at Montong.
Soerabaya	Aug. 16-22	69	13	
Mexico	June 1-30		507	
Torreon	Sept. 1-30		2	
Nigeria	June 1-30	3	37	
Portugal:				
Lisbon	Sept. 8-Oct. 3	22		Sept. 7-20, 1925: Deaths, 6.
Spain:				
Malaga	Sept. 27-Oct. 3		3	
Tunis:				
Tunis	Sept. 23-29	5	7	
Uruguay	May 1-31	1		

TYPHUS FEVER

Bulgaria	July 1-31	27	3	
Canary Islands:				
Santa Cruz de Teneriffe	Sept. 14-20		1	
Chile:				
Valparaiso	Sept. 6-12		1	
China:				
Manchuria—				
Harbin	Sept. 2-8	2		
Chosen	Jan.-May	394	69	
Czechoslovakia	July 1-31	3		
Egypt	July 2-Aug. 4	107	19	
Alexandria	Sept. 11-17	1		
Cairo	July 16-29	3	1	
Great Britain:				
Glasgow	Oct. 2-8	1		
Greece	July 1-31	3		
Athens	Sept. 1-30	12	1	Including Piraeus.
Mexico	June 1-30		16	
Mexico City	Sept. 13-19	8		Including municipalities in Federal district.
Morocco	July 1-31	59		
Tripoli	June 1-30	3		

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 27 to October 23, 1925[1]

CHOLERA

Place	Date	Cases	Deaths	Remarks
Algeria:				
Algiers	May 11-20	1		
Ceylon				Jan. 25-June 27, 1925: Cases, 172; deaths, 120. June 28-July 11, 1925: Cases, 19; deaths, 15.
Colombo	May 10-16	2	2	
China:				
Foochow	Aug. 23-29			Present.
Shanghai	July 26-Aug. 15	82	39	
Do				Aug. 22, 1925: Prevalent with 100 new cases (estimated) daily.
Swatow	Oct. 8			Present.
India				Apr. 26-June 27, 1925: Cases, 33,647; deaths, 19,950. June 28-Aug. 15, 1925: Cases, 12,827; deaths, 7,227.
Bombay	May 10-June 27	2	1	
Do	June 28-Aug. 15	11	7	
Calcutta	May 3-9	58	49	
Do	May 17-23	79	61	
Do	June 14-20	12	11	
Do	July 5-Sept. 5	76	61	
Karachi	Aug. 30-Sept. 5	1	1	
Madras Presidency	June 6-20	4	1	
Do	July 5-Sept. 5	34	12	
Rangoon	May 3-June 6	22	15	Feb. 8-14, 1925: Cases, 2; deaths, 2. (Received out of date.)
Do	June 14-27	12	8	
Do	June 28-Aug. 22	6	6	
Indo-China:				
Saigon	May 4-June 7	4	3	Including 100 square kilometers of surrounding country.
Do	June 22-July 12	3	2	
Do	Aug. 3-9	1	1	Do.
Japan:				
Kobe	Sept. 4-6	5	2	
Yokohama	Sept. 2	5	3	
Philippine Islands:				
Albay—				
Tabaco	June 14-20	1	1	
Bulacan	do	1	1	
Do	June 28-July 18	3	2	
Camarines Sur	July 3-9	1		
Lagonoy	June 6-12	2	1	
Leyte	July 8-14	1	1	
Manila	June 15-28	3		
Do	June 29-Aug. 16	17	4	June 1-Aug. 8, 1925: Cases, 17.
Mountain Province	June 23-29	1	1	
Rizal Province	Aug. 2-8	2		
Siam:				
Bangkok	Apr. 29-June 27	9	4	
Turkey:				
Constantinople	May 16-22	1		
On vessel:				
——		1		At Nagasaki. Reported Sept. 2, 1925, arrived on vessel from China.
Steamship President Lincoln.		1		At Kobe, Sept. 5, 1925, from Shanghai.

PLAGUE

Brazil:				
Bahia	May 3-June 13	5	4	
British East Africa:				
Uganda	Feb. 1-28	28	28	
Entebbe	May 4-June 4	78	73	Apr. 1-May 31, 1925: Cases, 120; deaths, 118.
Ceylon:				
Colombo	May 10-June 30	11	10	
Do	June 28-Aug. 15	16	13	
China:				
Foochow	May 24-31			Reported present in epidemic form.
Do	Aug. 23-29			Present.
Nanking	July 25-Aug. 22			Do.
North Manchuria	May 27	2	1	

[1] From medical officers of the Public Health Service, American consuls, and other sources.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 27 to October 23, 1925—Continued

PLAGUE—Continued

Place	Date	Cases	Deaths	Remarks
Ecuador:				
Guayaquil	June 1-15	1	1	May 16-June 30, 1925: Rats examined, 30,347; found infected, 95. July 1-Sept. 15, 1925: Rats taken, 43,298; rats found infected, 160.
Do	Sept. 1-15		1	
Egypt				Jan. 1-Sept. 9, 1925: Cases, 111. Corresponding period year 1914: Cases, 354.
City—				
Alexandria	June 17-24	2	2	Bubonic.
Port Said	June 17-18	1	1	
Do	June 28-Sept. 3	11	3	
Suez	June 14-27	3	2	
Do	Aug. 19	1	1	Septicemic.
Province—				
Assiout	June 5	1	1	
Beni-Souef	June 10-16	8	4	
Do	Aug. 6-12	5	2	
Charkieh	June 6-8	1	1	
Kena	June 17	1	1	
Minia	June 6-17	3	2	
France:				
Marseille	Aug. 13-18	3		
Gold Coast	March-April	3	3	
Greece:				
Athens	July 1-Aug. 14	26		
Piræus	July 18-Aug. 14	9		
Pyrgos	Sept. 1	1		
Saloniki	Oct. 3	1		
Hawaii Territory:				
Honokaa	June 28			Plague-infected rat.
Do	Aug. 7	1		
Do	Aug. 15			Plague-infected rat, near Paauilo.
Kukuihaele	July 31			Plague-infected rat.
Paauhau	Aug. 12			Do.
India				Apr. 26-June 27, 1925: Cases, 10,166; deaths, 8,913. June 28-Aug. 15, 1925: Cases, 2,291; deaths, 1,548.
Bombay	Apr. 26-June 27	65	59	
Do	June 28-Aug. 25	16	11	
Calcutta	May 30-June 6	1	1	
Do	July 5-11	1	1	
Karachi	May 18-June 6	4	3	
Do	July 31-Aug. 6	1	1	
Madras	May 10-June 27	15	8	
Do	June 28-Aug. 15	55	30	
Rangoon	May 3-June 27	113	95	Feb. 8-14, 1925: Cases, 13; deaths, 13. (Received out of date.)
Do	June 28-July 4	20	18	
Do	July 12-Aug. 29	150	126	
Indo-China:				
Cochin-China—				
Saigon	Apr. 20-June 21	3	3	Including 100 square kilometers of surrounding country.
Irak:				
Bagdad	May 24-June 6	9		
Do	June 21-27	5	1	
Japan:				
Taiwan—				
Taihoku	Oct. 2-6	1	1	
Java:				
Batavia	May 6-June 19	32	31	
Do	July 5-31	65	65	In Province.
Do	Aug. 8-14	28	26	Do.
Do	Aug. 22-28	30	23	Do.
Cheribon	Apr. 1-June 27		102	
Do	June 28-July 25		65	
Pasoeroean Residency	Mar. 7-May 25			Epidemic in several localities.
Do	July 13			Do.
Pekalongan	Apr. 9-June 27		96	
Do	June 28-July 25		9	
Soerabaya	May 7-27	3	3	
Do	June 28-Aug. 15	20	5	
Soerakarta Residency	May 28			Epidemic at Kalidgambe.
Tegal	Apr. 2-May 16		36	
Do	May 24-June 13		16	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 27 to October 23, 1925—Continued

PLAGUE—Continued

Place	Date	Cases	Deaths	Remarks
Madagascar:				
Province—				
Itasy	Apr. 1-15	1	1	
Do	July 1-15	4	4	Bubonic, 3; septicemic, 1.
Tananarive	Apr. 1-June 30	232	200	
Do	July 1-31	19	19	Bubonic, 5; pneumonic, 8; septicemic, 6.
Town—				
Tamatave (port)	Apr. 1-15	2		
Do	June 1-7		1	
Tananarive Town	Apr. 16-May 31	5	5	
Mauritius				April, 1925: One case.
Nigeria	December, 1924	17	13	
Do	January, 1925	10	6	
Do	March-May	25	18	
Peru:				
Callao	July, 1925			Present. Press reports.
Cañete	August, 1925			Do.
Lima	Aug. 14	14		Press reports.
Russia:				
Kalmyk District	May 19-31	10	8	
North Caucasus	June 6-7	2	2	
Urts	May 25-June 3	2	2	In laboratory worker and contact. Locality, Province of Bukeevsk.
Siam:				
Bankok	Apr. 26-June 20	13	11	
Do	June 28-Aug. 22	5	4	
Straits Settlements:				
Singapore	May 3-30	9	9	
Do	June 28-Aug. 1	3	3	
Syria:				
Beirut	Sept. 4-10	2		
Tunis:				
Tunis	Aug. 12-18			Plague rodent.
Turkey:				
Constantinople	May 25-31	1		
Union of South Africa:				
Cape Province—				
Kimberley	June 14-20	1	1	In a Malay camp.
Do	July 5-11			One plague-infected house mouse
Orange Free State—				
Boshof District	June 28-Aug. 15	5	2	Natives.
On vessel:				
Steamship Efstratios Cavoundis.	July 7-11	4	1	At Alexandria, Egypt. Vessel arrived July 7, 1925. Regular route, ports in Syria, Greece, and Port Said. Dead rats reported found on board.
Steamship Arcadia	July 24-27	2		At Piræus, Greece, from Alexandria, Egypt.
Steamship Anatolia	Aug. 8	1		Do.
Steamship City of Norwich.	Apr. 15	1		At Port Said, Egypt, Apr. 14, 1925, from Rangoon, Colombo, and Perim; destination, London. Case occurred in first officer of vessel.
Steamship Naxos	Sept. 12	1		At Rhodes, from Dodecanese Islands via Alexandria, Egypt. The vessel left Alexandria Sept. 9, 1925.

SMALLPOX

Algeria:				
Algiers	May 1-June 30	43	2	
Do	July 1-Aug. 20	67		
Constantine	do	47		
Bolivia:				
La Paz	Apr. 1-June 30	10		
Do	July 1-Aug. 31	8		
Brazil:				
Bahia	June 28-Sept. 5	8	6	
Pernambuco	Apr. 26-May 30	40	21	
Do	June 7-27	5	3	
Do	July 5-18	1	1	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 27 to October 23, 1925—Continued

SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Brazil—Continued.				
Porto Alegre	June 14-20		1	
Do	Aug. 9-15		1	
Rio de Janeiro	May 9-June 27	5	1	
Do	June 28-Aug. 15	122	36	
Do	Aug. 29-Sept. 19	86	50	
British East Africa:				
Kenya—				
Mombasa	Apr. 19-June 20	27	13	
Do	July 5-Aug. 8	56	9	
Nairobi	May 3-9	3	2	
Tanganyika Territory	Apr. 5-May 23	82	24	
Do	June 14-27	48	3	
Uganda	Feb. 1-28	2		
British South Africa:				
Northern Rhodesia	Apr. 28-May 4	3		
Southern Rhodesia	June 11-July 1	2		
Bulgaria:				
Sofia	Aug. 6-19	2		
Canada:				
Alberta—				
Calgary	Aug. 2-Sept. 26	2		
British Columbia—				
Vancouver	June 1-28	7		
Do	July 6-Sept. 13	15	1	
New Brunswick—				
Restigouche County	June 1-30	1		
Ontario				May 31-Sept. 30, 1925: Cases, 52; deaths, 1.
Galt	June 14-20	2		
Kingston	do	1		
Do	Aug. 23-29	1		
North Bay	June 28-July 18	3		
Saskatchewan—				
Regina	May 24-30	3		
China:				
Amoy	May 17-June 30		7	
Do	July 12-Sept. 15			Present.
Antung	May 11-June 21	7		
Do	June 29-Aug. 9	3		
Canton	May 10-June 13			Do.
Chungking	May 3-30			Widespread.
Foochow	May 9-Aug. 22			Present.
Hongkong	Apr. 19-June 13	15	12	
Do	July 19-25	1		
Manchuria—				
Dairen	Apr. 13-June 28	115	17	
Do	June 28-July 26	4	2	
Harbin	May 13-June 2	2		
Nanking	May 9-Aug. 29			Do.
Shanghai	May 3-June 6	5	2	
Do	July 6-25	1	1	
Swatow	May 17-Sept. 12			Stated to be endemic.
Tientsin	May 9-June 6	3		
Do	July 12-18	1		
Chosen	January-April	1,067	243	
Seoul				January-June, 1925: Cases, 341; deaths, 74.
Colombia:				
Buenaventura	Sept. 15-29	1		
Egypt				January-July, 1925: Cases, 341; deaths, 74.
Alexandria	May 21-27	1	1	
Cairo	Mar. 19-May 13	5		
Do	June 18-24	17	5	
France				February-June, 1925: Cases, 102.
Paris	May 21-31	1		
Germany:				
Baden (State)	July 12-25	2	1	
Stuttgart	July 5-11	3	1	
Gold Coast				January-May, 1925: Cases, 379; deaths, 29.
Great Britain:				
England and Wales				May 24-June 27, 1925: Cases, 441. June 28-Sept. 26, 1925: Cases, 660.
Birmingham	July 7-13	1		
Cardiff	June 14-20	1		
Do	Aug. 2-8	14	8	
Newcastle-on-Tyne	May 31-June 27	4		
Do	June 28-Sept. 19	11	1	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 27 to October 23, 1925—Continued

SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Greece				January-June, 1925: Cases, 47; deaths, 8.
Athens	May 1-31		2	
Do	June 24-30	27	3	
Do	July 1-31	14	1	
Haiti:				
Port au Prince	Aug. 23-29	1		Reported at Jean Rabel Aug. 27.
Hungary:				
Budapest	July 5-18	13		
India				Apr. 26-June 27, 1925: Cases, 37,107; deaths, 9,152. June 28-Aug. 15, 1925: Cases, 15,848; deaths, 3,840.
Bombay	Apr. 26-June 27	156	115	
Do	June 28-Aug. 15	25	17	
Calcutta	May 3-9	109	100	
Do	May 17-23	75	61	
Do	May 31-June 20	88	81	
Do	July 5-Sept. 5	62	51	
Karachi	May 18-June 27	6	1	
Do	June 28-July 4	1	1	
Do	Aug. 30-Sept. 5	4	2	
Madras	May 18-June 27	152	66	
Do	June 28-July 18	68	25	
Do	Aug. 2-Sept. 5	89	35	
Rangoon	May 3-June 27	207	99	
Do	June 28-July 4	2	1	
Do	July 12-Aug. 29	27	12	
Indo-China:				
Cochin-China—				
Saigon	Apr. 20-May 21	13	9	Including 100 square kilometers of surrounding country.
Do	Aug. 17-23	1	1	Do.
Irak				Jan. 11-May 30, 1925: Cases, 136; deaths, 46.
Bagdad	Apr. 26-June 20	4	1	
Italy	Dec. 28-June 27	97		
Do	June 28-July 4	9		
Catania	Aug. 17-23	1		
Syracuse Province	do	1		
Turin	Aug. 17-Sept. 13	7		
Venice	July 27-Aug. 2	3		
Jamaica				Apr. 26-June 27, 1925: Cases, 110, June 28-Sept. 26, 1925: Cases. 161 (reported as alastrim).
Kingston	Apr. 26-June 27	19		Reported as alastrim.
Do	June 28-Sept. 26	50		Do.
Japan:				
Kobe	May 24-June 27	2		
Nagasaki	May 15-21	2		
Do	July 6-19	1	1	
Taiwan	June 1-30	11		
Do	July 1-10	1		
Tokyo	June 14-20	1		
Yokohama	May 25-June 12	3		
Java:				
Bantam Residency	June 14-27	2		
Batavia	May 2-June 26	2		
Do	July 4-31	5		
Do	Aug. 8-22	5		Province.
Brebes	Apr. 22-28	1		
Cheribon	Apr. 16-22		1	
Do	July 12-18	1		Do.
Kediri Residency	July 14			Epidemic.
Pekalongan	Apr. 2-8	1		
Rembang Residency	Apr. 23			Epidemic at Kawedanan.
Soerabaya	Apr. 16-June 27	304	41	
Do	June 28-Aug. 8	373	43	
South Bantam	Apr. 16-22	1		
Tegal	Mar. 29-May 2	2	1	
Latvia				May-June, 1925: Cases, 4. July, 1925: Case, 1.
Lithuania				February-May, 1925: Cases, 6.
Malta	June 1-30	9		
Do	July 1-Aug. 31	9	1	
Mexico				January - May, 1925: Deaths, 2,160.
Durango	July-August		22	
Guadalajara	June 2-29		10	
Do	June 30-Sept. 21		3	
Merida	Sept. 20-26			Outbreak.
Mexico City	May 24-June 27	12		Including municipalities in Federal district.
Do	July 5-11	3		
Do	July 26-Sept. 5	8		Do.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 27 to October 23, 1925—Continued

SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Mexico:—Continued.				
Oaxaca, State	Aug. 14			Epidemic at El Hule and other localities.
San Luis Potosi	Aug. 16–Sept. 19	3	2	
Tampico	June 1–10		1	
Do	July 1–31	4	2	
Torreon	Aug. 1–31	2	2	
Morocco:				
Tangier	May 17–June 5			Present among natives.
Nigeria				ecember, 1924: Cases, 40; deaths, 16.
Do				January–May, 1925: Cases, 1,538; deaths, 132.
Persia:				
Teheran	Mar. 21–May 21		29	
Peru:				
Arequipa	June 1–30		1	
Poland				Mar. 1–June 27, 1925: Cases, 41. July 5–12, 1925: Cases, 2.
Portugal:				
Lisbon	Apr. 26–June 27	36	6	
Do	June 28–Sept. 12	78	14	
Oporto	June 14–20	1		
Do	July 19–Aug. 29	7		
Rumania				January–May, 1925: Cases, 22; deaths, 1.
Russia				December, 1924: Cases, 1,000. January–April, 1925: Cases, 5,733.
Siam:				
Bangkok	Apr. 26–June 27	27	19	
Do	June 28–July 11	2	1	
Spain:				
Malaga	May 24–June 20		15	
Do	July 5–Sept. 26		40	
Valencia	May 31–June 27	3	1	
Straits Settlements:				
Singapore	May 17–23	1		
Do	July 5–11	1	1	
Sumatra:				
Pedang	July 12–25	5		
Switzerland:				
Berne	June 7–13	1		
Lucerne	June 14–20	4		
Syria:				
Beirut	Apr. 21–30	1		
Tripoli				Jan. 3–Apr. 15, 1925: Cases, 14.
Tunis:				
Tunis	May 6–June 30		46	
Do	July 1–Sept. 22		72	
Turkey:				
Constantinople	May 16–22	2		
Union of South Africa:				
Cape Province	May 24–Aug. 8			Outbreaks.
Port Elizabeth	Apr. 18–25	8	1	
Orange Free State	Aug. 9–15			Outbreak in Ladybrand district.
Transvaal	May 3–June 6			Outbreak.
Uruguay				December, 1924: Cases, 8.
Do				February–April, 1925: Cases, 10.

TYPHUS FEVER

Algeria:				
Algiers	May 11–20	6	2	In vicinity, 12 cases. Isolated.
Do	July 1–Aug. 20	18	8	
Constantine	July 1–10	17		District.
Do	July 21–31	7		Department.
Oran	do	8		Do.
Bolivia:				
La Paz	Apr. 1–June 30	5		
Do	Aug. 1–31	1		
Bulgaria				November–December, 1924: 1 case. January–June, 1925: Cases, 124; deaths, 7.
Sofia	May 28–June 3	2		

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 27 to October 23, 1925—Continued

TYPHUS FEVER—Continued

Place	Date	Cases	Deaths	Remarks
Chile:				
Iquique	Aug. 8-22		2	
Valparaiso	May 10-June 27		2	
Do	June 28-Sept. 5		9	
China:				
Manchuria—				
Harbin	May 19-June 2	2		
Czechoslovakia				April, 1925: 1 case.
Egypt				January-June, 1925: Cases, 1,011; deaths, 211.
Alexandria	May 7-June 3	3	1	
Do	July 9-Sept. 9	2		
Cairo	Mar. 26-May 13	6	4	
Port Said	May 14-20	1	1	
Do	July 30-Aug. 12	4	1	
Do	Aug. 20-26	3		
Esthonia				Apr. 1-May 30, 1925: Cases, 6.
Great Britain:				
Scotland—				
Glasgow	Sept. 6-12	1		
Greenock	May		2	
Do	Aug. 6-18	7		
Greece				January-June, 1925: Cases, 57; deaths, 6.
Athens	May 1-31		2	
Do	July 1-31	3		
Kalamata	Apr. 1-30		2	
Patras	June 28-July 4		2	
Irak:				
Bagdad	July 12-18	1		
Ireland:				
Cork County	Aug. 25	3		
Latvia				April-June, 1925: Cases, 26. July, 1925: Cases, 6.
Libau	July 14-20	1		
Lithuania				March-May, 1925: Cases, 158; deaths, 7.
Mexico				January-May, 1925: Deaths, 108.
Mexico City	May 24-June 6	24		Including municipalities in Federal district.
Do	June 28-Aug. 1	39		Do.
Do	Aug. 16-Sept. 26	48		Do.
San Luis Potosi	June 26-July 4		1	
Tampico	Aug. 20-31	1		
Morocco				January-June, 1925: Cases, 421.
Palestine:				
Dagania	July 21-27	1		
Ekron	do	1		
Haifa	Aug. 20	1		
Jaffa district	June 28	2		
Do	Aug. 20-Sept. 14	3		
Jerusalem	July 29-Sept. 14	3		From Ramleh district.
Majdal	May 26-June 8	3		
Ramleh	May 19-25	1		
Safad	June 9-15	1		
Do	July 21-27	1		
Tel Aviv	do	1		
Persia:				
Teheran	Apr. 21-May 21		1	
Peru:				
Arequipa	Apr. 1-June 30		3	
Do	July 1-31		1	
Poland				Mar. 1-Apr. 11, 1925: Cases, 1,195; deaths, 74. Apr. 19-June 27, 1925: Cases, 1,001; deaths, 87. July 5-Aug. 1, 1925: Cases, 146; deaths, 13.
Portugal:				
Oporto	May 31-June 6	1		
Do	July 5-Sept. 26	2		
Rumania	January-May	1,360	152	
Constantza	May 1-June 30	2		
Russia				December, 1924: Cases, 5,062. January-April, 1925: Cases, 30,107.
Spain:				
Seville	Aug. 20-26		1	
Valencia	June 7-13		1	
Tunis:				
Tunis	May 21-June 17	16	8	
Do	July 8-Sept. 8	12	5	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 27 to October 23, 1925—Continued

TYPHUS FEVER—Continued

Place	Date	Cases	Deaths	Remarks
Turkey:				
Constantinople	May 11-31	7	2	
Union of South Africa				June, 1925: Cases, 61; deaths, 4.
Cape Province	Apr. 19-July 25	39	5	June, 1925: Cases, 26; deaths, 1.
Do	Aug. 9-15			Outbreaks.
Natal	May 3-July 11	14		June, 1925: Cases, 2.
Durban	Feb. 1-July 4	18		
Orange Free State	Feb. 1-June 27	26	4	June, 1925: Cases, 27; deaths, 1.
Hoopstad	July 5-11			Outbreaks.
Transvaal	May-June	17	4	
Do	Aug. 9-15			Do.
Johannesburg	July 19-25	1		
Yugoslavia:				
Belgrade	June 8-14	1		
Zagreb	May 8-21	7	1	

YELLOW FEVER

Gold Coast	Apr. 1-30	1		
Ivory Coast:				
Lahou	June 1-10	1	1	
Liberia:				
Monrovia	Aug. 7	4		
Nigeria:				
Ibaden	Apr. 24-30	1		
Lagos	Apr. 29-May 5	4	1	